ELECTRIC, GAS and COMBINATION LIGHTING FIXTURES



Table Lamps - Floor Lamps - Electrical Wiring Material - Lighting Glassware

Sears, Roebuck and Co.

Please Read Carefully These Explanations and Instructions

Arrangement of Prices

For your convenience we have given three sets of prices on the majority of our flxtures, namely: (1) fixtures bare: (2) fixtures complete but without glassware; (3) fixtures complete as shown with These terms as applied to gas, electric and combination fixtures mean as follows:

Electric Fixtures. This means the bare fixture fitted with ceiling crowfoot but not wired, and without sockets,

shade rings or glassware.

Gas Fixtures. This means the bare fixture with ceiling

Gas Festures. This means the bare fixture with ceiling coupling (stiff joint) but without shade rings, gas burners or glassware. If the gas fixture is shown with candles instead of glass shades, then the bare fixture is without the brass candle cups, white opal glass candles and bohaches, brass candle pillars or tips.

Continuation Fixtures. This means the bare fixture only fitted with iron top finisher but not wired and without insulating joint, sockets, shade rings, gas burners or glassware. If the combination fixture is shown with gas candles instead of gas shades, then the bare fixture is without the brass candle cups, while opal glass candles and bobaches, brass candle pillars or tips.

Complete, Without Glassware

Electric Fixtures. This means the fixture equipped with ceiling crowfoot and completely wired throughout, includ-ing standard Bryant "New Wrinkle" sockets, with all body wires, arm wires and sockets connected, soldered and taped according to the approved, requirements of the National Board of Underwriters. The fixture is also fitted with brass shade rings but the glassware shown in the illustration is not included.

Gas Fixtures. This means the fixture equipped with

Gar Fixtures. This means the fixture equipped with ceiling coupling (stiff joint), brass shade rings and burners but without the glassware shown in the illustration. If the gas fixture is shown with candles instead of glass shades then the complete fixture includes the brass candle cups, white opal glass candles and bobaches, brass candle pillars and tips.

pillars and ups.

Combination Fistures. This means the fixture equipped with iron top finisher, insulating joint, gas burners and completely wired throughout, including standard Bryant "New Wrinkle" sockets, with all body wires, arm wires and sockets connected, soldered and taped according to the approved requirements of the National Board of University. the approved requirements of the National Board of Underwriters. The fixture is also fitted with brass shaderings but the glassware shown in the Illustration is not included. If the combination fixture is shown with gos candles instead of gas shades then the complete fixture includes the brass candle cups, while opal glass candles and bobaches, brass candle pillars and tips.

Complete With Glassware

The electric, gas and combination fixtures priced complete with glassware are equipped exactly the same as the complete fixtures described immediately above and, in addition to this complete equipment, the price also includes the glassware shown in the illustration.

Electric lamps (bulbs) are not furnished or included in the price of any complete fixture unless it is specifically so stated in the description under the fixture.

Acetylene Gas Tips

We can equip all gas fixtures, except those with inverted burners, with acetylene gas tips at the additional cost of the acetylene burners listed in this catalog. Please select and specify burner wanted when ordering.

Glassware

In selecting the glassware for the complete fixtures we have endeavored to choose the design and shape that is adapted to that particular fixture. If you want to use different glassware from that shown in the illustration you can figure the cost of this change by turning to the pages of the catalog where the glassware is listed separately. To obtain the cost of the complete fixture with the new glassware, deduct the price of the glassware shown on the fixture from the cost of the complete fixture and add the cost of the glassware that you want. If you have any trouble in figuring this cost we will be glad to furnish you with a quotation on request.

Finishes

We quote the majority of our fixtures in brush (satin) brass finish. Where the ceiling canopy, stem or body is ornamented or embossed, this ornamentation or embossing is retouched with black in the hollows to bring out the high lights and richness of the ornamentation. Brush (satin) brass or brush brass and black are the most satisfactory and practical ways to finish brass fixtures in a great majority

of patterns.

We also offer some of our finer fixtures in Etruscan gold, silver and verde antique (green), where we think the fixture or style is particularly adapted to these finishes. We offer a complete line of factures for the bathroom finished in polished nickel; a complete line of fixtures for the kitchen in oxidized copper; a line of inexpensive gas, electric and combination chandeliers in oxidized copper; a complete line of outdoor and porch fixtures made of iron in matte black finish.

We believe that the selection of these special lines has been so complete and represents such a practical assortment that you will be able to find exactly what you want without resorting to the delay and inconvenience to you of ordering other patterns in special finishes. We can, however, furnish you the following finishes on fixtures (not on sundries) now listed in polished brass, brush (satin) brass and brush brass and black at an additional charge of 10 per cent added to the price quoted in the catalog:

Oxidized copper, Statuary bronze, Verde antique (green). Polished nickel.

We will be glad to quote prices on any other finish. desired. If the fixture is intended to match hardware or other trimmings, a sample of finish must be furnished.

We are prepared to make immediate shipment of all fixtures offered in the catalog in the finish in which they are listed, but all changes of finish or special finishes will take approximately three weeks to

Length and Spread of Fixtures

The length of the fixture is determined by the distance from the top of the ceiling canopy to the extreme bottom point. When the glassware projects below the bottom point of the fixture then the length is measured to the bottom of the glassware. This determines the length even where the fixture is ordered bare or without glassware.

The spread of the fixture is the greatest distance between opposite burners on a gas fixture and from the tip of one electric light to the tip of the opposite electric light on an electric fixture. On a combination fixture the spread is the width between the tips of the electric lights. In determining the spread a two-light fixture is always taken as a standard of measurement.

The extension on brackets is the distance from the wall to the gas tip on the gas bracket and to the tip of the lamp on the electric bracket.

Shortening and Lengthening

For making fixtures shorter than the length stated in the catalog no extra charge or deduction from catalog price will be made.

Fixtures made longer than the length stated in the catalog will cost as follows, including the iron pipe and brass casing; on electric and combination fixtures it also includes wiring:

Standard Round Brass Casing, %, %, % or I inch, including iron pipe (and wiring on electric and combination fixtures). Price, 25 cents a foot or fraction

Square or Reeded Brass Casing, 34, % or 1 inch, including iron pipe (and wiring on electric and combination fixtures). Price, 30 cents a foot or fraction

Round Link Solid Brass Chain (round rod) Price, 25 cents a foot or fraction of a foot for all sizes shown on fixtures, except for the extra heavy chain as shown on Nos. 34A5794, 34A5567, 34A5524, 34A5535, 34A5793, 34A5531, 34A5529, 34A5618, 34A5818 and all Etruscan gold and silver plated fixtures, for which add 50 cents a foot or fraction of a foot.

Round Link Solid Brass Chain (square rod). Price, per foot or fraction of a foot, 35 cents for size shown on fixtures.

Square Link Solid Brass Chain (square rod) Price, per foot or fraction of a foot, 45 cents for size

Chains on Domes. Price, 50 cents a foot or fraction

Our chains are made of solid brass in brush (satin) brass finish except Nos. 34A8507 and 34A8560, which are made of steel and finished in brush (satin) brass and black, respectively.

Insulation

Insulating joints are included with combination fixtures in the complete wired price but are not included on electric fixtures. If wanted or required on electric fixtures, specify when ordering and allow cost of same. Prices for insulating joints are to be found in the back of catalog. If fiber insulators are wanted on ceiling or bracket canopies, state this on order and allow 10 cents for each 4 to 6-inch canopy and 2 cents for each additional inch in diameter on ceiling pans and canopies larger than 6 inches. The insurance underwriters require an insulating joint on all combination fixtures and on electric fixtures attached to a pipe.

House Wiring

We are in a position to furnish estimates on material for house wiring and solicit an opportunity to make quotations. Send us the blue prints or make a diagram of the floor plan of your house, giving the dimensions (size) of the rooms, heights of ceilings, and whether the house is under construction or already lathed and plastered. Also specify whether rigid or flexible conduit (piping) or knob and tube work is to be used for the wiring. Give us the total number of lights you will have and show on the blue print or diagram where the lights (ceiling lights, wall lights, etc.) are to go. If you want baseboard connections for portables, floor lamps, electric irons, etc., show where you want them to go. State which lights you wish operated by switches and whether push button or snap switches are preferred. Mark the place where the current (main wires) will enter

If you give us this information our experts will go over your plans, make suggestions and send you an estimate of the amount and cost of material necessary to wire your house, ready to hang the fixtures.

Instructions for Ordering

When ordering lighting fixtures always give: (1) -Catalog number. (2)-Name of article, whether brackets, chandeliers, showers, etc. (3)-Style-gas, electric or combination. (4)-Number of lights. (5)-Whether bare, complete without glassware, or complete as shown with glassware. (6)—Price. (7)—If any change is desired in the fixture as shown, such as lengthening, shortening, change of glassware, burners, etc., this change must be clearly stated. It is unnecessary to send us the picture of the fixture you order. Doing this gives us no information that is not already furnished us by the catalog number and the description you give.

Method of Shipment

Please state specifically whether you want your order shipped by freight or express. We always recommend freight shipment as the saving in transportation charges in use of freight over express is

We make no extra charge whatever for packing. You therefore know exactly what your fixtures will cost you, as the prices in the catalog include everything except the transportation charges.

Terms and How to Order

We require cash with orders (see paragraph below about "How to Send Money"), or we will ship C. O. D. (see paragraph below on "C. O. D. Shipments"). Use our regular fixture order blank if you have one. If not, use any piece of plain paper, but give us the information asked for. (See paragraph above on "Instructions for Ordering.") Always write your full name (Christian name and surname) and address very plainly. Give your postoffice. county and state. If you have a local address, such as rural route or street and number, or postoffice box number, be sure to give it. If your shipping point is different from your postoffice be sure to mention the shipping point as well as the postoffice.

How to Send Money

The best ways to send money are by postoffice money order, express money order, bank draft or cash by registered letter. If you have a checking account at a bank you may, if you prefer, send us your personal check.

C. O. D. Shipments

We have practically discontinued shipping goods C.O.D. because nearly all our customers who formerly had goods shipped this way now send cash in full with their orders, thus saving the annoyance of going to a bank or an express office to pay the balance due on the shipment, and also saving the cost of returning the money to us. Still, if for any reason a customer would prefer to see and examine goods before paying for them in full, we will make C. O. D. shipment on receipt of a sufficient deposit, usually about one-fourth of the amount of the order. We will not, however, accept any order to be shipped C. O. D. if it amounts to less than \$5.00, because orders for amounts smaller than this are unprofitable to the customer, due to the charge for collection and return of the money.

OUR GUARANTEE

Each and every lighting fixture and their parts you buy from us is sold with the understanding and agreement that WE MUST SATISFY YOU PERFECTLY. We guarantee that each and every article listed in this catalog is exactly as described and illustrated. If there is the slightest dissatisfaction because of quality, style, size or for any other reason whatever, we expect you to return the article to us at our expense and we will then exchange it for exactly what you want, or return your money, as you wish, including any

transportation charges you have paid. We also guarantee safe delivery of all of our fixtures and sundries and WE DO NOT CHARGE EXTRA for boxing or cartage. Our prices include delivery of the merchandise on board the freight or express cars in Chicago, securely and safely boxed. You pay the transportation charges from Chicago to your station. We not only guarantee safe delivery of all our lighting fixtures, parts and glassware, but WE WILL MAKE GOOD ANY BREAKAGE OR DAMAGE IN TRANSIT WITHOUT CHARGE.

REGARDING THE QUALITY OF OUR FIXTURES

There are no better made fixtures than those listed in this catalog. They are manufactured by the highest grade workmen in America. No detail in even the cheapest fixture has been slighted. They are made of genuine brass and all of the casings, tubings, canopies, and other features are constructed of extra heavy gauge (weight) metal. We use heavier gauge brass than is customary, in order to insure durability. In thoroughness of construction they are absolutely perfect. All connecting joints and threads are inspected,

insuring accuracy of fit. They conform in every particular with the requirements of the Board of Fire Insurance Underwriters and all the material we supply is approved by this Board. For example, we use "New Code" insulated wire and "New Wrinkle" Association (licensed) sockets. The fusish on our fixtures is the very best. This means that any future you order, whether it is polished brass, brush brass, prush brass, prush brass, prush brass, prush brass and black or any other finish, will be equal, if not maperior, to any fixture that is made, irrespective of cost.

GENERAL INDEX

GAS, ELECTRIC AND COMBINATION FIXTURES, GLASSWARE AND LIGHTING SUPPLIES

The second secon	
PAGE	1
Acetylene Burner Cleaners101	ı
Acetylene Gas Burners101	ı
Acetylene Wind Guard Lanterns101	ı
Art Glass Brackets 57	1
Art Glass Dome Lights	1
Art Glass Portable Lamps107, 109-112	4
Barn Fixtures	ı
Bases	
Base Plug Fuses	
Bathroom Fixtures, Nickel Plated 82-83	4
	1
Beam Lights 42	ı
Bedroom Fixtures 10-11, 48-49, 65, 85	П
Bedroom Lamps106, 113	1
Bedroom Pendants	4
Blow Torches	Ш
Books on Lighting and Wiring 99	А
Brackets 14-15, 56-62, 80-86, 88-89, 92	ı
Bulbs, Electric	ı
Burners, Acetylene Gas	1
Burner Cleaners101	H
Burner Cocks 99	1
Bushings98-99	Ш
By-pass, Gas Light101	Ш
Cable 98	1
Candles, Gas101	П
Candle Brackets 60-62, 81-82	ı
Candle Fixtures 2-5	1
Cap Mantles101	I
Cappings 98	Н
Carbon Lamps 99	в
Ceiling Buttons 96	L
Ceiling Fixtures, Lights	1
	ı
Ceiling Sockets 94	ı
Chandeliers, Combination73-77, 80, 86	ı
Chandeliers, Electric	П
2-3, 14, 16-17, 21, 24-25, 29, 51-55, 86	
Chandeliers, Gas	
Chimneys, Incandescent Gas Light105	
Cleats, Porcelain	ı
Cleat Receptacles	1
Clusters, Plugs 95	1
Cocks, Burner	1
Cocks, Gas	
Cocks, Hose 99	
Combination Brackets80-82, 84	

	PAGE	1
	Combination Chandeliers73-77, 80, 86	12
	Combination Dome Lights107	118
	Combination Pendants 78-80, 82, 84	13
	Combination Showers	13
	Conduits	
	Condulets	
	Connectors	
		Ш
	Crossovers, Porcelain 93	Ш
		III.
	Crystal Prisms103	1
	Current Taps 95	1
	Cut Out Boxes 98	1
	Den Fixtures	1
	Desk Lamps106, 113	1
	Dome Lights	1
	Dome Shades104	1
	Drop Cords 93	(
	Drop Cord Adjusters 93	(
	Drop Cord Lights92-93	1
	Electric Brackets	1
	14-15, 56-59, 61, 82-83, 85-86, 88-89, 92	1
	Electric Bulbs 99	1
	Electric Candle Brackets60-61	1
	Electric Candle Fixtures2-5	1
	Electric Ceiling Fixtures, Lights	1 3
ı		1
į	Electric Chandeliers	1
Ì	2-3, 14, 16-17, 21, 24-25, 29, 51-55, 86	1
	2-3, 14, 10-17, 21, 24-25, 29, 51-55, 86	II.
ı	Electric Dome Lights107-112	
ı	Electric Glassware	1
ì	Electric Lamps, Carbon, Tungsten 99 Electric Lamps, Portable	1
Į	Electric Lamps, Portable	1
ı	106-113 and Outside Back Cover	1
1	Electric Lanterns 88	
	Electric Pendants 17, 44-50, 83, 85, 87-92	1
	Electric Portables	1
	106-113 and Outside Back Cover	1
	Electric Reflectors104	1
	Electric Shades	1
1	Electric Shade Holders	Ī
	Electric Showers	î
1	6-7, 9, 13, 15, 18-28, 30-40, 43, 85	Î
1	Electrical Books	Î
	Electrical Parts	Î
	Electricians' Supplies 93	Î
1	Electroliers	1
ı	Electroners108	1

PAGE
Flame Lamps 99
Floor Lamps 106 and Outside Back Cover
Fuses and Links
Friction Tape
Garage Fixtures 92
Gas Brackets
Gas Burners101
Gas Burners, Acetylene
Gas Chandeliers
Gas Cocks99
Gas Glassware
Gas Hose
Gas Lamps 107
Gas Lanterns 88
Gas Lighters
Gas Mantles101
Gas Pendants
Gas Pillars and Tips101
Gas Portables
Gas Shades
Gas Shade Holders 99
Gas Showers 70
Gas Tips
Gasoline Mantles101
Glassware
Globalls 99
Globes, Gas
Hall Fixtures, Electric10-11, 17, 48-50, 85
Hall Fixtures, Gas63-65, 79, 84-85
Hose, Gas101
Hose Cocks 99
House Wiring Inside Front Cover
House Wiring, Books on 99
Incandescent Gas Globes, Chimneys105
Incandescent Gas Lights84, 100
Incandescent Gas Mantles101
Insulating Bushings 98
Insulating Joints 99
Insulating Wire95-98
Inverted Combination Brackets 80
Inverted Combination Chandeliers 74
Inverted Gas Brackets
Inverted Gas Chandeliers68-69, 87
Inverted Gas Lights100
Inverted Gas Pendants 64
Inverted Gas Showers70, 72

Para Section 1	
	PAGE
Inverted Mantles	
Joints	9
Knobs, Porcelain	
Lamps, Electric	
Lamps, Gas	10.
Lamps, Tungsten, Carbon.	100
Lamp Cord	
Lamp Guards, Wire	00
Lanterns, Porch	00.00
Leather Heads	000000
Locknuts	
Mantles	
Miniature Lights	
Mission Brackets	88.99
Mission Chandeliers 52-53, 6	6. 74-76
Mission Pendants	A.
Mission Shades	102 103
Mission Showers	39
Moldings	98
Newel Lights	108
Newel Lights Outdoor Decorative Electric Illumina	tion 95
Outdoor Electric Lights8	8-89, 91
Outdoor Gas Lights	88
Outlet Boxes and Covers	98
Pendants17, 44-50, 68-64, 78-80, 82-8	5, 87-99
Pendant Switches	95
Piano Lamps	106, 113
Pillars	101
Pliers	93
Plugs	97
Plug Clusters	95
Plug Receptacles	97
Porch Lights Portables 106-113 and Outside Back	88-89
Prisms, Crystal	Cover
Public Building Fixtures	103
Push Button Switches	90-91
Reed and Ribbon Brackets	**** 21
Reed and Ribbon Globes	102
Reflectors, Electric	104
Rosettes	
Rubber Tape	0.0
Screws	03
Screws Semi-Indirect Fixtures4-12, 46, 76	1-71 88
Shades	109-105
3111444	100

PAGE
Shade Holders99, 101, 103
Sheffield Brackets
Sheffield Ceiling Fixtures 38, 40-42
Sheffield Chandeliers
Sheffield Combination Fixtures 78
Sheffield Pendants
Sheffield Shades
Sheffield Showers
Showers .6-7, 9, 13, 15, 18-28, 30-40, 43, 70, 72-73, 87
Sockets
Solder, Wire 93
So.dering Paste
Square Brackets 62, 80-82, 84, 86, 89-90
Square brackets62, 80-82, 84, 86, 89-90
Square Chandeliers 66, 68-69, 76
Square Pendants
Store Fixtures90-91
Street Lights, Electric91
Sundries, Wiring
Switches95, 97
Switch Bases96
Switch Boxes and Covers 98
Switch Plates 97
Tape, Friction
Tape, Rubber 93
Taps, Current 95
Tools, Electricians' 93
Torch Brackets 57, 59, 89
Trouble Finders 92
Tubes, Porcelain
Tungsten Fixtures 90
Tungsten Lamps 99
Tungsten Reflectors 104
Wall Cases 98
Wall Flush Plates 97
Wall Sockets94
Washers 99
Wicker Electric Fixtures 12
Wicker Electric Portables
108 and Outside Back Cover
Wire95-96
Wire Solder 93
Wiring, Books on 99
Wiring Sundries92-99
Wood Cappings
Wood Moldings
Wrought Iron Porch Fixtures 88-89

HOW OUR WIRED FIXTURES SAVE YOU TIME AND MONEY


We ship our "wired electric and combination fixtures" completely assembled and wired. All ready to erect. By this we mean that in all the completely wired electric and combination fixtures the sockets are attached to the arms and connected with the arm wires. The arms are fitted into the body and the arm wires connected to the body wires with all the connections taped and insulated according to the rules of the Board of Underwriters. The fixture reaches you complete in one piece, and all you have to do is unpack your fixture, attach it to the wall or

ceiling and connect the two wires at the end of the fixture stem to your house wires. We recommend that you have your local electrician put up your fixture as he is an expert in this line. If for any reason you are unable to get an electrician or do not wish to employ an electrician, you can without any previous experience, erect our fixtures in a very few minutes without special tools and without instructions.

Our wired fixtures should appeal strongly, not only to the actual user but also to the electrical supply dealer and local electrician who

makes a business of selling fixtures, because our wiring is done by the most expert workmen insuring a perfect job in every case, and our prices so low that the dealer can buy our wired fixtures and still sell them cheaper than if he did the wiring himself. We were the first fixture dealers to attempt the innovation of shipping wired fixtures absolutely complete in one piece ready to erect. And the rapid growth of our business in this line proves that we are on the right track.

Buy our wired fixtures and save time and money.



Made of genuine brass in brush (satin) brass black finish. Length to bottom of fixture, 36 inches. Spread, 16 inches. Cast ceiling canopy. 6 inches in diameter, beautifully chased in festoon design, with solid brass round link chain supporting an artistic taper body, 7 inches in diameter and 11 inches in length. The edge of the body has a cast brass beading and the lower part is beautifully decorated with cast brass ornament. From the top of this body extend four curved flat reeded arms with spun brass candle plates, candle holders and white enameled metal candles (1½ inches in diameter). The candles are fitted with Edison base keyless sockets inside of candles and round 2½-inch frosted 18-candle power electric lamp.

Catalog No. Style Complete as Shown, Wired \$14A5552 4-Light \$17.98

This Colonial design chande there is made of genuine brass, silver plated. Length to bottom of fix ture, 36 inches. Spraed, 20 inches. Spun ceiling canopy, 6½ inches in diameter, from which extends a massive round link chain supporting an urn ornament. At the bottom of this ornament is an artistic body, 12 inches long and 4 inches wide, terminating in a knob at bottom. From the upper part of the body extend five gracefully curved oval arms, 34 inch in diameter, with candle plates, candle holders and white enameled metal candles (1½ inches in diameter). The candles are fitted with Edison base keyless sockets inside of candles and round 2½-inch frosted 16-candle power electric lamps.

Catalog No. Style Complete as Shown, Wired \$4A5541 5-Light \$25.00

Made of genuine brass in brush (satin) brass finish. Length to bottom of fixture, 36 inches. Spread, 17 inches. Ceiling canopy, 5 inches in diameter, with stem 1/2 inch in diameter, fitted with heavy cast loop to which is attached a solid brass link chain. This chain supports a fancy spun spool shape body measuring 6 inches in diameter at the widest part and 10 inches in length, including ornament at the bottom. Five beautifully curved arms, 1/2 inch in diameter, extend from the center of the body, with spun brass candle plates, candle holders and white enameled metal candles (1/4 inches in diameter). The candles are fitted with Edison base keyless sockets and round 2/5—inch frosted 16-candle power electric lamps.

	The state of the s		
Catalog No.	Style	Complete as Shown, Wired	
34A5532	5-Light	\$13.75	



Adam Design Electric Candle Fixture

This artistic candle fixture in Adam design is made of genuine brass in brush (satin) brass and black finish. Length to bottom of fixture, 40 inches. Spread, 22 inches. Spun brass step canopy, 4½ inches in diameter, with fancy cast rosette at bottom. Cast loops and rings with short stem support an exquisite Adam design body measuring 7½ inches in diameter and 19 inches in length, including cast brass tassel. From the side of the body extend five gracefully curved hexagonal arms with fluted candle holders and candle plates to match body, and white enameled metal candles 0½ inches in diameter. The candles are fitted with Edison has keyless sockets. inches in diameter). The candles are fitted with Edison base keyless sockets inside of candles and round 2½-inch frosted 16-candle power electric lamps.

Catalog No.	Style	Complete as Shown, Wired
34A5554	5-Light	\$23.75



Made of genuine brass in brush (satin) brass finish. Length to bottom of fixture, 33 inches. Spread, 17 inches. Spun brass ceiling canopy, 5 inches in diameter, with short stem. Attached to this stem is a solid brass link chain supporting a beautiful Colonial spun brass body, 4½ inches in diameter and 12 inches in length including bottom ornament. From the lower part of the body extend four gracefully curved round arms with spun brass candle plates and candle holders and white enameled metal candles (14/4 inches in diameter). The candles are fitted with Edison base keyless sockets inside of candles and round 21/2-inch frosted 16-candle power electric lamps.

Catalog No.	Style	Complete as Shown, Wired
34A5551	4-Light	\$13.50


Silver Plated Electric Candle Fixture

This most attractive Colonial fixture is made of genuine brass, silver plated. Length to bottom of fixture, 36 inches. Spread, 17½ inches. Spun ceiling canopy, 5 inches in diameter, from which extends a massive round link chain supporting a round turned body, from the bottom of which extend five flat tubing arms which support at their end an 18-inch open band. Upon this band are placed five lights fitted with candle plates, candle holders and white enameled metal candles (1½ inches in diameter). The candles are equipped with Edison base keyless sockets inside of candles and round 2½-inch frosted 16-candle power electric lamps.

Catalog No.	Style	Complete as Shown, Wired
34A5553	5-Light	\$24.75

SEARS, ROEBUCK AND CO., CHICAGO, ILL.

Page Three



Ionic Three-Light Fixture

Length to bottom of glass bowl, 32 inches. Diameter of bowl, 16 inches. The hanger is made of solid brass in brush (satin) brass and black finish. It has a spun brass ceiling canopy, 6½ inches in diameter, decorated with cast brass ornament in leaf design, and bottom knob. To the canopy are attached, on link connections, three ½-inch reeded brass rods with cast brass center ornaments and fancy cast leaf hook attachments. This hanger supports a beautifully shaped deep 16-inch light diffusing glass bowl, made in white satin finish closely resembling marble and is exquisitely deep etched on the bottom and side in a classic lonic leaf and scroll design. Wired with silk cord run through the reeded rods to three keyless sockets inside of bowl.


No. 34A5632 Price, complete as shown....\$13.75



Grecian Key Six-Light Fixture

Length to bottom of glass bowl, 29 inches. Spread, 19 inches. The hanger is made of genuine brass in brush (satin) brass and black finish. It has a brass ceiling canopy, 6 inches in diameter, decorated with Grecian key border and cast knob. Four solid brass fancy link chains support a 16¼-inch brass band ornamented with Grecian key border. From the side of the band extend four cast candle arms fitted with 1¼-inch white enameled metal candles, Edison base keyless sockets inside candles, and round 2½-inch frosted 16-candle power electric lamps. Inside the band is fitted a 16-inch pebbled crystallized glass bowl decorated around the top with an amber green Grecian key border. Wired with silk cord laced through the chains to two electric lights with keyless sockets inside of bowl and the four candles.

No. 34A5550 Price, complete as shown......\$16.98



Egyptian Three-Light Fixture

Length to bottom of glass bowl, 33 inches. Diameter of bowl. 16 inches. The hanger is made of solid brass in brush (satin) brass finish. It has a ceiling canopy 5\%-inches in diameter beautifully embossed around the edge in reed and ribbon design with plain spun tapering center fitted with three cast hooks to which are attached three solid brass round link chains with cast bowl hooks. The 16-inch light radiating satin finish glass bowl, closely resembling Castilian marble, is beautifully decorated around the center in Egyptian scroll design and at the bottom in classic medallion effect. Wired with silk cord laced through the chains to three electric lights with keyless sockets inside of bowl.

No. 34A5615 Price, complete as shown.....\$11.50



Oak Leaf Three-Light Fixture

Length to bottom of glass bowl, 36 inches. Diameter of bowl, 16 inches at widest part. The hanger is made of solid brass in brush (satin) brass finish. It has a plain round ceiling canopy, 4½ inches in diameter, with tapering center, fitted with three cast hooks and cast knob. To these hooks are attached three solid brass round link chains with cast brass bowl hooks. The 16-inch light radiating satin finish frosted glass bowl closely resembles alabaster in appearance and is richly embossed with oak leaf border and large oak leaves on the bot-tom. Wired with silk cord laced through the chains to three keyless sockets inside of bowl.

No. 34A5614

Semi-Indirect Electric Fixtures



Silver Plated Six-Light Fixture

Length to bottom of glass bowl, 32 inches. Spread, 20 inches. The hanger is made of solid brass, silver plated. It has a spun ceiling canopy, 6 inches in diameter, terminating with a cast fluted ornament and knob. To this canopy are attached four fancy link chains supportand knob. To this canopy are attached four fairly link chains supporting a band, 18 inches in diameter, ornamented with four cast medallions on the side. This band is fitted with a 10-inch fluted extra deep light diffusing satin finish glass bowl, which closely resembles Italian marble, in raised relief. Extending from the band are four round cast candle arms with cast knob at bottom and round fluted candle holders at top, which are fitted with 1½-inch white enameled metal candles, Edison base keyless sockets and round 2½-inch frosted 10-candle power electric lamps. The fixture is wired with sik cord laced through the chains to two keyless sockets inside of bowl and the four candle lights.

No. 34A5544 Price, complete as shown......\$24.85




Pompeian Three-Light Fixture

Length to bottom of bowl, 36 inches. Diameter of bowl, 15 inches at widest part. Made of solid brass in brush (satin) brass and black finish. It has a round ceiling canopy, 7 inches in diameter, embossed to match bowl and fitted with three cast brass hooks. To these books are attached three solid brass round link chains with cast brass bowl hooks. The 15-inch light radiating with cast brass bowl hooks. satin finish glass bowl is handsomely embossed in pan-eled design with fluted border, and closely resembles Pompeian marble in appearance. Wired with silk cord, which is laced through the chain to three keyless sockets inside of bowl.

No. 34A5629

Price, complete as shown...........\$6.25



Colonial Three-Light Fixture

Length to bottom of glass bowl, 36 inches. Diameter of bowl, 16 inches at widest part. The hanger is made of solid brass in brush (satin) brass finish. It has a spun brass ceiling canopy, 6 inches in diameter, fitted with three cast loops and cast brass knob. To these loops are attached three solid brass round link chains with bowl hooks supporting a 16-inch light radiating satin finish frosted glass bowl. This bowl is perfectly plain and closely resembles pure white Italian marble. The fixture is wired with silk cord laced through the chains to three keyless sockets inside of bowl.

No. 34A5640 Price, complete as shown, \$5.95



Oak Leaf Four-Light Shower

Combining the direct with the semi-indirect lighting. Length to bottom of glassware, 36 inches. Spread, about 18 inches. The hanger is made of solid brass in brush (satin) brass and black finish with ceiling canopy, 6 inches in diameter, embossed around the edge in lotus leaf design and fitted with three hooks. To these hooks are attached three solid brass round link chains with combination bowl and light hooks supporting a 16-inch light radiating satin finish glass bowl and three drop lights. The bowl is richly embossed with oak leaf border and bottom. It closely resembles alabaster and is fitted with keyless socket for one electric light inside of bowl. The three direct lights that hang around the edge of the bowl are on link chain connections and fitted with 2½-inch embossed socket covers, key sockets and satin finish embossed glass shades to match bowl. This fixture is wired with silk cord laced through the chains.

No. 34A5636 Price, complete as shown......\$8.75

Byzantine Four-Light Shower

Combining the direct with the semi-indirect lighting. Length to bottom of glassware, 36 inches. Spread, about 18 inches. The hanger is made of solid brass in brush (satin) brass and black finish with ceiling canopy, 6 inches in diameter, embossed around the edge in classical design and fitted with three hooks. To these hooks are attached three solid brass round link chains with combination bowl and light hooks supporting a 16-inch satin finish light radiating glass bowl and three drop lights. This bowl is richly embossed in paneled design with classic border closely resembling marble and is fitted with a keyless socket for one electric light inside of bowl. The three direct lights that hang around the edge of the bowl are on link chain connections and fitted with 2½-inch embossed socket covers, key sockets and satin finish paneled glass shades to match bowl. This fixture is wired with silk cord laced through the chains.

No. 34A5638 Price, complete as shown.....\$9.45



Grecian Four-Light Shower

Combining the direct with the semi-indirect lighting. Length to bottom of glassware, 36 inches. Spread, about 15 inches. The hanger is made of solid brass in brush (satin) brass and black finish, with ceiling canopy, 6 inches in diameter, beautifully embossed in conventional flower design and fitted with three brass hooks. To these hooks are attached three solid brass round link chains with combined bowl and light hooks supporting a 13-inch light radiating fancy shaped glass bowl and three drop lights. The bowl is richly embossed in paneled design with classic ornamental border and closely resembles Italian marble in appearance. It is fitted with keyless socket inside of bowl. The three direct lights that hang around the edge of the bowl are on link chain connections and fitted with 24-inch socket covers in ribbed design, key sockets and satin finish paneled glass shades to match bowl. This fixture is wired with silk cord laced through the chains.

No. 34A5637 Price, complete as shown.......\$10.50



Hand Tinted Three-Light Fixture

Length to bottom of glass bowl, 32 inches. Diameter of bowl at widest part, 14 inches. The hanger is made of solid brass in brush (satin) brass finish. It has a fancy paneled ceiling canopy, 5 inches in diameter, with beaded edge and ribbed center, fitted with three cast hooks and knob. To these hooks are attached three solid brass round link chains supporting a 14-inch light radiating marble finish glass bowl, elaborately embossed in tulip and leaf design. The alternating lilies are hand tinted pink with green leaves, the other lilies remaining white. The border is embossed and tinted in the same manner This fixture is wired with silk cord laced through the chains and keyless sockets inside of bowl for three electric lights.

No. 34A5630 Price, complete as shown. . . \$7.50



Roman Four-Light Electric Shower

Combining the direct with the semi-indirect lighting. Length to bottom of glassware, 36 inches. Spread, about 17 inches. The hanger is made of genuine brass in brush (satin) brass and black finish, with ceiling canopy, 6 inches in diameter, beautifully embossed in lotus leaf design and fitted with three brass hooks. To these hooks are attached three solid brass round link chains with combined bowl and light hooks supporting a 15-inch satin finish glass bowl and three drop lights. The bowl closely resembles pure white Castilian marble in appearance, is handsomely embossed with paneled bottom and border in religious products. raised relief and fitted with one keyless socket inside of bowl. The three direct lights that hang around the edge of the bowl are on link chain connections and fitted with 2¼-inch embossed socket covers, key sockets and satin finish frosted glass shades to match bowl. This fixture is wired with silk cord leads the property of the p



Baroque Three-Light Fixture

Length to bottom of bowl, 30 inches. Diameter of bowl, 15 inches. The hanger is made of solid brass in brush (satin) brass and black finish. It has a ceiling canopy, 6½ inches in diameter, decorated with cast brass ornaments in leaf design and cast knob. To the canopy are attached three solid brass round link chains with fancy ornamental cast hooks, supporting a 15-inch light diffusing satin finish glass bowl. This bowl closely resembles carved alabaster and is decorated in raised relief with scroll and leaf design. The fixture is wired with silk corol laced through the chains to three keyless sockets inside of bowl.

No. 34A5618 Price, complete as shown....\$12.50



Florentine Four-Light Fixture

Length to bottom of glass bowl, 35 inches. Diameter of bowl, 19 inches at widest part. The hanger is made of solid brass in brush (satin) brass and black finish. It has a large ceiling canopy, 8 inches in diameter, embossed in shield and scroll design, fitted with four cast brass hooks and turned brass knob at bottom. To these hooks are attached four solid round link chains with fancy cast shield shape bowl hooks supporting a 19-inch light radiating satin finish Florentine urn shape glass bowl, exquisitely molded in fluted panel design, the bowl closely resembling Italian marble. The fixture is wired with silk cord laced through the chains to four keyless sockets inside of bowl.

No. 24.45634. Prince geometric as a bown.

No. 34A5634 Price, complete as shown.....\$14.75



Ionian Three-Light Fixture

Length to bottom of glass bowl, 32 inches. Diameter of bowl, 14 Length to bottom of glass bowl, 32 inches. Diameter of bowl, 13 inches at widest part. The hanger is made of solid brass in brush (satin) brass finish. It has a large ceiling canopy 5½ inches in diameter with embossed laurel leaf. Edge and plain tapering center, fitted with three cast hooks and cast knob. To these hooks are attached three solid brass round link chains supporting a light radiating satin finish glass bowl. This bowl is richly embossed with reed and ribbon border and classic fluted design bottom. It closely resembles genuine marble. The fluture is wired with silk cory resembles genuine marble. The fixture is wired with silk cord laced through the chains to three keyless sockets inside of bowl.

No. 34A5639 Price, complete as shown ..., \$6.98



Adam Three-Light Fixture

Length to bottom of glass bowl, 33 inches. Diameter of bowl, 14 inches. The hanger, which is very rich, is made of solid brass in brush (satin) brass finish. It has a ceiling canopy, 8 inches in diameter, with heavy cast border chased in ornamental design, and solid brass ring. From the ring is suspended on round link chain connections a small cylindrical body decorated with a cast knob. Attached to the body are three curved flat tubing arms, supporting a 14-inch light radiating satin finish glass bowl on fancy link connections with three heavy cast bowl holders in leaf design. The bowl closely resembles pure white Castilian marble and is beautifully etched in Adam festoon design. Wired with silk cord run through the arms to three keyless sockets inside of bowl.

No. 34A5606 Price, complete as shown....\$24.75



Venetian Six-Light Shower

Length to bottom of glassware, 36 inches. Spread, 19 inches. Made of composition, heavily metal coated operate ally non-breakable), in brush (satin) brass and black finish. It has a metallized emopy, 5½ inches in diameter, decorated in classic leaf design with short stem fitted with four cast brass hooks. To these hooks are attached four solid brass chains supporting a 17-inch metallized composition band in reeded and leaf design. Fitted in the frame is a 15-inch satin finish light diffusing bowl, closely resembling Italian marble, with raised fluted ornamental bottom. This bowl is fitted for two electric lights with keyless sock ets. Where the chains ioin the band are handsome metallized leaf ornaments from which extend four cast brass hooks, supporting four socket covers with key which extend four cast brass hooks supporting four socket covers with ket sockets and satin finish fluted glass shades to match bowl. The fixture is wired with silk cord laced through the chains.

No. 34A5818 Price, complete as shown \$27.75



Adam Two-Light Fixture

Length to bottom of glass bowl, 30 mehes inches. The rich and ornamental hanger is n brush (satin) bruss fluish. It has a bea canopy, 6 inches in diameter, beautiful to the canopy are attached three supporting a 15-inch cast brass rit design, fitted with a 14-inch h. This bowl is made of satin fineshing as and is exquisitely etched in Adam design, country of medialines with President. etched in Adam design, const bowknots connected by festoons wired with silk cord laced through

No. 34A5624 Price, complete as shown .. 822


Semi-Indirect Electric Fixtures With Hand Painted, Frosted and Colored Bowls for Bedrooms, Halls, Dens and Small Living Rooms



One - Light Semi - Indirect Fixture With Hand Painted Bowl

Length to bottom of glass bowl, 30 inches. Diameter of bowl, 12 inches. The hanger is made of solid brass in brush (satin) brass and black finish. It has a plain ceiling canopy, 5½ inches in diameter, with short stem and spun body. From this body hang three solid brass round link chains supporting a 12½-inch heavy metal ring richly chased in holly leaf and berry design. This band is fitted with a light diffusing satin finish frosted glass bowl, 12 inches in diameter. The bowl is charmingly hand painted on the inside with orchids in their dainty natural colors, glving a most attractive effect when the bowl is lighted. The fixture is wired with silk cord laced through the chains and keyless socket inside of bowl for one electric light.

No. 34A5612 Complete as shown . \$7.25



One-Light Semi-Indirect Fixture
With Satin Finished Bowl

Length to bottom of glass bowl. 24 inches. Diameter of bowl, 10 inches. The hanger is made of genuine brass in brush (satin) brass finish. It has a fluted brass canopy, 4½ inches in diameter, with bottom knob and fitted with three cast hooks. To these hooks are attached three solid brass round link chains supporting a deep satin finish light radiating glass bowl, 10 inches in diameter. The bowl resembles white marble and is decorated with an embossed oak leaf border and large oak leaves on the side extending up from a rosette at bottom. The fixture is wired with silk cord laced through the chains and keyless socket inside of bowl for one electric light.

No. 34A5649 Complete as shown.\$4.98



One-Light Semi-Indirect Fixture With Crystal Striped Bowl

Length to bottom of glassware, 22½ inches. Diameter of bowl, 12 inches. The hanger is made of genuine brass in brush (satin) brass finish. It has a round ceiling canopy, 5 inches in diameter and ½-inch round stem with spun brass cup ornament. From this ornament extend three solid brass chains which support an 11½-inch ring with 10-inch bottom opening for glass bowl. The fancy shaped pointed bottom bowl measures 12 inches in diameter at widest part and is made of frosted glass with clear crystal stripes in mitation of cut glass. The fixture is wired through the stem which extends into the bowl and is fitted with keyless socket for one electric light.

No. 34A5250 Complete as shown.\$5.75



One - Light Semi - Indirect Fixture With Hand Painted Bowl

Length to bottom of glass bowl, 24 inches. Diameter of bowl, 10 inches. The hanger is made of genuine brass in brush (satin) brass finish. Spun brass ceiling canopy, 4½ inches in diameter, fitted with three cast hooks. To these hooks are attached three solid brass round link chains supporting a deep light diffusing satin finish glass bowl, 10 inches in diameter. The bowl resembles white marble and is handsomely embossed with classic design border and conventional rosette at bottom. Below the embossed border is a hand painted decoration of pink and white apple blossoms with their green leaves. The fixture is wired with silk cord laced through the chains and keyless sucket inside of bowl for one electric light.

No. 34A5643 Complete as shown. \$6.25



Length to bottom of glass bowl, 28 inches. Diameter of bowl, 12 inches The hanger is made of genuine brass in brush (satin) brass finish. It has a spun brass ceiling canopy 4½ inches in dameter, fitted with three cast hooks. To these hooks are attached three solid brass round link chains supporting a 12-uch light radiating old ivory tinted glass bowl etched in a fancy scroll design in white. The coloring of this bowl is very pleasing and gives a mellow and soft ambeitinted light that is very restful to the eyes. The fixture is wired with silk cord laced through the chains, and key less socket inside of bowl for one electricials.

No. 34A5613 Complete as shown, \$5.98

Semi-Indirect Electric Fixtures With Imitation Italian Marble Bowls for Bedrooms, Halls, Dens and Small Living Rooms



One-Light Semi-Indirect Fixture With Hand Tinted Bowl

Length to bottom of glass bowl, 27½ inches. Diameter of bowl, 9½ inches at top and 11 inches at widest part. The hanger is made of genuine brass in brush (sitin) brass finish. It has a stamped brass ceiling canopy, 45 mehes in diameter, in fluted design, fltted with three cast hooks to which are attached three solid brass round link chains, supporting an H-inch marble finish light radiating glass bowl. This boyl is decorated in embossed tulip and leaf design and hand tinted with alternating pink and white lilies with green and white leaves. The fixture is wired with silk cord laced through the chain, and keyless socket inside of bowl for one electric light.

No. 34A5633 Price, complete 85.98



Length to bottom of glass bowl, 24 inches. Diameter of bowl, 10 inches at top and 11 inches at widest part. The hanger is made of genuine brass in brush (satin) brass finish. It has a spun brass ceiling canopy, 41/2 inches in drimeter, fitted with three cast brass hooks. To these hooks are attached three solid brass round link chains supporting an II inch light radiating extra deep bowl This artistically shaped bowl is made of satin finish glass closely resembling pure white marble and is handsomely etched to represent carving. The fixture is wired with silk cord laced through the chain, and key less socket inside of bowl for one electric


No. 34A5628 Price, complete \$5.50



One-Light Semi-Indirect Fixture With Laurel Wreath Bowl

Length to bottom of glass bowl, 21 inches, Diameter of bowl, 10 inches at top and 111/4 inches at widest part. The hanger is made of genuine brass in brush (satin) brass finish. It has a spun brass ribbed ceiling canopy, 5 inches in diameter, with bottom knob and fitted with three cast books. To these books are attached three solid brass round bink chains supporting the light radiating satin finish frosted glass bowl 1114 inches in diameter. The bowl is hundsomely decorated around the top with an embossed laurel wreath border and a conventional rosette design at bottom. The fixture is wired with silk cord laced through clasin, and keyless socket inside of bowl for one electric light.

No. 34A5641 Price, complete 84.75



Length to bottom of glass bowl 26 melies Diameter of bowl, 19% inches at top and 111% inches at widest part. The hanger is made of genuine brass in brush (satin) brass finish. It has a stamped brass ceiling can opy, 414 inches in diameter, in fluted design fitted with three cast hooks and cast brass bottom knob. To these hooks are attached three solid brass round link chains support ing an 11½-inch beautifully shaped marble finish glass bowl. This bowl is handsomely embossed in fluted design with deep ribs and extended fluted rosette at bottom. The fixture is wired with silk cord laced through the chain, and keyless socket inside of bowl for one electric light

No. 34A5631 Price, complete \$4.98

Three-Light Semi-1 ect Fixture With Silver P Hanger

Length to bottom Diameter of bowl, 16 inches | The hanger is hooks are attached three solid brass fancs link chains, with heavy cast medallion cen ter ornaments and fancy cast ornamental attachments supporting a 16-inch light dit fusing satin mush glass bowl. This bowl somely decorated in raised relief. The fix ture is wired with silk cord laced through the chains, and keyless sockets inside of bowl for three electric lights.

Vo. 34A5616 Price, complete \$14.5

Wicker and Semi-Indirect Electric Fixtures



Three-Light Glass Bottom Wicker Fixture

Length to bottom of fixture, 32 inches. Diameter of shade, 19 inches. This attractive semi-indirect fixture is made of wicker in funcil oak fluish. It has a large wicker ceiling canopy. 7 inches in diameter, to which are attached three fancy reed link chains with wicker ring attachments supporting a 19inch wicker basket. His basket is fitted with a trosted glass bow lat the bot tom and the wicker portion is fined with flowered cretonie in red tose and leaf pattern. The light coming through the cretonne produces a very pleasing effect in a living room or sun parlor. The fixture is wired with silk cord laced through the reed chains to three keyless sockets inside of bowl.


No. 34A5650 Price, complete as shown...........\$9.75



Two-Light Wicker Indirect Fixture

Length to bottom of fixture, 30 inches. Diameter of shade, 16 inches. This artistic indirect fixture is made of wicker in furned oak finish. It has a large ceiling canopy, 7 inches in diameter, to which are attached three fairly reed link chains with fairly ring attachments supporting a 16 inch wicker basket with open lattice work around center lined with flowered cretonne in red and pink tose pattern. This fixture gives out a subdued light through the cretonic that is most pleasing in a summer home or enclosed porch. The fixture is wired with silk cord laced through the reed chains to two keyless sockets inside of bowl.


No. 34A5651 Price, complete as shown......\$7.98



Three-Light Leaded Glass Semi-Indirect Fixture

Length to bottom of glass bowl, 34 inches. Diameter of bowl 18 inches. The hanger is made of solid brass in brush (satin) brass flush. It has a round ceiling canopy, 7^4z inches in diameter. From the canopy hang three solid brass chains supporting an 18 inch high diffusing bowl. The bowl is made of ivery colored glass cut into square and rectangular pieces which are leaded together in a classical design The leading is finished in gift which with the ivory colored glass makes very handsome fixture. The fixture is wired with silk cord laced through the chains to three keyless sockets.

No. 34A5259 Price, complete as shown......\$14.50



Three-Light Composition Shower

Length to bottom of glassware, 36 inches. Spread, 16 inches. This beautiful fixture is made of composition in Tiffany green or Roman gold finish. State finish desired. The bowl is 16 inches in diameter and richly sculptured in a very handsome leaf design with fancy ornamental ball at bottom. The composition material adapts itself splendidly to a design of this character, causing the relief work to stand out with a delicacy of out-line that is both artistic and beautiful. This fixture has a 6-inch canopy in fancy design, to which are attached three solid brass chains supporting the composition bowl. From the bowl are suspended three cast husk socket Povers in leaf design for electric lights on link chain connections. The wired fixture has silk cord laced through the chains, key sockets and 21/4-inch shade rings. The shades are hand molded of golden iridescent glass in an exceedingly artistic ribbed design with fluted bottoms

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5900	3-Light	\$12.05	\$13.98	\$18.98



Four-Light Composition Shower

Length to bottom of glassware, 80 inches. Spread, 16 inches. This handsome fixture is made of composition in a dignified massive design richly finished in Roman gold or Tiffany green. State finish desired. richly musiced in Roman gold of Thinny green. Since Jurial desired, Very attractive in appearance, strong and durable. The composition material of which this shower is made gives it the heavy, massive appearance of cast metal without the enormous weight or extreme high cost of an elaborate metal casting. Although light in weight the composition is just as strong and durable as metal. The beautifully sculptured pan, 16 inches in diameter, fits directly against the ceiling and is decorated with laurel and ribbon border and fancy leaf center ornament. From the edge of the pan extend four solid brass link chains fitted with carved composition 21/4-inch keyless socket covers for electric lights. The wired fixture has silk cord laced through the chains, and keyless sockets. The shades are made of frosted glass in tulip shape with fluted bottoms

Catalog No.	Style	Bare. Without Glass Shades, Not Wired	Complete but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
84 A 5911	4-Light	\$10.95	819.75	\$13.75

Five-Light Com-

Length to bottom of glassinches. This elaborate fixture richly finished in Roman gold or Fiffany 27 sculptured composition (mopy fitted w " " a richly ornamented composition bowl 18 edge of the bowl extend four solid brass fitted with composition 24-inch keyless sock The wired fixture has silk cord laced thi -

- and keyless sock on design. ets. The shades are frosted and etched

Catalog No. 34A5910 5-Light \$16.9 -15.95

Page The ...

position Shower

sired, 6-mch

which support ter. From the

rom the center

or electric lights.


Colonial and Adam Period Electric Fixtures



Four-Light Colonial Period Chandelier

Length to bottom of fixture, 33 inches. Spread, 15 inches. Made of genuine brass in brush (satur) brass illnish, campy, 4½ inches in diameter, with short stem fitted with fancy loop. canopy, 422 inches in dameter, with short stein interfact anney toop connection to which is attached a solid brass link chain. This chain supports a handsome spun Colonial body, measuring 18 inches long and 4½ inches wide, with turned ornamental bottom. Extending from the body are four gracefully curved arms supporting 2½ inch key socket covers for electric light. The wired fixture has silk cord laced through chain to key sockets. The shades are made of satin finish frosted glass in Colonial design.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades Wired	Complete, With Glass Shades as Shown Wires
34A5566	4-Light	\$11.48	\$12.98	\$13.98



One and Two-Light Adam Design Brackets

Made of genuine brass in brush (satin) brass and black finish. Extends 6 inches from the wall. Cast brass oval wall plate, 11½ inches long and 4 inches wide. At the top of this wall plate is a cast urn ornament and at the bottom a cust brass tasel. From the lower part of the wall plate extend gracefully curved round tubing arms fitted with 2¼-inch fluted key socket covers for electric light. The wired brackets have key sockets. Fancy ribbed frosted glass shalts.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, bat Without Glass Shades, Wired	Complete, With Glass Shades as Shown, Wired
34A5079	1-Light	\$3.50	\$3.89	\$4.05
34A5078	2-Light	4.75	5.47	5.79



One and Two-Light Colonial Period Bruckets

Made of genuine brass in brush (satin) brass finish. Extends 0 inches from the wall. Plain oval wall canopy, 7½ inches long and 4½ inches wide, with convex center. From the center extend gracefully curved scroll arms, 7-16 inch in thameter, supporting 2½-inch key socket covers for electric light. The wired brukket supporting 2½-inch key socket covers for electric light. brackets have key sockets. Satin finish frosted glass shades in Colonial


-		T		
Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete, With Glass Shades as Shown Wired
34A5067	1-Light	\$1.90	82,25	\$2.50
34A5068	2-Light	3.25	3.85	4.35



Four-Light Adam Period Chandelier

Length to bottom of fixture, 40 inches. Spread, 17 inches. This exquisite Adam design fixture is made of genuine brass in brush (satin) brass and black finish. It has a reeded brass canopy, 5 inches in dumeter, fitted with cast ring. To this ring is attached a solid brass square link chain supporting an exceedingly handsome Adam design body, measuring 8 inches in diameter and 17 inches in length to bottom of fancy cast brass tassel. From the body extend four gracefully curved arms supporting 2½-inch key socket covers for electric lights. The wired chandelier has silk cord run through the chain and arms to four key sock ets. Opalescent pearl white fluted paneled shades with scalloped edge

		Bare, Without		Complete, W th
Catalog No.	Style	Glass Shudes.	Without Glass	Glass Shades
- '	_	Not Wired	_Shades Wired	as Shown, Wired
34A5568	-t-Limbt	811.75	\$16.49	\$18 Q5



Length to bottom of fixture, 37 inches. Spread, 14½ inches. This handsome English Tudor fixture is made of genume beas in brush (satin) brass finish. It has a spun ceding canory, 1½ inches in diameter, with short stem to which is attached a solid brass twisted round link chain supporting a massive Tudor body, 10½ inches long and 5½ inches in diameter, decorated with four beautifully chisted cast brass English Crusader shields and chased cast brass tassel. From the body just above the shields extend four flat square tubing arms supporting on cast brass loop connections four 2½-inch cast keyless socket covers for electric light. The wired fixture has silk cord liced through chain and atms, and keyless sockets. Satin finish frasted bell shape glass shades. irms, and keyless sockets. Satin finish frosted bell shape glass shades.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5845	4-Light	\$21.85	\$23.35	\$24.75

SEARS, ROEBUCK AND CO., CHICAGO, ILL.



One and Two-Light Tudor Brackets

These handsome brackets are made of genuine brass in brish (satin) brass finish. Extend 6 inches from wall—flave a heavy cast wall plate, 10% inches long and 4½ inches wide, with loop at top for hanging—flave and classed cast will plate is decorated with east brass Crusader shields and classed cast brass tassel. From just above the shields extend curved flat square tubing arms, ¾ inch in diameter, supporting on east brass loop connections 2½-meh spun brass key socket covers. The wired brackets have silk cord run through arms, and key sockets. Satin finish frosted bell shane glass shades.

till till till till till till till till	s, and key son	reast satin in	nsii frosted bei	it snape giass snaue
Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete has Without Glass Shades, Wired	Glass Shules
34A5192	1-Light	\$ 8.75	8 0.25	\$ 9.50
34A5193	2-Light	12.25	13.25 7	13.75
	/	,		
1		4 6.5.0	111	line pera
	1	: Dani	TITLE	Millian,
2	d			

One and Two-Light Tudor Brackets

These beautiful brackets are made of genuine brass in a rich brush (satin) brass finish. Extend 6 inches from the wall. Solid cast brass oval will plate 9½ inches long and 1½ inches wide, with east rope design border and loop at top for hanging. The convex center of the plate is ornamented with a beautiful brass shield from below which extend gracefully curved east arms, handsomely chased in leaf design, supporting on ring connections 2½-inch key socket covers with heavy east ornamental bottoms, for electric light. The wired brackets have silk cord run through the arm, and key sockets. The shades are made of white satin finish glass and closely resemble marble method. and closely resemble marble

Catalog No.	Style G	are. Without lass Shades. Not Wired	Complete but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5194 1-	Light	\$ 8.75	\$ 9.20	\$ 9.65
34A5195 2-	Light	11.98	12.85	13.75



dameter richly decorated with four heavy eld medalliers east brass bead chain festoons with tassels selection orname. and large tassel. The four arms support socket covers with ornamental cast bottoms, for electric by ornament deast bottoms, for electric by fixture has silk cord laced through the chains and cross free white satin finish glass shades are quite massive . I' dem marble.

hades, Wired Glass Sha as Shown Wire Catalog No. 829.95 34A5847 4-Light \$26 ... 828.15

Page Fifteen



One-Light Electric Ceiling Fixture

Length to bottom of glassware, 14 inches. The ceiling band measures 12 inches in diameter, made of genuine brass in brash (satin) brass and black flash, handsomely embossed in Roman scroll design. From this band are suspended thirty-three 5-inch genuine cut crystal glass Colonial style prisms. Fitted with keyless sockets for one electric light.

No. 34A7032 Price, complete as shown.....\$11.98




Two-Light Crystal Bowl Fixture

Length to bottom of glassware, 30 inches. The hanger is made of genuine brass in polished nickel finish with round ceiling canopy, 4 inches in diameter, and east ball fitted with three hooks. To these hooks are attached three nickel plated solid brass round link chains supporting a crystal bowl, 13 inches in diameter and 7 inches deep. The bowl is composed of 1,800 glittering hand cut crystal bends and six pendant drops with crystal cut beads festooned around edge. Cut crystal ball at bottom. Wired with white silk cord laced through the chains to two keyless sockets for electric light inside of bowl.

No. 34A6052 Price, complete as shown....\$18.75

Cut Prism Electric Fixtures



Three-Light Crystal Chandelier

Length to bottom of glass ball, 38 inches. This brilliant crystal fixture is composed of 588 glittering genuine cut crystal glass jewels. It has round ceiling canopy made of brass, nickel plated, 4½ inches in diameter with short stem fitted with embossed metal ring decorated with nincteen 4½-inch cut crystal prisms. To the ring are attached twelve strands of cut crystal jewels (216 pieces) which extend to the edge of a crystal bowl. 12 inches in diameter and 8 inches deep. The bowl is composed of 192 crystal jewels with border of twelve cut crystal arrowheads. At the bottom is a 3-inch metal ring from which are suspended twelve cut crystal prisms, 4½ inches long, and 2-inch cut crystal ball. Fitted for three electric lights with keyless sockets. All metal parts are brass, nickel plated.

No. 34A6053 Price, complete as shown............\$33.98



Three-Light Ceiling Fixture

Length to bottom of glassware, 11 inches. Ceiling pan, 16 inches in diameter, with 12-inch holder for glassware made of genuine brass in brush (satin) finish. Wired for three electric lights with keyless sockets, Beautiful 12-inch cut crystal beaded bowl containing 1,650 prismatic hand cut jewel beads, with cut crystal prismatic ball at bottom.

No. 34A7029 Price, complete as shown \$15.00



Five-Light Crystal Ceiling Fixture

Length to bottom of glassware, 18 inches. Made of genuine brass in burnished Roman gold finish, with round ceiling canopy fitted with cast applied ornament and cast inverted cup in leaf design. From this cup extend four cast leaf arms supporting a heavy cast openwork band, 8 inches in diameter, decorated with Cupid heads. This band is fitted with a crystal bowl composed of ninety-six cut crystal jewel beads and drops. From the end of the arms extend four cut crystal socket covers and cut prism shades (fourteen prisms in each) for electric lights. Wired with white silk cord; four keyless sockets. A fifth keyless socket is suspended inside the crystal bowl.

No. 34A6054 Price, complete as shown.....\$29.75

Prismatic Electric Fixtures



Three-Light Cut Prism Ceiling Fixture

Length to bottom of glassware, 14 inches, Cerling band, 12 inches in diameter, is made of genuine brass in brush (satin) brass and black finish, handsomely embossed in Roman scroll design. The band supports two tiers composed of fifty-seven 6-inch genuine cut crystal glass Colonial triangular prisms. The tiers measure 10¹² inches and 8 inches, respec-tively. Fitted with three keyless sockets for electric light,

No. 34A7030 Price, complete as shown \$13.98

Three-Light Cut Prism Ceiling

Length to bottom of glassware, 15 inches, Solid east brass nickel plated ceiling band, 15 sond cast ones nexet plated certain band, to inches in diameter, handsomely chased in laurel wreath design. Wired and fitted for three electric lights with cluster and keyless sockets Four tiers composed of 157 31; inch sockets Four tiers composed of 157.5° 2 inches cut crystal glass prisms. The tiers measure 15 inches, 10¹2 inches, 6¹2 inches and 3 inches in diameter, respectively. Cut 2-inch erystal ball pendant at bottom.

No. 34A7031 Price, complete as shown \$24,50



Pencil Prism Chandelier

Length to bottom of glassware, 36 inches. The hanger is made of genuine brass in brush (satin) brass finish, with round 4½-inch canopy and 3½-inch stem. Solid brass link chain fitted with 3¼ inch key socket cover. Beautiful ruby color

jewel bead and crystal stick prism shade with four corner strands of crystal beads and drops. Wired with silk cord laced through chain to key

No. 34A5288 Complete as shown. \$6.98



Five-Light Crystal and Ruby Prism Chandelier delier, composed

Length to bottom of glass, 42 inches. Massive brilliant crys of 3 200 separate process of glittering prismatic glass. Thirty 32 1135 crystal newel beads, are suspended from metal half barnehos in channeter is nitted with 176 crystal prisms, eight ruby 6 web beads, arranged in pointed design at top 3 trime. It's metals and leaves to be a contracting at the contraction of the contraction of the contraction of the contraction of the contraction. traine 12% mehes, and lower frame, 8% inches in dia ntted with 80 erysta jewel beads, 224 crystal pointed prisms and sixteen pena rops. Wired with white silk cord through chain to five nickel plated keyless sock—for electric lights inside of chandelier. All metal parts are made of genuine brass, nickel plated.

Length to bottom of glass. 12 inches. Beautiful resplendent crystal chande her composed of 2,000 separate pieces of glittering prismatic glass. Thirty-three strands composed of 1,137 crystal iewel beads, are suspended from metal half ball to 17 ince from 1,17½ inches in diameter, is fitted with 152 crystal pencil prisms and crystal level beads, seventy two crystal balls and eight crystal ball drops—second 17 ince 1,272 inches; third frame, 8½ inches, and fourth frame, 6 inches in diameter—these three to these are fitted with 400 crystal pencil prisms and jewel beads. Wired complete with white silk cord to five nickel plated keyless sockets for electric lights inside of chande lier. All metal parts are made of genuine brass, nickel plated.


SEARS, ROEBUCK AND CO., CHICAGO, ILL.

Five-Light Crystal

Page Seventeen

ands, composed of

me. Top frame, I r at bottom. Middle Pencil Prism Electric Shower Fixtures



Cale July 100 100 Wisson Con Mile Color Four-Light Chain Shower

Length to bottom of glassware, 40 inches. Diameter of pan, 16½ inches, Made of genuine brass in brush (satin) brass and black finish. It has a ceiling canopy, 6 inches in diameter, and short stem fitted with heavy cast ornamental loop and massive solid brass link chain which supports a round 16½-inch pan with fancy corrugated border. The bottom of the pan is decorated with heavy cast brass ornamental tapering straps from which are suspended four 3%-inch key socket covers in embossed reed and ribbon design on link chain connections for electric lights. Dainty prismatic shades, measuring 4 inches in diameter and 7 inches in height, composed of green jewel beads and crystal reeded pencil prisms. The fixture is wired with silk cord laced through the chain to key sockets.

No. 34A5794 Price, complete as shown\$16.35

Four-Light Chain Shower

Length to bottom of glassware, 36 inches. Diameter of pan, 163/2 inches. Made of cast and spun metal in brush (satin) brass and black finish with ceiling canopy. 5 inches in diameter, and round stem ³4 inch in diameter. The 16¹42-inch round pan is made of cast metal with spun brass center. From the outer edge of the cast pan extend four 344-inch plain key socket covers on solid brass link chain connections. for electric lights, fitted with beautiful prismatic shades measuring 4 inches in diameter and 5 inches in height, and composed of amber iewel beads and crystal reeded pencil prisms. The fixture is wired with silk cord laced through the chains to key sockets.

No. 31A5764 Price, complete as shown\$9.69




Length to bottom of glassware, 36 inches. Diameter of pan, 18 inches Made of genuine brass in Flemish (brush brass shaded with black) finish Ceding canopy, 6 mehes in diameter, with fancy corrugated border. Four solid brass round link chains support the 18-inch beautifully embossed part on the bottom of which are four tapering ribs, applied cast flower ornaments and solid brass fancy knob. From the edge of the pan extend four \$\frac{3}{4}\$-inch reed and ribbon key socket covers on solid brass link chain connections for electric lights, fitted with dainty prismatic shades measuring 4 inches in diameter and 7 inches in height, and composed of green jewel beads and crystal reeded pencil prisms. The fixture is wired with silk cord laced through the chains to key sockets.

No. 34A5791 Price, complete as shown\$16.98

Colonial Prism Electric Shower Fixtures





Four-Light Spindle Shower Length to bottom of glassware to inches. Diameter of pan. 15 inches

Length to bottom of glasswere 35 inches. Diameter of pair, 17 inches, Mide of genuine brass in brush (satin) brass finish. It has a round ceiling (anopy, 5½ mehes in diameter, with turned brass knob at bottom. From the edge of this campy extend four solid brass round link chains supporting large spin brass pair, 17 inches in diameter. From the edge of this prinon solid brass link connections hang four 3½ inch plain key socket covers for electric lights, each fitted with ten 6-inch genuine cut crystal Colonial style triangular prisms. The fixture is wired with silk cord laced through the chains to key sockets.

Four-Light Chain Shower

No. 34A5797 Price, complete as shown\$10.95

Length to bottom of glassware 2 (in hes. Diameter of prin, 15 inches Made of genuire briss in briss to stain briss finish. The large spun briss ceiling prin has a targe round spool center or meent, and from the outer edge of the bottom of the pair hang four time v briss spindles on loop connections supporting four 31, inch plain key socket covers for electric lights, each fitted with len 6 anch genuine cut crystal Colonial style frangular prisms. The flyture is wired with silk cord run through the spindles to key sockets.

No. 34A5796 Price, complete as shown.....\$11.75



Four-Light Chain Shower

Length to bottom of glissware star has
Made of germane brass in Flormish (tris) ... beck for the with time victoring ded cerlul given by the star of star for star f

No. 34A5763 Price, complete as shown........\$14.

Handsome Ornamental Electric Showers



Five-Light Chain Shower

Length to bottom of glassware, 36 inches. Diameter of pan, 18 inches. Made of genuine brass in brush (satin) brass and black finish with paneled ceiling canopy, 6 inches in diameter, in ribbed and beaded design with cast brass knob at bottom. From the sides of the canopy extend four solid brass chains supporting an 18-inch pan with beaded design around the edge and beautifully embossed in the center in fluted design. From the outer edge of the pan extend four 24-inch ribbed key socket covers on link chain connections for electric lights, and a fifth light in the center. The wired fixture has silk cord laced through the chains to key sockets. Satin finish fancy fluted shades in classic design.

Catalog No. Style	Bare, Without	Complete, but	Complete With
	Giass Shades,	Without Glass	Glass Shades as
	Not Wired	Shades, Wired	Shown, Wired
34A5820 5-Light	\$10.40	\$12.00	\$13.75



Six-Light Etruscan Gold Fixture


Length to bottom of glassware, 36 inches. Spread, 19 inches. This massive fixture is made of genuine brass in Etruscan gold finish. It has a fancy cast brass ceiling canopy; 6 inches in diameter, in leaf design. Five solid brass lively braid brass. Five solid brass link chains support a massive cast frame, 14 inches in diameter, beautifully chased in oak leaf design. The bottom of the frame forms a holder for a to-inch satin finish glass bowl embossed in oak leaf design closely resembling marble, fitted for one electric light with keyless socket. From the extended arms of the frame are suspended link and rod connections fitted with 2½-inch key socket covers with solid biass husks in leaf design for five electric lights. The wired fixture has silk cord laced through the chains and key sockets. Satin finish glass shades to match bowl.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5805	6-Light	\$32.25	\$34.50	\$39.00

Five-Light Rod Shower

Length to bottom of center light, 36 inches. Diameter of pan, 10 inches. Made of genuine brass in brush (satin) brass and black finish with round ceiling canopy, 5½ inches in diameter, embossed in fanc) chain design. From the sides of the canopy extend four solid brassed in chain design. From the sides of the canopy extend four solid brassed ded rods, % inch in diameter, supporting a 16-inch body pan richly embossed in chain design. From the outer edge of the pan are suspended four 2½-inch embossed socket covers on link chain connections for electric lamps, and a fifth light extends from the center of the pan The wired fixture has silk cord run through the rods and chains to key sockets. The shades are made of white satin finish glass, paneled and beaded design, of heavy weight and closely resembling marble.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Giass Shades as Shown, Wired
34A5801	5-Light	\$10.00	\$11.75	\$13.98



Five-Light Etruscan Gold Shower

Length to bottom of glassware, 42 inches. Spread, 19 inches. This Length to bottom of glassware, 42 inches. Spread, 19 inches. The very handsome fixture is made of genuine brass in rich Etruscan gold finish with east brass chased ceiling canopy, 6½ inches in diameter. To this emopy is attached a solid brass round link chain supporting a beautiful ornamental body. Attached to this body are four gracefully curved arms, with east floral ornaments, supporting a massive band, 15 inches in diameter and she inches with most of a part dozed filierae. From these outwert and 312 inches wide, overlaid with east floral filigree. From these curved arms are suspended four \$\frac{4}{2}\$-inch embossed key socket covers on cast loop connections for electric lights and from the center a fifth light on a chain. The wired fixture has silk cord run through the chain and arms to key sockets. Satin finish frosted glass shades closely resembling marble.

emoossed in	CHASSICAL TO	Stoom, wieath	and toten dealen.	
Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Without Glass	Complete, With Glass Shades as Shown, Wired
34A5808	5-Light	\$24.50	\$27.60	\$31.25

Catalog No.

Five-Light Ornamental Shower Length to bottom of center glassware, 36 inches. Spread, 19 inches Made of genuine brass in brush (satin) brass and black finish. It has a ceiling canopy, 6 inches in diameter, with cast border in leaf and medallion design, fitted with ornamental cast loop. From this loop extends a solid brass chain supporting a 13-inch round pan with cast ornamental embossed border in leaf and medallion design, deep pear ornamental embossed border in leaf and medation design, deep pear shaped center and fancy brass loop at bottom. From the side of the pan extend four solid brass beautifully chased arms in ornamental design supporting four 2%-inch plain socket covers on fancy link chain connections for electric light. A fifth light extends from the center The wired fixture has silk cord laced through the chains and arms to key sockets. Frosted fancy shades in leaf design with scalloped edge. Barc, Without Complete, but Complete, With Glass Shades, Not Wired Shades, Wired as Shown, Wired 34A5812 5-Light \$15.60 | \$17.25 \$19.65




Length to bottom of glassware, 37 inches Sir id. 18 inches 11, a exceptionally handsome fixture is made of genu in this straight for a gold finish. It has a cast brass chased ceiling a sort of the straight for the property of the straight form composed of the straight form. eter, and an Empire design stem composed of for the set of the set of the round body 9 inches in diameter, decorated with a set of the set of t east metal crowns for electric lights. The wired nature has silk cord run through the stem and arms to keyless society. Drunty prismatic shades measuring 4 inches in diameter and 7 in 4

iewel bends a	and crystal	Leeded bench	Complete, but	Complete, With
		Barc, Without		Prisms as Shown
Catalog No.	Style	Prisms. Not Wired	Wired	Wired
			832.25	\$36.85
9145911	A-Light	\$30.75	605-40	e direction

Page Twenty-town

Electric Showers With Hand Painted Glassware



Five-Light Chain Shower

Length to bottom of outer glassware, 20 inches. Diameter of pan, 16 inches. Made of genuine brass in brash (satin) brass and black fluish. The 16-inch pan is beautifully embossed around the edge with two rows of beading and has a round tapering center in fluted design. From the outer edge of this pan extend four solid brass round link chains fitted with 2¼-inch fluted socket covers for electric lights and a fifth chain supports the center light which hangs 7½ inches above the outer lights. The wired fixture has silk cord laced through the chains to the key sockets. The glass shade is exceedingly pretty and dainty, being made of frosted glass in lexagon shape and attractively hand painted with garland of blue forgetme-nots tied with ribbon bow.

Catalog No.	Style	Bare, Without Glass Shades,	Complete, but Without Glass	Complete With
34A5789	5-light	Not Wired 88,20	Shades, Wired	Shown, Wired

Page Twenty-Two

ete With hades as . Wired



Four-Light Bowl Shower

Length to bottom of glassware, 34 inches. Diameter of pan, 14 inches. Made of genuine brass in brush (satin) brass finish. It has a plain spun ceiling campy 5 inches in dameter lifted with east brass hooks. To this chooks are attached three solid brass round link chains supporting a 14-inch spun brass pan. The center of this pan forms a 1-inch holder for an sinch bowl which is fitted for one electric light inside the bowl. From the edge extend three 24 inch plain socket covers on link chain connections for electric lamps. The wired fixture has silk could laced through the chains to the keyless socket inside the bowl and the key sockets on the sade. The sinch bowl and the shades are made of frosted glass, daintily hand painted with panses in natural colors.


Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5813	1-light	85,25	\$6.40	\$8.45



Five-Light Chain Shower

Length to bottom of lowest glassware, 29 inches. Diameter of pan, 18 inches. Made of genuine brass in brush (satin) brass and black finish. The 18-inch pan and center ornament are embossed in Sheffield design From the outer edge of the ceiling pan hang four solid brass link chrons and one from the center, fitted with 24-inch embossed Sheffield design socket covers for electric lights. The wired fixture has silk cord laced through the chains to key sockets. The four outside lights have frosted glass shades measuring 5 inches in height and decorated with a hand painted scenic border around the bottom. The center shade is larger measuring 6 inches in height, hand painted to match outside shades. These shades are particularly handsome when lighted.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5726	5-light	\$6.95	\$8.58	\$12.43



Five-Light Chain Shower

Length to bottom of glassware, 30 inches. Diameter of pan, 18 inches. Made of genuine brass in brush (satin) brass and black fluish with round embossed ceiling canopy, 6 inches in diameter, and short with round embossed ceiling canopy, 6 menes in manager, and short stem. From this stem is suspended a small cast brass body on his connections, fitted with four prongs. To these prongs are attached four solid brass round link chains supporting the Is inch ornamental pan richly embossed in leaf and floral design. From the edge of the pan extend four 2½ inch embossed leaf design socket covers for elective lights on solid brass loop connections, and a nith light hangs from the center of the pan. The wired fixture has silk cord laced through the chains to key sockets. The beautiful shades are made of opalescent pearl white glass in fluted paneled design with scalloped edge

Cutalog No.	Style	Bare, Without Glass Shades Not Wired	Complete but With out Glass Shades Wired	Complete With Glass Shades as Shown Wired
34A5798	5-light	\$10.35	\$12.10	815.25

Catalog No. Style 812.25 34A5783 5-light

are decorated with pansies in rich brown tint

Complete but With out triass Shades Wired 814.00

Five-Light Rod Electric Shower

Length to bottom of glassware 36 mehes. Diameter of pair, 16 mehes. Made of genume brass in brush (satin) brass and black finish. Fancy ceiling

Made organisms of issurbusiness and oback minst. Francy certing catopy 5 inches in daimeter, littled with cast ring supporting a spin brass body, 7 inches in daimeter, beautifully embossed in leaf design, forming in the center a 2½ inch holder for one clectric light. From the edge of this body extend four brass rods 3, inch in daimeter, supporting a 46 inch pair

richly embossed in leaf design with spun center and cast briss knob at bot

tom From the sides of the pan extend four east brass arms with 214 meh

socket covers embassed to match pair on solid brass loop connections for

electric lights. The wired fixture has silk cord run through the rods to key

sockets. The fancy shape frosted paneled glass studes with scalloped edge

Glass Shades as Shown Wired \$16.50

Complete With



Length to bottom of glassware, 36 inches. Diameter of pan, 18 inches. Made of genuine brass in brush satial brass in " "lick finish. It has a round ceiling canopy to pickes in drameter on asset." It rel wreath design with short stem and cist body. From this test, every like the first bulber of the state of the outer edge of the panextend four 2 a 1 the for electric lights on solid briss, ak 2 a · iintil 2 west through the extends from the center. The word to be chains to key sockets. The timey stores . nach brown or the shape closely resembling silk in shirred effect.

Complete With Cathook No. Style 510.50 51373 34A5799 5-light \$8.95

Page Treenty-Three



Length to bottom of center glassware, 43 inches. Diameter of pan, 16¹4 inches. Made of genuine brass in brush (satin) brass and black finish with 5-inch ceiling canopy and massive solid brass link chain supporting a 16¹4inch concave pan, with chased brass applique ornaments finished in Flemish tones. From the edge of the pan are suspended four 24-inch key socket covers decorated with a cast brass crown on link chain connections for electric lights. From the center is suspended a fifth light. The wired fixture has silk cord laced through the chains to key sackets. Straw color frosted melon shape glass shades tinted a rich green at top (four standard size and one large size).

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but With- out Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5524	5-Light	\$13,25	\$15.45	\$18.25

Page Twenty-Four

Electric Chain Fixtures



Four-Light Chain Electric Chandelier

Length to bottom of glassware, 35 inches. Spread, 18 inches. Made of genuine brass in brush (satin) brass and black finish. It has a plain ceiling enuopy, 45 inches in diameter, with short stem fitted with east ornamental loop. To this loop is attached a solid brass link chain supporting a spun body measuring 10 inches in diameter and 8 inches in length, decorated with east brass fluted ornament and knob at bottom. From the side of the body extend four ornamental cast arms supporting four 2¼-inch key socket covers on fancy link connections for electric lights. The fixture is wired with silk cord run through the chain and arms to key sockets. Cylindrical frosted glass shades beautifully etched in lily design.

Catalog No.	Style	Bare. Without Glass Shades, Not Wired	Complete, but With- out Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5562	4-Light	\$12.35	\$13.80	\$16.00



Length to bottom of glassware, 40 inches. Spread, 12 inches. Made of genuine brass in brush (satm) brass and black finish with 5-inch celling canopy and three solid brass link chains supporting the 10-inch brass ring. This ring forms a holder for a 10 inch glass bowl which is fitted for one electric light. From the fancy cast ornaments on the edge hang three chains which extend below the bowl for three electric lights. The wired fixture has silk cord faced through the chains to key sockets, and 24-inch shade holders. Deep bell shape glass shades.

Catalog No.	Style		Complete, but With- out Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5765	4-Light	\$5.75	\$7.40	\$8.95



Four-Light Chain Chandelier

Length to bottom of fixture, 36 inches. Spread, 19 inches. Made of genuine brass in brush (satin) brass and black finish. Spun brass ceiling canopy, 6 inches in diameter, with short stem and ring. From this ring extends a solid brass round link chain supporting by means of a fancy cast ornamental loop the massive round spun body, which measures 10 inches wide and 14 inches long to cast brass ornamental knob at bottom. From the side of this fixture extend four cast brass arms fitted with 2½-inch spun socket covers on link chain connections for electric lights. The wired fixture has silk cord run through the chain and arms to key sockets. Frosted ornamental shades in lenf design with scalloped edge

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
84A5567	4-light	\$12.75	\$14.08	\$16.00

SEARS, ROEBUCK AND CO., CHICAGO, ILL.



Four-Light Chain Shower

Length to bottom of glassware, 34 inches. Spread, 19 inches. Made of genuine brass in brush (satin) brass and black finish with round ceiling canopy, 5 inches in diameter, embossed in fluted design with cast brass bottom knob. From the sides of the canopy extend four solid brass fancy link chains supporting the 13-inch pan which has a fluted center and bottom knob to match canopy. From the edge of the pan extend four solid brass arms chased in ornamental design, supporting 21 inch fluted socket covers on link chain connections for electric lights. The wired fixture has silk cord laced through the chains to key sockets. Frosted glass shades embossed with Grecian key design border.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
84A5809	4-light	\$13.25	\$14.55	\$15.75



I cugth to bottom of glassware is inches. Spread, 18% inches Made of genuine brass in lettrusc or gold finish. It has an embossed culting canopy, 5 inches in diameter with shortstem. To the stem is attached a solid brass round link chain supporting a handsome spun body, 6 inches in diameter and 9 inches in length, surmounted by an ornamental cap. From the less statement, surmounted by an ornamental cap. From the less statement of the four beautifully sed key socket chased cast arms supporting four statement of the statement of the sed key socket for the statement of the statement of the sed key sockets. The wired four beautifully sed key socket statement of the statement of the

Catalog No. | Style | Style | S9.7

ut Glass Glass Shades as les, Wired Shown, Win

\$11.50

Page Twenty-Five

Massive Electric Bowl Showers







Five-Light Etched Grape Shower

Length to bottom of glassware, 25½ inches. Diameter of ceiling pan, 18 inches. Made of genuine brass in brush (satin) brass finish. The massive ceiling pan, 18 inches in diameter, is fitted for one electric light and forms a 10-inch holder for glass bowl which measures 12 inches over all. From the outer edge of the pan extend four 2¼-inch plain key socket covers on solid brass link chains for electric lights. The wired fixtures have silk cord laced through the chains, a porcelain keyless socket in pan and key sockets on the claims. The glassware consists of a frosted 10x12-inch Colonial glass bowl etched in grape and vane design and 5-inch open bottom glass balls etched to match bowl.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5735	5-Light	86.25	\$7.75	\$10.87

Five-Light Crystal Stripe Shower


Length to bottom of glassware, 30 inches. Diameter of pan, 16 inches. Made of genuine brass in brush (satin) brass finish. It has a round ceiling canopy, 5½ inches in drameter, with turned brass knob at bottom. From the edge of the canopy extend four solid brass chains supporting the 16-inch pan fitted for one cleetric hight and forms an *inch holder for a glass bowl which measures 10 inches over all. From the outer edge of the ceiling pan extend four ½½-inch plain kes socket covers on solid brass link chains for electric lights. The wired fixture has silk cord laced through the chains, a porcelain keyless socket in the pan and key sockets on the chains. The glassware consists of a massive frosted 8x12-inch glass bowl with crystal ribs, and reflecting frosted glass shades with crystal ribs.

-			_	
Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete, With Glass Shades as Shown, Wired
4A5737	5-Light	\$7.98	\$9.85	\$13.60

Five-Light Painted Grape Shower

Length to bottom of glassware, 25½ inches. Diameter of ceiling pan, 18 inches. Made of genuine brass in brush (satin) brass finish. The massive ceiling pan, 18 inches in diameter, is fitted for one electric light and forms a 10-inch holder for a glass bowl which measures 12 inches over all. From the outer edge of the pan extend four 2½-inch plain key socket covers on brass chains for electric lights. The wired fixture has silk cord laced through the chains, a porcelain keyless socket in pan and key sockets on the chains. The glassware consists of a fancy crystal ribbed 10x12-inch glass bowl and hand painted glass shades on the inside in grape and leaf design to match the bowl.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
84A5786	5-Light	\$6.95	\$7.75	\$11.95



Six-Light Hand Painted Shower

Length to bottom of glassware, 36 inches. Spread, 15 inches. Made of genuine brass in Etruscan gold finish. It has a ceiling canopy, 5½ inches in diameter, beautifully embossed with east body fitted with four hooks. Four solid brass chains support a 16-inch band with corrugated edge at too and bottom, fitted for two electric lights and forming a 10-inch holder for a 12-inch glass bowl. From the edge of this band extend four ½-inch funcy socket covers on solid brass link connections for electric lights. The wired fixture has silk cord laced through the chains, two keyless sockets inside fixture has silk cord laced through the chains, two keyless sockets inside of bowl and four key sockets on side lights. Embossed satin finish 10x12 inch glass bowl and four shades, hand painted with festoons of pink tea

E STATE OF THE	or test of			Complete With
Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Glass Shades as Shown, Wired
34A5816	6-Light	\$8.75	\$11.25	\$18.75

Six-Light Sheffield Shower

Length to bottom of glassware, 34 inches. Spread, 20 inches. Made of genuine brass in brush (satin) brass and black finish. Round fluted ceiling canopy, 5 inches in diameter, with cast hooks and four solid brass fancy link chains, supporting a 13-inch spun pan. This pan forms an 8-inch holder for a 12 inch glass bowl and is fitted for two electric lights. From the pan extend four beautifully chased ornamental arms apporting 24 inch paneled socket covers on link chain connections for electric lights. The wired fixture has silk cord laced through the chains, two keyless sockets inside the pan and four key sockets on side lights. Satin finish frosted Sheffield glass shades to match center bowl.

	Ī	Bare, Without	Complete, but	Complete With
Catalog No.	Style	Glass Shades, Not Wired	Without Glass Shades, Wired	Glass Shades as Shown, Wired
84A5817	6-Light	\$13.25	\$15.35	\$18.98

Length to bottom of glassware, 34 inches Spread, 131/2 inches, Made of genuine brass in brush (satin) brass and black finish. Finey embossed ceiling canopy, 6 inches in diameter with four solid brass chains support ing a 16-inch pan, embossed in fancy chain des 2n. This run forms a 10-inch holder for 11-inch glass bowl and is fitted for two uter edge of the pan extend four 2½ inch fan chain connections for electric light. The wired 2 through the chains, two keyless sockets on the side lights. Satin finish glass) with pancy design which is turted a delical. n which is tinted a delicat

Catalog No		Bare, Withou Glass Shades Not Wired	the second	Complete # 1b
34A5814	6-Light	\$10.25	812.50	817 3

Page Twenty-Seven

Ornamental Electric Chain Showers





Four-Light Openwork Shower


Length to bottom of glassware, 30 inches. Cast plate, 12 inches in diameter. Made of cast metal and genuine brass in brush (satin) brass and black finish. It has a square ceiling ennopy, 4½ inches in diameter and square stem, ½ inch in diameter, which supports the cast ornamental openwork plate of artistic design, 12 inches square, which is decorated in the center with a spun brass pointed ornament, 6 inches in diameter, and fancy cast brass knob. From the corners of the plate extend four solid brass round link chains for electric lights. The wired facture has silk cord laced through the chains, key sockets and ½%-inch shade holders. Frosted paneled square glass shades.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
84A5759	4-Light	\$4.98	\$6.90	\$8.50

Five-Light Ball Shower

Length to bottom of glassware, 33 inches. Diameter of pan, 18 inches. Made of genuine brass in brush (satin) brass and black finish. Round corrugated ceiling canopy, 6 inches in diameter, with reeded stem, ½ inch in diameter, and cast body fitted with four hooks. To these hooks are attached four solid brass link chains supporting an 18-inch square ornamental pan embossed in leaf design. From the center of the pan extends a 4-inch holder for an 8-inch glass globe fitted for one electric light. From the corners of the pan extend four ½½-inch ribbed design socket covers for electric lights on solid brass link chain connections. The wired flxture has silk cord laced through the chain with one keyless socket inside of bowl and four key sockets on side lights. Frosted glass 8-inch squal pattern globe and 5-inch open bottom frosted glass balls.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5782	5-Light	\$9.75	\$11.50	\$19.40



Four-Light Wreath Shower

Length to bottom of glassware, 36 inches. Diameter of pan, 17 inches. Made of genuine brass in brush (satin) brass and black finish It has a round 5-inch ceiling canopy decorated with cast wreath orna ments and round stem, ¾ inch in diameter. This stem supports a round pan 17 inches in diameter, decorated in ribbed design with cast wreath ornaments and plain convex center with east brass knob. From the edge of the bottom of the pan are suspended four solid brass link chains for electric lights. The wired fixture has silk cord laced through the chains, key sockets and ½4-inch shade holders. Frosted glass shades with crystal stripes.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5758	4-Light	\$5.98	\$7.42	\$7.98

Page Twenty-Eight




Four-Light Chandelier

Length to bottom of glassware, 40 inches. Diameter of pan, 16½ mehes. Made of genuine brass in brush (satin) brass and black finish, 6-inch ceiling canopy, with heavy cast loop and a solid brass chain supporting a 16½-inch corrugated pan. The bottom is decorated with cast brass ornaments from which are suspended four 2½-inch reed and ribbon socket covers on link chain connections for electric lights. The wired fixture has silk cord laced through the chains, and key sockets Frosted crystal striped glass shades in reed and ribbon design

Catalog No.	Style	Bare, Without Shades, Not Wired		Complete With Shudes_Wired
34A5793	4-Light	\$9.25	\$10.55	\$11.27

SEARS, ROEBUCK AND CO., CHICAGO, ILL.



Four-Light Massive Chandelier

Length to bottom of glassware, 41 inches Spread 22 inches. Made of genuine brass in brush (satin) brass and black thirsh. Large 7/2-inch ceiling canopy, extra heavy solid brass chain and 17-inch massive round body, with four cast truss supporting 3½-inch key socket covers. Frosted, 8-inch glass balls

Catalog No.	4 5 6	Bare, Without Shades, Not Wired	Con plete Without Shades, Wited	Complete With Shades, Wired
34A5535		\$23.50	825.70	\$26.70




Three-Light Chandelier

Length to bottom of glassware, 36 inches. Diameter of pair, 12 inches Made of genuine briss in brush (satin) briss and black finish. It has at embossed Sheffield canopy, 6½ inches in diameter and 6½ inches deep with stem 75, inch in diameter. Attached to the stem by a ring is a solid briss chain suspending the 12-inch round pair, beautifully embossed sheffield tapering ornament and ring. For a thir other of the pair hand three embossed Sheffield key sockel. three embossed Sheffield key sockel for electric lights. The wired fixt chains and key sockets. Frosted (Liced through th

Catalog No.	Style Bare, Williams	Shades Wired	Shades, W
	3-Light \$6	~7.7.5	** ;)

Page Twenty-N





Length to bottom of center glassware, 31½ inches. Diameter of pan, 18 inches. Made of genuine brass in brush (satin) brass and black line fluish (satin brass with the hollows of the embossing lined with black). It has a large ceiling canopy, 6 inches in diameter, embossed in Sheffield design, from which extend four solid brass link chains supporting the 18-inch pan. The pan is beautifully embossed in Sheffield design with east brass ornaments on edge and center. From these ornaments on the edge lang four ½4 inch embossed Sheffield socket covers, and one from the center on solid brass link connections for electric lights. The wired fixture has silk cord laced through the chains and key sockets. Frosted Sheffield glass shades. The outer shades measure 4½ inches in height and the center shade measures 4½ inches in height

Catalog No. Style	Bare, Without	Complete, but	Complete With
	Glass Shades,	Without Glass	Glass Shades
	Not Wired	Shades, Wood	as Shown, Wired
34A5710 5-Lig	ht \$7.98	\$9.68	\$10.75

Page Thirty



Three-Light Sheffield Shower

Length to bottom of glassware, 36 inches. Diameter of pan, 14 inches. Made of genuine brass in brush (satin) brass and black finish. It has an embossed Sheffield ceiling canopy, 5 inches in diameter, and short stem fitted with cast ball and knob. To ball are attached three solid brass round link chains supporting a 14-inch richly embossed Sheffield pan with cast ornamental knob. From the outer edge of this pan are suspended three 24-inch embossed Sheffield key socket covers on link chain connections for electric lights. The wired fixture has silk cord laced through the chains and key sockets. Fancy frosted shades with clear crystal ribs.

Catalog No.	Style	Barc, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34. \ \ 57.92	3-Light	\$6.25	\$7.75	\$8.50



Length to bottom of glassware, 36 inches. Diameter of pan, 18 inches, Made of genume brass in brush (satin) brass and black finish. It has an embossed Shefield ceiling canopy, 6 inches in diameter, to which are attached four solid brass link chains supporting a large 18-inch pan. This pan is handsomely embossed in Sheffield design with grape pattern border. From the outer edge of the pan hang four 2¼-inch embossed Sheffield socket covers, and one from the center on solid brass link chain connections for electric lights. The wired fixture has silk cord laced through the chains and key sockets. The four outside lights have frosted prismatic glass shades measuring 5¼ inches in height, with deep crystal mitered ribs. The center shade is larger, mensuring 6¼ inches in height.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5717	5-Light	\$8.69	\$10.39	\$11.60

Fancy Electric Showers With Colored Glassware



Four-Light Electric Shower

Length to bottom of glassware, 36 inches. Diameter of pan, 18 inches. Made of genuine brass in Flemish (brush brass shaded with black) finish. It has a round 6-meh ceiling canopy with finey corrugated border and fancy solid brass knob. From the edge of this canopy extend four solid brass found link chains supporting an 18 inch pan, beautifully embossed in ornamental design and decorated with four tapering ribs, east ornamentand solid brass fancy knob. From the edge of the bottom of the pan are suspended four 2¼-inch key socket covers in lotus leaf design on solid brass link chain connections for electric lights. The wired fixture has silk cord laced through the chains and key sockets. Orange tinted tulip shape blown glass shades.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
84A5790	4-Light	\$8.75	\$10.65	\$12.65



Five-Light Electric Shower

Length to bottom of center glassware, 34 inches. Diameter of pan 18 inches. Made of genuine brass in Flemish (brush brass shaded with black) finish. It has a round 18-inch beautifully embossed ceiling pan which fits directly against the ceiling, decorated with four tapering ribs and cast center ornament. From the outer edge of the pan hang four solid brass round link chains and one from the center, fitted with 2½ inch key socket covers in laurel wreath design for electric lights. The wired fixture has silk cord laced through the chains and key sockets. Ribbed frosted glass shades with embossed pansy border, hand painted in their delicate natural colors.

Catalog No. Style	Bare, Without	Complete but	Complete With
	Glass Shades,	With ut Glass	Glass Shades as
	Not Wired	Shades Wired	Shown, Wired
84 A 5775 5-Light	88 08	810.73	\$19.50



Four-Light Electric Shower

Length to bottom of glassware, 35 inches. Diameter of pan, 16 inches Made of genume briss in brush (satin) brass and black finish. It has a Shef field ceiling canopy 6 inches in diameter, richly embossed in grape design from which extend four solid brass link chains supporting the 16-inch pan. The pan is decorated with large Sheffield ornament, embossed in grape design. From fancy cast loops are suspended four 24-inch Sheffield socket covers on link chain connections for electric lights. The wired fixture has silk cord laced through the chains and key sockets. Hand painted frosted glass shades, richly embossed in grape design. The grapes are red with green leaves on a brown lattice work backs.

Catalog No. Style	Bare, Without Glass Shades, Vot Wired	Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5718 4-Light	89.75	811.50	\$16,77

Mission Style Electric Showers







Four-Light Square Shower

Length to bottom of glassware 47 melies. Diameter of pan, 13 melies, dade of genuine brass in brish (satin) brass flush. The 13 meli pan its directly against the ceiling and the center is decorated with a massive square brass body of artistic design. From the corners of the pan are suspended four 2½ meli square keyless socket covers on solid brass square link chain connections for electric lights. The wired fixture has slik cord laced through the chains and keyless sockets. Extra deep square frosted glass shades, embossed around the bottom in Grecian key design.

Shades nown Wired

Catalog No. Style	Bure, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Con
34A5716 4-Light	\$8.45	\$9.58	Shi Shi
Page Thirty-Two			

Five-Light Square Shower

Length to bottom of center ball, 33 inches. Diameter of pan, 15 mches. Made of genuine brass in brush (satin) brass and black finish. The pan fits directly against the ceiling and the center is beautifully embossed in Sheffield design. From the four corners and center of the pan extend solid brass round link chains. The outer chains are fitted with \$\frac{1}{2}\sqrt{\text{i}}\$ inch and the center chain with large \$\frac{1}{2}\sqrt{\text{i}}\$ inch embossed Sheffield key socket covers for electric lights. The wired fixture has silk cord laced through the chains and key sockets. Frosted glass shades with Grecian key border. The four square outer shades are 6 mches in height, and the center shade is hevagonal in shape with pointed closed bottom, 7 inches high.


Catalog No. 84A5709	Style	Bare. Without Glass Shades, Not Wired \$12,25		Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
OTTO LOS	o-Light	512,25	- 1	\$13.93	\$15.98

Four-Light Square Shower

Length to bottom of glassware, 22 inches. Diameter of pan, 14 inches. Made of genuine brass in brush (satin) brass finish. It has a square pan, 14 inches in diameter, that fits against the ceiling, extending to a point at the center. From this point projects a brass body holding four curved square brass arms. At the end of these arms are attached square link solid brass chains supporting square keyless socket covers for electric lights. The wired fixture has silk cord laced through the chains and keyless sockets Frosted glass square mission style shades.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as
34A5854	4-Light		\$11.75	Shown, Wired

Electric Ceiling Showers



Five-Light Square Shower

Length to bottom of center light, 33 inches. Danneter of pan, 15 inches Made of genuine brass in brush (satin) brass finish. It has a square 15-inch pan which fits directly against the ceiling. This pan has a plain flat border with concave center ornamented with four raised bands running down to a pointed ornament in the center. From the corners of the pan are suspended four solid bruss square link chains, and a fifth chain from the center fitted with 24-inch plain key socket covers for electric lights. The wired fixture has silk cord laced through the chains and key sockets. Square frosted shades with crystal decorated corners in floral design. rated corners in floral design.

Catolog No. Style	Bare Without	Complete, but	Complete With
	Glass Shades.	Without Glass	Glass Shades as
	Not Wired	Shades, Wired	Shown, Wired
34A5861 5-Light	\$10.00	\$11.80	\$12.70



Four-Light Sheffield Shower

Length to bottom of glassware, 2012 inches. Diameter of pan, 12 inches. Made of genuine brass in brush satin) brass and black line in she if has a square 12 inch embossed Sheffield pan which fits dire with cast brass ornamental knob at bottom. From the pan sheffield keyhang four solid brass round link chains fitted with less socket covers for electric lights. The wired fixther through the chains to keyless sockets. Frosted a cell with clear deep ribs in cut glass design. deep ribs in cut glass design

				Complete W th
Catalog No	Style	Bare. Without Glass Shades.	Without Greek Shades Wired	Shown With
34A5708	4-Light	\$5.95	\$7.84	87 98

Page Thirty-Three



Length to bottom of glassware, 20 inches. Diameter of pan. 14 inches. Made of genuine brass in brush (satin) brass and black finish. It has a large spun ceiling pan. 14 inches in diameter, with round embossed Sheffield center terminating in a 4-inch holder for an 8-inch ball fitted for one light. The edge of the pan is ornamented with four cast brass leaf rosettes and cast brass loops, from which extend four fancy link chains fitted with \$\frac{14}{2}\$ inches socket covers for electric lights. The wired fixture has silk cord laced through the chains one keyless socket inside large ball and four key ess sockets on chains. Frosted open bottom 5 inch glass balls on four lights

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5786	5-Light	\$7.45	\$8.77	\$9.55

Large Inexpensive Chain Electric Showers



Five-Light Shower

Length to bottom of glassware, 3-light, 33 inches; 4-light, 28 inches, Diameter of pan, 17 inches. Made of genuine brass in brush (satur) brass finish. It has a massive 17 inch spun ceiling pan with rolled edge and concave round center. From the edge of the pan hang force of the pan ha bangs from the center fitted with \mathcal{E}_4 inch plain socket covers for cleatric lights. The wired fixture has alk cord laced through the chains and key sockets. Bell shaped frosted glass shades with crystal ribs. This is a very special value.

Catalog No. Style	Bare, Without	Complete, but	Complete With
	Glass Shades,	Without Glass	Glass Shades
	Not Wired	Shades, Wired	as Shown, Wired
34A5777 5-Light 34A5776 4-Light	\$5.45	\$6.70	\$7.95
	4.70	5.75	6.75

Page Thirty-Four



Three-Light Shower

Length to bottom of glassware, 31 inches. Diameter of pan, 12 inches. Made of genuine brass in brush (satin) brass finish. It has a plain spun ceiling ennopy, 4½ inches in dinmeter fitted with brass hooks, to which are attached three solid brass round link chains supporting a 12-inch spun brass pan. The pan has a plain convex center and spun brass ornament with beaded border at top and east brass ball at bottom. From the edge of the pan are suspended three 2%-inch plain key socket covers on link chain connections for electric lights. The wired flature has silk cord laced through the chains and key sockets. Frosted fancy shaped scalloped bottom glass shades,

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
84A5795	3-Light	\$4.50	\$5.65	\$6.25



Five-Light Shower

Length to bottom of center glassware, 35 inches. Diameter of pan, 171 inches. Made of genuine brass in brush (satin) brass finish. It has a round canopy 5 inches in diameter fitted with short stem supporting the 17¹² meh pan. The pan has embossed beading around the outer edge and funcy spun center with cast brass ornaments in leaf design and center knob. From the outer edge of the pan hang four solid brass chains and one from the center all fitted with 3 1/4-inch plain keyless socket covers for electric lights. The wired fixture has a silk cord run through the stem and chains and keyless sockets. Orange tinted fancy blown shades with scalloped bottom.

Catalog No.	Style	Bare, Wilbout Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
0115000	~ Y · 1 ·	00.00	0-0	
34A5893	5-Light	\$9.95	\$10.98	\$12.98

Inexpensive Chain and Spindle Electric Ceiling Showers



Four-Light Chain Shower

Length to bottom of glassware, 23 inches. Diameter of

un, 16 inches. Made of genuine brass in Flemish (brush brass shaded with black) finish. The round 16 inch pan,

which fits directly against the ceiling, has a plain con-

rave edge and is beautifully embossed in the raised center with a fancy ornamental design and fitted with east brass

shob. From the edge of the bottom of the pan hang four olid brass round link chains for electric lights. The

wired fixture has silk cord laced through the chains, key ockets and 2½-inch shade holders. Fancy frosted glass shades with crystal stripes between the panels.

Three-Light Chain Shower

Same shower as No. 3hA577h, described above, but with

84A5774 4-Light \$4.55 | \$6.20

three lights instead of four.





Length to bottom of glassware, 26 inches. Diam eter of pan, 12 inches. Made of genuine brass in brush (satin) brass and black finish. The pan, which fits directly against the ceiling, is decorated in the center with a beautifully embossed Sheffield orna must only get the chimb From the palm of the ment and cast brass knob. From the edge of the pan hang three solid brass round link chains, fitted with embossed Sheffield 2½-inch keyless socket covers for electric lights. The wired fixture has silk cord laced through the chains, and keyless sockets. Orna mental tulip shape trosted glass shades.

Catalog No.	Style	Bare, Without Glass Shades Not Wired	Complete, but Without Glass Shades Wired	Complete, With Glass Shades as Shown, Wired	
34A5719	3-Light	\$3.78	85.08	\$5.83	

Two-Light Chain Shower
Same shower as No. 94.45719, described above, but

Catalog No.	Style	Complete, but Without Glass Shades,	Complete, With Glass Shades as Shown, Wired
34 A 5690		 Wired \$4.58	\$5.08



Three-Light Spindle Shower

Length to bottom of glassware, 23 inches. Diameter of pan, 12 inches. Made of genuine brass in brush (satin) brass finsh. The 12-inch round pan, which fits directly against the ceiling, is decorated with an embossed fancy pointed ornament in the center. From the edge of the pan hang three Colonial pattern brass spindles on link chain connections for electric lights. The wired fixture has silk cord run through the spindles and chains, keyless sockets and #4 inch shade holders. Fancy prismatic frosted glass shades, with crystal ribs.

Catalog No.	Style	Hare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete, With Glass Shades as Shown Wired
34A5770	3-Light	\$2.98	\$8,98	84.61

Two-Light Spindle Shower

Same shower as No. 34A5770, described above, but with two lights instead of three

Catalog No	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	With Glass Shades as Shown Wired
34A5698	2-Light	82.23	33,23	83,65



Four-Light Spindle Shower

Length to bottom of glassware, 24 inches. Dia pan, 15 inches. Made of genuine brass in brush estin brass thish. The large 15 inch round directly against the ceiling, is dea massive round spool ornament. From the outer cothe bottom of the pan are suspended four C No. brass spindles and solid brass link chain connections for electric lights. The wired fixture has silk cord run through the spindles and chains, keyless sockets and 2½ inch shade holders. Frosted glass deep tulip shades with scalloped

Catalog No	Styl	Rom Without Odes Sholes Not World	4	Complete. With Glass Shades
84A5772	+ Light	83.23	50 73	87,73

Three-Light Spindle S :.

Same shower as No. 31.4 three lights instead of four. Catalog No. Style Glass Studes 34A5771 3-Light 81.48

Page Thirty-Fire

Without Glass Shades, Not Wired Wired Wired Wired Wired 34A5932 3-Light \$4.05 | \$5.70 -86.24

SEARS, ROEBUCK AND CO., CHICAGO, ILL.

Bare.
Without
Glass Shades.
Vol Wired

Complete,
With
Glass Shades
as Shown.
Wired

Wired

Wired

Wired

\$6.92

Ornamental Low Priced Stem and Chain Electric Showers



Three-Light Electric Shower

Length to bottom of glassware, 32 inches. Diameter of pan, 12 inches. Made of genuine brass in brush (satm) brass finish. It has a round 1-inch ceiling canopy with stem % inch in diameter, supporting the round 12-inch pan. The pan is plain, except the center, which is decorated with a round pointed ornament embossed in fancy design and fitted at bottom with cast knob. From the bottom of the pan hang three solid brass link chains for electric lights. The wired fixture has silk cord run through the stem and chains, key sockets and 21/4 inch shade holders. Hexagonal paneled frosted glass shades.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but With- out Ginss Shades, Wired	Complete With Glass Shades as Shown, Wired
31.15746	3-Light	\$2.35	\$3.50	\$3.98

Two-Light Electric Shower

Same as Shower No. \$4A5746, but with two lights, 34A5745 2-Light \$1.98 \$2.93 \$3.25



Three-Light Electric Shower

Length to bottom of glassware, 30 inches. Diameter of pan, 14 inches. Made of genuine brass in Flemish (brush brass shaded with black) fluish. It has a round plain ceiling canopy 5 inches in diameter, with 34-inch round stem, supporting the 14-inch round pan. The center of the pan is decorated with a beautifully embossed taper ornament and turned brass knob. From the edge of the bottom of the pan are suspended three solid brass link chains for electric lights. The wired flyture has silk cord run through the stem and chain. key sockets and 214 inch shade holders. Frosted, fancy shape glass shades with crystal stripes

Catalog No.	Style	Barr With out Glass Shades, Not Wired	ant Chess	Complete With Othes Sholes as Shown Wired
34A5753	3-Light	\$3.25	\$4.38	\$1.95

Four-Light Electric Shower

Same as Shower No. 34A5758, but with four lights, 34A5926 4-Light \$3.75 | \$5.13 | \$5.89



Three-Light Electric Shower

Length to bottom of glassware, 27 inches. Diameter of pan, 14 inches. Made of genuine brass in Flemish (brush brass shaded with black) finish. It has a canopy 41/2 inches in diameter, with 1/4-inch stem. supporting the 14 inch pan. The pan is beautifully embossed in leaf design with fancy east knob in center. From the outer edge of the bottom of the pan extend three solid brass link chains for electric lights, The wired fixture has silk cord run through the stem and chains, key sockets and 24-inch shade holders. Frosted glass, melon shape, open bottom shades with crystal stripes

Catalog No. Style	Bare, With- cut Glass Shades, Not Wired	Complete, but With- out Glass Shades, Wired	Complete With Glass Shades us Shown, Wired
34A5756 3-Light	\$3.15	\$4.27	\$4.75

Four-Light Electric Shower

Same as Shower No. 34A5756, but with four lights. 34A5929 4-Light \$3.65 \$5.02 \$5.66



Three-Light Electric Shower

Length to bottom of glassware, 33 inches. Diameter of pan, 12 inches. Made of genuine brass in brush (satin) brass finish. It has a round ceiling canopy 4 inches in diameter, fitted with stem \(^4\), inch in diameter, supporting the 12-inch round pan. The pan is dec orated in the center with a large spun brass ornament with beaded edge. Three solid brass link chains hang from the outer edge of the pan for electric lights. The wired fixture has silk cord run through the stem and throns, key sockets and 24-inch shade holders. Round timey frosted glass open bottom balls with clear crystal beaded ribs and center band,

Catalog No.	Style	Bare, With- out Glass Shades, Not Wired	Complete, but With- out Glass Shades, Wired	Complete With Glass Shades as Shown Wired
34A5748	3-Light	\$2.75	\$8.93	\$4.38

Two-Light Electric Shower

Same as Shower No. 84A5748, but with two lights 34A5747 2-Light \$2.25 | \$3.18 | \$3.48

Ornamental Low Priced Stem and Chain Electric Showers









Three-Light Spindle Electric Shower Length to bottom of glassware, 36 inches. Diameter of pan, 12 inches. Made of genuine brass in brush (sitin) brass finish. It has a round ceiling canopy 412 mehes in diameter, with 4-inch round stem, which supports the 12-inch round pan which is decorated with an embossed pointed ornament. From the bottom of the pan are suspended three brass fancy spindles on link chain connections for electric lights. The wired fixture has silk cord run through the stem and spindles. key sockets and shade holders. Frosted glass 5-inch open bottom crystal striped ball shades

Ca	talog No.	Style	Bare, With- out Glass Shades, Not Wired	Complete, but With- out Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34	A5760	3-Ligh	t \$3.25	\$4.38	\$4.86

Two-Light Spindle Electric Shower Same as Shower No. 34A5760, but with two lights. 34A5920 2-Light \$2.50 \$3.38 \$3.70

Three-Light Electric Ceiling Shower

Length to bottom of glassware, 80 inches. Diameter of pan, 12 inches. Made of genuine brass in brush (satin) brass and black finish. It has a ceiling canony 5 inches in diameter, with three applied cast wreath and ribbon ornaments. From the canopy extends a stem, $\frac{\pi}{4}$ inch in diameter, that supports the 12-inch round ribbed pan decorated with fancy cast wreath and ribbon ornaments From the bottom of the pan hang three solid brass round link chains for electric lights. The wired fixture has silk cord run through stem and chains, key sockets and 24, in shade holders. Fancy tulin shape frosted glass shade

Catalog No.	Style		Complete but With out Glass Shades. Wired	Complete With Glass Shades as Shown Wired
34A5757	3-Light	\$2.98	\$4.38	\$4.89

Two-Light Electric Ceiling Shower Same as Shower No. 34A5757, but with two lights. 34A5923 2-Light \$2.58 \$3.63 \$3.97 Length to bottom of glassware, 36 inches. Diameter

of pan, 15 inches. Made of genuine brass in brush (satin) brassfinish. It has a massive snool shape ceiling canon; 5 inches in diameter, with %-inch stem, supporting the large round 15-inch pan. The pan is decorated in the center of bottom with massive round spool shape orna ment. From the outer edge of the bottom of the pan hang three solid brass link chains for electric lights. The wired fixture has silk cord run through the stem and chains, key sockets and 314-inch shade holders Frosted 6 inch glass balls with 31, inch fitter

Catalog No. Style	Bare, With- out Glass Shades, Not Wired	out Glass	With Glas Shades as Shown Wired
34A5751 3-Light	\$4.35	85,58	85.98

Four-Light Chain Electric Shower Same as Shower No. 34A5751, but with four lights 84A5752 4-Light 84.98 86.39 86.99

Three-Light Sheffield Chain Electric Shower

Length to bottom of glassware, 33 inches. Diameter of pan, 12 inches. Made of genume brass in brush eatin brass and black line finish. It has an embossed Sheffield ceiling canopy 5 inches in diameter, with 34-inch stem supporting the 12-inch round pan. The pan is plain except in the center, which is decorated with a large embossed Sheffield ornament. From the edge of the pan bang solid brass link chains for electric lights. The wired fixture has slik cord run through the stem and chains, key sockets and 2½ inch shade holders. Frosted-deep glass shades, embossed in ribbed Sheffield design

Bare, With out Glass out Glass Shades, Shades, Vot Wired Wired Complete With Glass Shades. Shades as Shown Wired Catalog No. Style

34A5750 3-Light \$2.75 \$3.93 , \$4.98 Two-Light Sheffield Chain Electric Shower Same as Shower No. 34A5750, but with two lights

84A5749 9-Light, 82.35 83.25 5..95

Page Thirty-Seven

Inexpensive Electric



Three-Light Fancy Shower

Length to bottom of glassware, 30 inches. Dunneter of pan, 12 inches. Made of genuine brass in brush (satin) brass fluid. It has a round ceiling canopy, 4½ inches in diameter, with short stem and spun body with cast brass ball. From this body extend three solid brass round link chains, which support the 12-inch pan. The pan is decorated in the center with taper shaped ornament with embossed hexagon bottom and cast knob. From the outer edge of the pan are suspended three solut brass link chain con-nections for electric lights. The wired fixture has silk cont-laced through the chains, key sockets and §14 inch shade rings. Fancy frosted glass shades with clear crystal stripes.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete but Without Glass Shodes, Wired	Complete, With Glass Shades as Shown, Wired
84A5779	3-Light	\$8.20	\$4.35	84.89



Our Leader Ceiling Shower

Length to bottom of glassware, 131/2 inches. Made of genuine brass in brush (satin) brass finish. Round lo-inch pan with embossed center ornament and solid brass short link chains. The wired fixture has silk cord laced through the chains, keyless sockets and Winch shade holders. Frosted glass shades with

Catalog No	Style	Bare, Without Shades, Not Wired	Complete, Without Shades, Wired	Complete, With Shades, Wired
84A5718	3-Light	\$1.48	\$2.56	\$2.98
81A5712	2-Isight	1.15	1.95	2.43



Ceiling Shower Hand Painted

Length to bottom of glassware, 14½ inches. Made of genuine brass in brush (satin) brass finish. Round Beinch pan with a large round beaded center ornament and solid brass short link chains. The wired fixture has silk cord laced through the chains, key less sockets and 24-inch shade holders. Satin finish frosted fancy bell shape glass shades, hand painted on the inside with a blue forget-me-not border.

Catalog No.	Style	Without Shades Not Wired	Without Shades Wifed	With Shudes, Wired
$34.\lambda 5699$	3-Light	\$1.95	82.90	\$3.95
34A5698	2-Light	1.58	2.15	2.85





Ceiling Shower

Length to bottom of glassware, 1314 inches. Made of genuine brass in brush (satin) brass finish. Round 12-inch pan with embossed tapering center ornament and solid brass link chains. The wired fixture has silk cord laced through the chains, keyless sockets and 24-inch shade holders. Frosted glass fancy

Catalog No.	Style	Bare. Without Shades, Not Wired	Complete, Without Shades, Wired	Complete With Shades Wired
34A5697	3-Light	\$1.80	\$2.97	\$3.45
34A5696	2-Light	1.35	2.16	2.48



Sheffield Design Ceiling Shower

Length to bottom of glassware, 151/2 inches. Made of genuine brass in brush (satin) brass and black finish. Round 12-inch pan with an embossed Sheffield ornament measuring 6½ inches to bottom of knob, and embossed Sheffield 2¼-inch keyless socket covers on solid brass link chains. The wired fixture has silk cord laced through the chains. Thin blown (frosted) tulip design shades with scalloped bottom.

Catalog No.	Style	Bare, Without Shades Not Wired	Complete, Without Shades, Wired	Complete With Shades, Wired
34A5700	3-Light	82.25	\$3.44	\$3.98
31A5702	2-Light	1.92	2.84	3,20



Three-Light Wreath Shower

Length to bottom of glassware 32 niches. Diameter of pan 12 mehes. Made of genuine brass in brush (satin) brass and black fluish. It has a round ceiling canopy, 5 inches in diameter, with three east wreath and ribbon ornaments Fitted with short stem and spun body with cast brass ball, from which extend three solid brass round link chams which support the 12-inch pan. This pan is decorated with fancy corrugated ribbing and three cast wreath and ribbon ornaments around the edge and plain convex center From the outer edge of the bottom of the pan extend three solid brass link chain connections for electric lights. The wired fixture has silk cord laced through the chains, key sockets and 21/4-inch shade holders. Frosted wreath design crystal stripe glass shades.

Catalog No	Style	Bare, Without Glass Shades, Not-Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown Wited
34A5704	3-Light	84.70	85.85	86.75

Electric Showers



Three-Light Ceiling Fixture

Length to bottom of glassware, II inches. Spread, II inches. Made of genuine brass in Etruscan gold finish. It has a spun brass ceiling band, 5 inches in diameter, beautifully embossed in conventional design, supporting a graceful plain body, 6 inches in diameter, with turned brass knob at bottom. From the body extend three beautiful ornamental cast arms suspending three 2½-inch embossed keylessocket covers for electric lights. The wired fixture has silk cord run through the fixture and chain, and keyless sockets on link chain connections. Fancy satin finish frosted glass shades.

		Telephone and the second		
	,	Hare,	Complete,	
0.1.1.1.1	01.1	Without	but With-	withShad's
Catalog No.	Style	Shades.	out Shades.	as Shown.
		Not Wired	Wired	Wired
		1		
S4A527 F.	3-Lioht	86.75	87 85	S8 75



Five-Light Ceiling Fixture

Length to bottom of center ball, 13½ inches. Diameter of pan, 15½ inches. Made of genuine brass in brush (satin) brass finish. The large ceiling plate, 15½ inches in diameter, has a plain spun edge with large spun taper center ornament. Around the edge of pan are attached four ½4 inch socket covers, and the center ornament is fitted with a 5½-inch socket cover, all for electric lights. The wired fixture has rubber covered wire connecting the kcyless sockets. Frosted glass bulls. Four 5 inch open bottom and one 6-inch closed bottom in center.

Catalog No.	Style	Bare, Without Shades, Not Wired	Complete, but With- out Shades, Wired	Complete With Shades as Shown, Wired
34A5232	5-Light	2. 2,	\$5.82	\$6.45

Ceiling Fixtures



Three-Light Ceiling Shower

Length to bottom of glassware, 9½ inches. Diameter of pan, 10 inches. Made of genuine briss in brush (satin) brass and black flaish. The round ceil mg pan, 10 inches in diameter, is beautifully embossed in Lurel wreath and ribbon design with spun brass center ornament. From the edge of the pan are suspended three 2½-inch embossed laurel wreath kevless socket covers, on solid brass link claim connections for electric lights. The wired fixture has silk cord laced through the chains, and keyless sock ets. Satin flaish frosted glass fancy ribbed shades

Catalog No.	Style	Bare, Complete, Without but With Shades, out Shades,	with Shad s
		Not Wiredl Wired	Wired

34A5705 3-Light \$3.35 | \$4.05 | \$4.95



Length to bottom of center glassware, 17 inches. Diam eter of pan, 18 inches. Made of genuine brass in bur inshed Roman gold finish. Beautifully embossed in fance fluted design. From the edge of the ceiling pan are suspended four 3½ inch richly embossed fancy keyless socket covers, on link chain connection, for electricights; a fifth is suspended from the center ornament. The wired flyture has silk cord run through the chains and keyless sockets. Dainty prismatic shades measuring 4 inches in diameter and 5 inches in length, composed of amber color jewel beads and crystal reeded prisms.

Catalog No.	Style	Without Shades.	hut With out Shades	With Shade as Shown
34A5742	5-Light	\$14.25		*19.00



Three-Light Ornamental Shower

Length to bottom of glassware, 30 inches. Dameter of pain, 14 inches. Made of genuine briss in Flemish Orrush briss shaded with black) finish. It has a round plain certing canopy, 5 inches in diameter, fitted with short stem and spin body with east briss ball, from which extend three solid briss round link chains, supporting the 14-inch round pain. The pain is decorated with taper or nament, beautifully embossed around the top, and embossed tapering panels extending to the bottom, which has a turned briss knob. From the outer edge of the bottom of the pain extend three solid briss link chain connections for electric lights. The wired fixture has silk cord laced through the chains, key sockets and 2½ inch shade holders. Frosted fancy ribbed glass shades

Catalog No. | \$ complete | Complete | but With | With the second Glass | Shieles | Shi

34A5784 | 3-Light 83.75 | \$4.87 85.8

Page Thirty-Nine



Three-Light Sheffield Shower

Length to bottom of glassware, 28 inches. Diameter of pan, 14 inches. Made of genuine brass in brush satin) brass and black line finish. It has an em-

bossed Sheffield ceiling canopy, 5 inches in diameter,

with reeded stem and cast brass ball and three hooks

from which extend three solid brass link chains which support a 14-inch pan. The pan is decorated with a massive embossed Sheffield body and cast ring

ornament. From the edge of the pan are suspended

three solid brass link chain connections fitted with 2½-inch embossed Sheffield keyless socket covers for electric lights. The wired fixture has silk cord laced through the chain, and keyless sockets. Frosted

alass open bottom 5-inch Colonial ball shades with

floral pattern in clear glass.

Three-Light Ornamental Shower

Length to bottom of glassware, 13 inches. Made of genuine brass in brush (satin) brass and black thinsh. The round spun brass ceiling pan, 13 inches in diam (satin) brass and black finish. The round spun brass centing pain, is more a train-eter, is handsomely decorated at the bottom in braded and ribbed design with cast brass knob. From classed brass ornaments near the edge of the pan are suspended three 14) inch tibbed socket covers for electric lights on solid brass round has them connections. The wited takine has silk cord he ed through the chains, and keyless sockets. Fancy ribbed opalescent glass shades with other

		v +2		
Catalog No.	Style	Bare, Without Glass Shudes, Not Wireds	Complete, but With- out Shades, Wired	Complete With Shades
34A5701	8-Light	84.35	\$5,15	\$6.50



Catalog No. Complete but Without Glass Shades, Wired Complete With Glass Shades as Shown Wired 34.15788 4-Light 85.50 86.85 20,05

Electric Ceiling Showers



Four-Light Shower With Hand Painted Shades

Length to bottom of center glassware, 22 inches. Diameter of pan, 13 inches. Made of genuine brass in brush brass and black finish. The round ceiting pan, 13 inches in diameter, is richly em bossed around the edge in reed design and is decorated in center with a classic ornamental rosette. From the outer edge of the pan are suspended three solid brass round link chains with a fourth chain from the center, fitted with 2½-inch fluted socket covers. The wired fluture has silk cord laced through the chains, and key-less sockets. Frosted satin finish glass shades, hand painted with blue and pink forget me-nots and ribbon bowknots

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wire
94.4.579.5	(Light	\$9.45	81.65	1 80 95

Four-Light Shower With Colored Shades Length to bottom of glassware, 20 inches. Made of genuine brass in brush (satin) brass and black finish. The large round spun brass ceiling pan, 18 inches in diameter, is richly decorated with a handsome pointed center ornament, beautifully embossed in conventional floral design, and cost brass acora knob at bottom. From the outer edge of the pan are suspended four solid brassround buk chains for electric lights. The wired fixture has silk cord laced through the chains, keyless sockets, 21/2, inch shade holders. Frosted satin finish embossed tulip glass shades, hand colored, alternating white and yellow,



Four-Light Sheffield Shower

Length to bottom of glassware, 12 inches. Made of genume brass in brush (satin) brass and black line finish. The square 12-inch ceiling pan is handsomely embossed in Sheffield design. From the four corners are suspended embossed Sheffield 21; inch keyless socket covers on solid brass link chain connections for electric lights. The wired fixture has silk cord laced through the chains, and keyless sockets. Frosted 5 inch embossed open bottom glass ball shades with crystal ribs.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but With- out Shades Wired	Complete With Shades
34A5730	4-Light	\$4.98	\$6.35	\$6.99



Five-Light Richly

Embossed Shower

Length to bottom of center glassware, 16 inches. Made of genuine brass in brush (satur) brass and black finish. The extra large massive tapering ceiling pan, 18 inches in diameter, is beautifully embossed around the edge in fancy floral design with applied east brass leaf ornament at bottom. From the outer edge of the pan extend four 2¼ inch embossed socket covers and one from the center on solid brass link chain connections for electric lights. The wired fixture has silk cord laced through the chains, and keyless sockets. Satin finish fanci pattern ribbed glass shades resembling marble


Catalog	Style	Bare, Without Shades,	Complete, but Without	Complete With Shades
No.		Not Wired	Shades, Wired	as Shown Wired
34A5787	5-Light	\$7.90	\$9.50	\$11.25



Three-Light Beaded Ceiling Fixture

Length to bottom of fixture, 15 inches. Spread, 20 inches. Made of genuine buss in brush (satin) brass and black finish. It has a spun brass canopy, 4 helpes in diameter, with embossed beaded edge fitted with \(\frac{3}{2}\)-inch stem to which is attached an artistically shaped spun body with beaded edge and spun buss knob at bottom. This body measures 8 inches long and \(\frac{1}{2}\) inches wide. From the side of the body extend three curved electric arms with cast brass fancy scroll ends. The wired fixture is fitted with keyless sockets and \(\frac{2}{2}\)-inch brass shade holders. Frosted glass shades in tulip design with scalloped edge.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Without Glass Shades, Wired	Glass Shade as Shown, Wired
24 A 500 t	9-I inht	89 10	\$3.07	\$3,70



Four-Light Sheffield Ceiling Fixture

Length to bottom of glassware, 15 inches. Spread, 16 inches. Made of genuine brass in brush (satin) brass and black finish. It has an embosses sheffield ceiling canopy, 6 inches in diameter, with ½-inch stem fitted with a round ball body from which extend four gracefully curved round arms in scroll design. These arms support four 2½-inch round Sheffield socket covers on link chain connections for electric lights. The wired fixture has silk cord run through the arms and chains and keyless sockets. Fancy ribedt reflector glass shades with scalleged edge.

tenector giass shade	A MALETY SCHOOL SE	The state of the s	THE STATE OF THE S
Catalog No. Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
84A 5991 4-Light	\$7.40	\$9.53	\$11.05

Ornamental Electric Ceiling Fixtures

Three-Light Fancy Ceiling Fixture

Length to bottom of fixture, 12½ inches. Spread, 22 inches. Made of genuine brass in brush (satin) brass and black finish. It has an embossed ceiling canopy, 4½ inches in diameter, fitted with short stem to which is attached an ornamental embossed body measuring 8 inches in length including the ornament. From the sides of the body extend three curved electric arms with fancy cast brass floral ornaments. The wired fixture has keyless sockets and 2½-inch brass shade rings. Frosted blown shades decorated with floral band in clear glass.


Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades Wired	Complete With Glass Shades as Shown Wired
84 A 5980	8-Light	\$2.75	\$3.94	84,45



Four-Light Ceiling Fixture

Length to bottom of glassware, 12 inches. Spread, 15 inches. Made of genuine brass in brush (satin) brass finish. It has a plain spun ceiling canopy, 5 inches in diameter, fitted with %-inch stem to which is attached a round body ball with cast brass ornament at bottom. From the side of this body ball extend four curved electric arms supporting four 214-inch plain socket covers on link chain connections for electric lights. The wired fixture has silk cord run through the body and arms and keyless sockets. Frosted glass bell shape shades.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shodes as Shown Wired
34A5218	4-Light	\$4.60	\$6.30	\$6.90



Length to bottom of glassware, 15 inches. Spread, 12 inches. Made of genuine brass in brush (satin) brass finels. It has a plain spun ceiling canopy, 5 inches in diameter, with ^{7}s -inchesten to which is attached a plain spun body. This body measures $^{3}t_{2}$ inches in width and $^{1}t_{2}$ inches in length including knob. From the side of the body extend three Colonial pattern solid brass turned arms supporting $^{2}t_{1}$ inch socket covers. The wired fixture is fitted with keyless sockets. Frosted 5-inch open bottom glass balls

Catalog No. Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades Wired	Complete With
31A5217 3-Light	84.90	85.89	20 25



Four-Light Pan Ceiling Fixture

Length to bottom of glassware, 13 inches. Spread, 14 inches. Made of genuine brass in brush (satin) brass finish. It has a large spin brass ceiling pan, 15 inches in diameter, from which extend the property curved scroll arms which meet together in a small body under the parameter of these arms support four $t^{1/4}$ -inch plain socket covers on $t^{1/4}$ tons for electrolights. The wired fixture has silk cord run (branch the arms and channels and keyless sockets. Frosted fancy ribbed glass shades in prism effect

34A5219	4-Light	87,90	39.37	\$10.85
Catalog No.	Style	Bare, Without Ghoss Shades, Not Wired	Without Glass Shedes, Wired	Glass Shades as Shown Wired
Mary Tolland and a street	The second second	STATES OF THE PARTY OF THE PART	Complete, but	Complete With

Page Forty-One


Ornamental Electric




Electric Ceiling Lights

Ceiling band, which is extra deep and massive, is made of gennine brass in brush (satin) brass finish with hinged holder for ghissware, which has a thumbserew on side for locking hinge. Fitted with wired porcelain separable keyless socket for electric turbt - Erested class homisphere how!

Catalog No.	Style	Size of Glass	Without Glass Bowl	Complete Wa
34A7025	1-Light	8-inch	\$2.47	82.77
34A7026	2-Light	10-inch	3.06	8.56
34A7027	8-Light	12-inch	4.08	4.75
34A7028	3-Light	14-inch	5.28	6.13





No.34A5243 Price, complete as shown, \$3,25



One-Light Ceiling Light

tuches. Made of genuine brass in brush

(satm) brass and black finish. It has an

oval ceiling pan, 8 inches long and 4 inches

wide, with plain concave center and edge

embossed in reed and ribbon design From the center of the pan extends a 54

inch socket cover embossed in reed and

ribbon design on link chain connection

The fixture is wired with silk cord run

through the chain and keyless socket. Six-paneled frosted pointed closed bottom glass shade in reed and ribbon design.

No. 84A5244

Price, complete as shown. \$3.35

Length to bottom of glassware, 17

Length to bottom of glassware, 101/2 inches. Dimensions of ceiling pan, 12 inches long and 7 inches wide. Made of genuine brass in brush (satin) brass and black fluish. This oblong ceiling tsatth brass and black unish. This oblong ceiling pan is embossed in Sheffield design, with convex center and east knob. From the ends of the pan are suspended two 2%-ine Sheffield keyless socket covers on solid brass link chain concetions for electric lights. The flature is wired with silk cord laced through the chains and keyless sockets. Fancy square frosted glass shades.

No. 84A5247



Square Beam Light

Genuine brass, brush (satin) brass and black finish. The square canopy is 3 inches in diameter, with screw holes for attaching, and has a cast brass tulip shape husk and keyless socket. The complete fixture is fitted with round a Li-inch frosted glass 16-candle power electric lamp with Edison

No. 84A5284

Without L min	-	Complete With Lamp
80e	- 1	98c



Two-Light Spindle Ceiling Fixture

Length to bottom of glassware, 20 inches. Di mensions of ceiling pan, 14 inches long and 8 inches wide. Made of genuine brass in brush (satin) brass and black finish. The oval ceiling pan is beautifully embossed around the edge in beaded design, with plain oval convex center and east brass acorn knob. From the ends of the pan are suspended two ornamental spindle's supporting 24-inch embossed socket covers on solid brass link chain connections for electric lights. The fixture is wired with silk cord run through the spindles and chains and key sockets. Satin finish frosted bell shape fluted glass shades.

No. 34A5280 Price, complete as shown \$5.85



Ceiling Lights

One-Light Prism Ceiling Light Length to bottom of glassware, 15 inches. Made of genuine brass in brush (satin) brass and black finish. The round canopy is 8 inches in diam eter and is embossed around the edge in laurel wreath and ribbon design with Sheffield center. From the cen ter extends a 314-inch laurel wreath socket cover on solid brass ring connection for an electric light. The flyture is wired with silk cord laced through the chain and keyless socket. Dainty prismatic shade, measuring 4 inches in diameter and 5 inches in height, composed of amber color rewel beads and crystal reeded prisms.

No. 34A5241 Price, complete as shown, \$3,48



One-Light Ceiling Fixture

Length to bottom of glassware, 16 mehes Made of genuine brass in brush (satin) brass and black finish. It has a massive ceiling canopy, 9 inches in diameter beautifully embossed around the edge in conventional floral design. From the center of the canopy extends a 3¹/₄-inch embossed socket cover to match canopy on a brass chain connection for an electro light. The fixture is wired with silk cord laced through the chain and keyless soc ket. Frosted glass embossed paneled shade with clear glass corners in floral design

No. 34A5223 Price, complete as shown....\$3.25



Round Beam Light

Genuine brass in brush (satin) brass and black finish. It has a round canopy, 81/4 inches in diameter, with screw holes for attaching, and a cast brass tulip shape husk and fitted with keyless socket. The complete fixture is fitted with round 21/2-inch frosted glass 16-candle power electric lamp with Edison base.

No. 34A5233

Complete With Lamp 80c



Length to bottom of glassware, 101/2 inches, Dimen sions of pan, 14 inches long and 7% inches wide. Made of genuine brass in brush (satin) brass and black fluish The oval ceiling pan is embossed around the edge in artistic design and decorated in center with an orna mental cast brass acorn knob. From the ends of the pan are suspended two 2/4-inch embossed key less socket covers on solid brass link chain connections for electric lights. Fixture is wired with silk cord and keyless sockets. Frosted glass shades with clear crystal ribs No. 34 A5263 Price, complete as shown, \$5.33

One-Light Gilded Ceiling Light Length to bottom of glassware, 16 inches Made of genuine brass in Etruscan gold hish. The round cast brass ceiling canoy, 81/2 inches in diameter, is handsomely based. From this canopy is suspended a 4 inch spun brass keyless socket cover with east brass fluted design top on fancy ist loop chain connection for one electric ght. The fixture is wired with silk cord seed through the chain and keyless ocket. Satin finish frosted glass shade, dosely resembling Italian marble, richly mbossed in festoon laurel wreath and lorch design with reed and ribbon border

No. 34A5272 Complete, as shown......\$3.98



Two-Light Square Ceiling Fixture Length to bottom of glassware, 141/2 inches. Spread, 10 inches. Made of genuine brass in brush (satin) brass finish. It has a square ceiling canopy, Ps inches in diameter, and square stem, % inch in diameter, with square cast body from which extend two square arms. The fixture is wired and fitted with keyless sockets and 214-inch brass shade ings. Frosted glass square shades.

No. 34A5216 Complete, as shown. \$2.59



One-Light Ribbed Ceiling Light

Length to bottom of glassware, 10 inches Made of genuine brass in brush (satin) brass and black finish. It has a brass ceiling pan, 6½ inches in diameter, with edge embossed in reed and ribbon design and plain spun extended center that forms a 31/4-inch holder for glassware. Complete fixture is fitted with porcelain separable keyless socket, large fancy frosted glass ball with clear crystal stripes.

No. 34A5242 Complete, as shown......\$1.39



One-Light Ceiling Fixture

Length to bottom of glassware, 14 inches Diameter of ceiling pan 14 inches. Made of genuine brass in brush (satin) brass flinish. The massive ceiling pan. 14 inches in diameter, is heavily embossed in oak leaf and acorn design, with spun brass 5-inch holder for glassware. Fitted with wired keyless socket. Satin finish 10x5 inch frosted glass bowl resembling alabas ter marble beautifully embossed in floral design.

No. 34A5229 Complete, as shown. 87.75




One-Light Fancy Ceiling Light

Ceiling Lights

Length to bottom of fringe, 18 inches Diameter of canopy, 5 inches. Made of genuine brass in brush (satin) brass and black finish. The ceiling canopy, 5 inches in diameter, is plain and has applied cast brass leaf ornaments. To the bottom of this canony is attached a cast brass fancy socket cover (husks) for one electric light The flyture is wired and has keyless sock et and 21/4-inch shade holder. Frosted glass shade, flaring to 6 inches at the bot tom, with 3-inch crystal beaded frings

No. 34A5248 Complete, as shown\$2.48



One-Light Ball Ceiling Light

Length to bottom of glass ball, 7 inches. Brass ceiling band, brush (satin) brass flinsh. This band measures 7 inches across the top and has a 31/2-inch fitter for glassware. The complete flyhere is fitted with porcelain base keyless socket. Frosted glass 6-meh ball.

No. 34A7011 Complete, as shown....65e

86.75

Three-Light Sheffield and Grape Electric Shower

Length to bottom of glassware, 22 inches. Diameter of pan, 12 inches. Made of genuine brass in brash (satin) brass and black finish. It has an embossed Sheffield ceiling canopy, 5 inches in dameter, and short reeded stem supporting the 12 inch pan. The pan is richly embossed in Sheffield and grape design. From the edge of the pan are suspended three solid brass link chains. The fixture is wired with silk cord laced through the chains, key sockets and 2¼-inch shade holders. Fancy tulip shape frosted glass shades.

No. 34A5755 Complete, as shown....

One-Light Fancy Ball Ceiling Fixture Length to bottom of ball, 816 inches. Made of genuine brass in brush (satm)

brass and black finish. It has a ceiling band, 7½ inches in diameter, beautifully embossed around the edge in laurel

wreath design, with plain center extend-

ing to form a 31/4-inch holder for glassware.

embossed in laurel wreath and ribbon design. The fixture is fitted with porcelain wired separable keyless socket. Satin

finish frosted 6-inch glass ball, closely

resembling marble, beautifully etched with center band in scroll design and conventional rosette at bottom. No. 34A5266

Complete, as shown.... S1.65

No. 31A5215 Complete, as shown . . \$2.



One-Light Grape Ceiling Fixture

Length to bottom of glassware, 12 inches Made of genuine brass in brush (sitin brass and black finish. Large ceiling canopy, 8 inches in diameter, beautifully embossed in leaf and acorn design. From the center of the canopy extends a 314 inch embossed socket cover in leaf design on brass link connections. The fixture is wired with silk cord laced through the chain and keyless socket. Closed bottom frosted glass shade embossed in grape de

No. 34A5214

Complete, as shown.......\$3.65



Two-Light Round Ceiling Fixture

I ength to bottom of glassware. It inches. Spread 10 melies. Made of genume bress in brush (satin) brass fimsh. It has a brass canopy stem. 's inch in I inches in diameter, w rom which extend diameter, with a route fixture is wired and two round arms to (214 inch brass shade fitted with keyless ion shape glass shades rougs Frosted crysta -

Page Forty-Three

Electric Pendants and Ceiling Lights



One-Light Round Pendant

Length to bottom of glassware, 16 Length to bottom of glussware, in inches. Made of solid bravs in brush (satin) brass fluish. It has a ceibing canopy 4½ inches in diameter, with sinch solid brass stem for one electric light. The wired fluture has a key socket and 2¼-inch shade holder. Plann Case-Light and 2¼-inch shade holder. frosted blown glass shade.

No. 34A5200

Style	Bare, Without Glass Shade, Not Wired	Shade.	Complete With Glass Shade as Shown, Wired
1-Light	45e	760	850

Two-Light Round Pendant

Length to bottom of glassware 36 inches Spread, 12 inches. Made of genuine brass in brush (sitin) bruss finish. It has a round 5^{4}_{2} inch ceiling canopy, is meh stem and two is meh round arms for electric lights with turned center and end fittings. The wired fixture has key sockets and 21 meh brass shade holders. Embossed frosted glass shades with beaded ribs.

No. 34A5211

Style	Bare, Without Glass Shades, Not Wired	Complete, but With- out Glass Shuden,	Complete With Glass Shades as Shown,
2-Light	S1 68	Wired SO LL	Wired SO GR

One-Light Fancy Round Pendant

Length to bottom of glassware, 36 inches. Made of genuine brass in brush (satin brass fluish. It has a large ceiling canopy 134 inches in diameter, and stem sunch in drimeter for one electric light The wired fixture has a key socket and 2) a inch shade holder. Plain frosted bell. shape glass shade.

No. 34A5202

-			
Style	Bare, Wilhout Glass Shade, Not Wired	Complete, but With out Glass Shade, Wired	Complete With Glass Shade as Shown, Wired
1-Light	68c	\$1.09	81.18

 $\begin{array}{c} Two-Light \ Square \ Pendant \\ \text{Length to bottom of glassware, 86 inches.} \\ \text{Spread, } \Pi^{1_2} \text{ inches.} \quad \text{Made of genuine brass} \\ \text{in brash (satm) brass finish.} \quad \text{If has a square} \\ \end{array}$ 4^{4}_{2} inch ceiling canopy, $^{4}_{4}$ inch square stem and two square arms $^{3}_{4}$ inch in diameter for electric lights, with cast fittings. The wired fixture has key sockets and 2½ inch shade holders. Square frosted glass shades.

No. 34A5206

Styli	Bare,	Complete,	Complete
	Without	but With	With Glass
	Glass	out Glass	Shades
	Shades,	Shades,	as Shown,
	Not Wired	Wired	Wired
9-Light	81.88	89 60	80 88

One-Light Square Pendant

Length to bottom of glassware, 30 (inches Made of genuine biass in bias (satin) brass finish. It has a sec 99 canopy 412 inches in diameter, witmeh square stem for one electric light The wired fixture has a key socket and 214 inch shade holder. Square frostere

No. 34A5204

Style	Bare, Without trlass Shade,	Complete, but With out Glass Shade,	Complete With Gla Shad us Shown
1-Light	'Not Wifed' 65c	Wired 98c	81.1-

Page Forty-Four



One-Light Ball Pendant

Length to bottom of ball, 36 inches. Made of genuine brass in brush (satin) brass finish. It has a ceiling canopy, 4½ inches in danaeter, with short stem. To this stem is attached a solid brass round link chain supporting 4-inch globe holder for one electric light. The wired fixture has silk cord laced through the chain and key socket. Frosted glass 8-inch ball.

No. 34A5282

	TACLE IN VINCEILIE	U ~
Bare.	Complete,	Complete
Without	but Without	With Glass
lass Ball,	Glass Ball,	Ball ns
lot Wired	Wired	Shown, Wired
21 or	@1 (30	@1 no
	Without lass Ball,	Bare, Without lass Ball, of Wired Complete, but Without Glass Ball, Wired

One-Light Chain Pendant

Length to bottom of glassware, 30 inches. Made of genuine brass in brush (satin) brass finish. It has a round ceiling canopy, 1½ inches in diameter, with short stem and solid brass link chain for one electric light. The wired fixture has silk cord laced through the chain. Key socket and 2¼-inch shade holder. Fancy 5-inch frosted glass ball with beaded crystal

No. 34A5281

-	-	
Bare	Complete	Complete
Without	but Without	With Glass Ball
Glass Ball,	Glass Ball.	n world on
Not Wired	Wired	Wired
m -	44 20	Six or
7.0C	-81.20	81.35

One-Light Reflector Pendant

Length to bottom of glassware, 36 mehes. Made of genume brass in brush (satin) brass finish. It has a round ceiling canopy, 4½ mehes in diameter with short stem and solid brass round link chain for one electric light. The wired fixture has silk cord laced through the chain. Key socket and 2½-inch shade holder. Frosted glass 40 and 60-watt tungsten reflector.

No. 34A4916

Bare. Without Glass Shade. Not Wired	Complete, but Without Glass Shade Witted	Complete With Glass Shade as Shown Wired
750	81.90	81.39

One-Light Mission Pendant

Length to bottom of glassware, 36 inches. Made of genuine brass in brush (satm) brass finish. It has a ceiling campy, 4½ inches in dameter, and solid brass round link chain supporting a 3½-inch key socket cover for one electric light. The wired fixture has silk cord laced through the chain and key socket. Frosted glass shade with black design to imitate black fron cage.

No. 34A5283

Bare, Without Glass Shade, Not Wired	1	Complete, but Without Glass Shade, Wired		Complete With Glass Shade as Shown Wired
&1 D5		21 79	ì	\$0 0s

One-Light Dome Pendant

Length to bottom of glassware, 36 mehes. Made of genuine briss in brush attni briss finish. It has a round ceiling canopy, 452 inches in diameter, and short stem fitted with sold brass link chain fitted with 344-inch plain socket cover for one electric light. The wired fixture has silk cord run through the chain and key socket. Frasted glass dome shade, 7% inches

No. 34 A 5297

A	ARI CALTECOME	
Bare, Without Glass Shade.	Con but Without Glass Shade.	plete With Glass Shade as Shown, Wared
Not Wired	81.60	\$2.15

Electric Pendants and Ceiling Lights



One-Light Semi-Indirect Ceiling Fixture

Length to bottom of fixture, 15 melies. Made of genuine brass in brush (satin) brass and black finish.) meh ceiling canopy with corru gated edge and plain pointed cen ter terminating in a key less socket. From the sides of the emopy ex-tend three round briss chains supporting a reeded brais body with east brass knob, which forms a 214 inch holder for the 60 watt ribbed opaque glass shade reflector. The fixture is wired and fit ted with one keyless socket

No. 31A5261

Price, complete as shown. \$3,25



One-Light Pendant

Length to bottom of glassware, 36 inches. Made of genuine brass in brush (satin) brass finish. It has a large plain round ceiling canopy 4½ inches in diameter, with round stem ¾ inch in diameter. If the diameter is the diameter in the diameter is the diameter in the diameter. If the diameter is the diameter is the diameter in the diameter in the diameter is the diameter in the diameter in the diameter in the diameter is the diameter in the diameter in

No. 34.15208

Style	Bare, With- out Glass Shade, Not Wired	Complete, bul With- out Glass Shade, Wired	Complete With Glass Shade as Shown Wired
1-Light	95c	\$1.47	81.73



One-Light Indirect Ceiling Fixture

Length to bottom of fixture, 201/2 mehes. Diameter of pan, 12 inches. Made of genuine brass in brush (satin) brass finish. It has a round ceiling canopy, 5 inches in diameter, with short link chain stem fitted with key-less socket holder for a 100-watt electric light. A brass frame supports a 12 inch indirect brass pan, white enamel on the inside. The fixture is wired with silk cord laced through the chain, and keyless socket.

No. 34A6012

Price, complete as shown.....\$3.98



One-Light Inexpensive Ceiling Fixture

Length to bottom of glassware, 16¼ inches. Made of genuine brass in brush (satin) brass finish. It has a round ceiling canopy, 41/ inches in diameter, and short stem 4 inch in diameter. From this stem extends a solid brass link chain connection for electric light. The fixture is wired with silk cord run through the fixture and chain, and has keyless socket and 214-inch brass shade holder. Frosted glass clear crystal ribbed

No. 34A4908

Price, complete as shown .. \$1.25




One-Light Pendant

Length to bottom of glassware, and inches. Made of genuine brass in brush (satin) brass finish. It has a large 1/2 inch ceiling ennopy with 3/4-inch stem. To the stem is attached a 2/4-inch plain key socket cover on link chain connections. The wired fixture has silk cord laced through the fixture and chain, and key socket. Ribbed opal glass 7-inch re-flector for 40 or 60-watt electric light.

No. 34A5209

Style	Bare, With- out Glass Shade, Not Wired	Complete, but With- out Glass Shade, Wired	Complete With Glass Shade as Shown, Wired
1-Light	98c	\$1.63	82.10



Length to bottom of knob, # inches. Made of genuine brass in brush (satin) brass finish. It has a round ceiling canopy, 41/2 inches in diameter, and short stem, to which is attached a solid brass round link chain supporting a brass harp with keyless socket holder for a 60-watt lamp. The fixture is wired with silk cord laced through the chain, and keyless socket. Deep opal glass tungsten reflector is in ribbed design.

No. 34A5292

Price, complete as shown. \$2.68

Price, complete as shown ... \$2.48 Page Forty-Sir

One-Light Semi-Indirect

Pendant

Length to bottom of knob, 36


thehes. Made of genuine brass in brush (satin) brass thish. It has a round ceiling canopy, 4½ inches in diameter, and short stem, to which is attached a solid brass found.

round link chain supporting a brass harp and keyless socket

holder for a 60 watt lamp. The fix-ture is wired with silk cord laced

through the chain, and keyless socket. Shallow flaring opal glass tungsten reflector in ribbed design.

No. 34A5293



has a satin brass and black litten, has a 5-inch embossed Sheffield sling canopy with short stem, bon this stem is suspended a solid as chain supporting a 3½-inch selficid key socket cover. The fix-ste is wired with silk cord and key seeks to stem of the supporting a supporting a supporting a supporting a supporting a supporting a supporting the sup


Pice, complete.

No. 34A5277 82,45 Price, complete ...

One-Light Art Glass Lantern

Length to bottom of glassware, 36 mehrs. Made of genuine brass in brush (satin) brass finish. It has a \$2-inch ceiling canopy with short stem. From this stem is suspended a solid brass chain supporting a square cut-out brass frame, 7x5½ inches at bottom, with green art glass sides. The fixture is wired with silk cord and chain pull socket.

No. 34A5291



One-Light Square Pendant

Length to bottom of glassware, 38 inches. Made of genuine brass in brush (satin) brass fluish. It has a nrush (valun) brass lutish. It nos a 11-inch square coling canopy, and inch square stem fitted with square loop and link connections in it if it light. The fixture is wired and fitted with key socket and 45-inch shade bolder. Frosted glass square 60-watt tungsten reflections



Ornamental Electric Chain and Fancy Pendants

Length to bottom of lantern, 36 inches, Made of genuine brass in brush is almish. It has a figuriah ceiling ennopy with short stem. From this stem is suspended a solid brass link chain supporting i brass lantern, 4% inches square and 9½ inches high with amber art glass, The fluture is wired with silk cord and chain pull socket.

No. 34A5289 Price, complete ... \$3.95

One-Light Oral Chain Pendant

Length to bottom of glassware, 36 inches. Made of genume brass in brush (satin) brass finish. It has brush (satin) brass finish. It has a square criling canopy, 4½ inches in diameter, and solid brass square rad, oval link chain with enst square loops at top and bottom, fitted. The complete fixture is wired with all cord and key socket and 4½-inch shade holder. Frosted glass square shade with Greenan border.

No. 34A4914 Price, complete \$2.45

One-Light Spindle Ball Pendant

Length to bottom of ball, 36 inches Length to bottom of ball, 36 inches Made of genume bross in brush isatin brass finish. It bas a 4½ merc eciling ranopy and short stem From this stem hangs a 16 inch brass spindle on link chain connection fitted with 3½ inch key socket cover. Fe fixture is wired with sifk cord run through the spindle and chains and a key socket brosted glass 6-inch ball

No. 34A5281 Price, complete... 82.49 Price, complete...

One-Light Chain Pendant Length bottom of slassware 34 mbossed Sheffield
with short stem,
hangs a solid bress
sed 34-irch Shef
ver. The fixture is
silk cord and key socket used bottom glass shade, with black, No. 34A5278 82 43 Page Forty-Seven



1-Light Composition Flectric Pendant

Length to bottom of glassware. 36 melies. Made of composition in Roman gold or Tiffany green finish. (State finish desired.) It has a round winch ceiling canopy handsomely embossed in dainty rose wreath and fluted design. A solid brass link chain supports a 3½-inch keylesi socket cover, to match canopy, for one electric light. The fixture is wired with silk cord laced through the chain, and keyless socket. Dainty prismatic shade, measuring 4 inches in diameter and 7 inches in length, composed of green jewel bends and crystal reeded pencil prisms.

No. 34A5260

Price, complete as shown. \$4.98

Length to bottom of glassware, 20 inches. Spread, 11 inches. Made of genuine brass in brush (satin) brass and black fluish. It hus a plain 5-inch cumopy with ¾ inch stem. The oval brass body pan measures 14 inches long and 7¾ inches wide and has a handsomely embossed edge in artistic design, with plain convex center and ornamental cast brass knob. From the end of the pan are suspended two ½4 inch embossed socket covers on solid brass link chain connections for electric lights. The wired flyture has silk cord laced through the chains and key sockets. Frosted glass fancy ribbed shades.

No. 34A5228

Style			Complete With Glass Shades as Shown, Wired
2-Light	\$8.95	\$4.63	\$4.95

Made of genume brass in brush (satin) brass finish. It has a large 5-inch ceiling canopy with short stem. From this stem langs a solid brass round link chain supporting a massive 4-inch brass shade holder with lamp regulator ornamented with an embossed reed and ribbon band around top fitted for one electric light. The wired fixture has silk cord laced through the chain, and keyless socket Satin finish light diffusing 6-inch Luceo glass ball embossed in Greeian design.

No. 34A7565

Price, complete as shown....\$1.98

Length to bottom of glassware, \$2 inches. Spread, \$2 inches. Made of genuine brass in brush (satin) brass and black finish. It has an embossed laurel wreath ceiling canopy, 6 inches in diameter, and two solid brass link chains supporting an ornamental oval pan 14 inches long and 7 inches wide. Beautifully embossed around the edge in laurel wreath design. From the bottom extend two 2½-inch embossed key socket covers on link chain connections for electric light. The wired fixture has silk cord laced through the chains, and key sockets. Satin finish frosted glass bell shape shades embossed in oak leaf design.

No. 34A5210

Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
*****			1
2-Light	\$4.85	\$5.65	86.65

One-Light Rod Pendant

Length to bottom of glassware, 36 inches. Made of genuine brass in brush (satin) brass and black finish. Ceiling canopy, 5 inches in diameter, with short stem fancy loop connections. To the stem on ring connections is attached a 3-inch reeded rod with fancy turned solid brass ornaments in center, supporting a 3½-inch plain spun socket cover for one electric light. The fixture is wired with silk cord run through the rod and ring connections, and key socket. Frosted glass 6-inch round ball with Grecian key embossing.

No. 34A5298

Price, complete as shown. \$2.25



Length to bottom of fixture, 33 ches. This very handsome fixture is ade of genuine brass in brush (satin) as finish. It has a round embossed ated ceiling canopy, 5 inches in diamter, fitted with short stem and cast rass body ball on link chain connecous To this ball are attached three Tacefully curved scroll arms and solid Tass round link chains supporting a tige handsome body, 10 mehes in barneter and 7 inches in length. The op of this body forms a 314 inch hold. If for the glassware and the lower art is beautifully embossed in classic esign. The fixture is wired with silk old laced through the chain and has he keyless socket for electric light. olonial urn shaped frosted glass chim-, exquisitely etched in festoon, wknot and floral design.

No. 34A4950 rice, complete as shown. \$9.75



brass ceiling canopy, 512 inches in diameter, embossed in leaf design, with east loop. From this loop extends brass chain supporting a $6^{4}z$ inch spun body pan with ornumental besided edge and cast brass acorn knob in center. From the outer edge of the pan extend two solid brass rods, supporting an oval pan 12 inches long and 7 inches wide heavily embossed in leaf design. From the edge of the pan extend two cast brass flat arms from which are suspended two 214 inch embassed socket covers to match pan on solid brass link chain connections for electric lights. The wired fixture has silk cord run through the chain and rods, and key sockets. White satin finish fluted design glass shades.

Catalog No.	Style	Bare, With- out Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5227	2-Light	\$6.10	\$6.99	\$7.55

One-Light Prismatic Pendant

glassware, 23 inches. Made of genuine brass in brush (satin) brass and black finish. It has a spun brass ceiling canony, 5 inches 10 diameter, with short stem fitted with cast loop. To this loop is attached a short solid brass round link chain supporting an ornamental spun brass shade holder and socket cover 5 inches in diameter This holder has a handsomely embossed border in Roman scroll design the edge of which is pierced for prisms. The fixture is wired with silk cord laced through the chain and keyless socket. The shade is composed of eighteen 5-inch genuine hand cut crystal glass Colonial style

No. 34A5262 Price, complete as shown \$7.98



Length to bottom of glassware 35 inches Spread 11 inches Made of genuine brass in brush (satin) brass and black finish. It has a spun brass ceiling canopy 112 me has in diameter, and a symmetrical round squat body surmounted by a fancy corrugated brass ornament. The body measures 7 inches in diameter and is embossed on the under side in fluted rosette design with ornamental cast knob. From the side of this body extend two solid brass cast arms in leaf design, from which are suspended two Hinch plain spun socket covers on link chain connec tions for electric lights. The wired fixture has silk cord run through the stem and arms, and key sockets Whote satin finish fancy ribbed bell shape glass shades.

Catalog No.	Style	Bare With out tobass Shields Not Wired	but With out Glass Shodes Wired	Complete With Oless Shades as Shawn Wired
34A5226	2-Light	\$6.35	87.25	87,93



Fixture Colonial .

Length to bottom of fixture, 35 mehes. Made of genuine brass in brush (satin) brass finish. It has a ceiling canopy, 5 inches in diameter, and fan ey east brass ball. Three solid brass round link chains support a spun brass Colonial urn shaped body, 7 inches in diameter and 10 inches in length, by means of three fancy cast brass arms, Fitted with "12 meh holder for glass ware at top and a turned brass orma-ment at bottom. The fixture is wired with silk cord faced through the chans and has a keyless socket for electric light. Colonial urn shaped loss chimney, beautifully etched in Leonventional floral design

No. 34A4951 Price, complete as shown. \$8.98

Page Forty-Nine

Electric Pendants for

One-Light Ornamental Ball Pendant

Length to bottom of bowl, 30 inches. Made of genuine brass in brush (satin) brass fluish. It has a round spun ceiling canopy, 6 inches in diameter, and short stem and ring. From the ring hangs heavy solid brass round link chain supporting a spun round body with tapering top measuring 8 inches in diameter, the bottom forming a 5-inch shade holder for glassware. The wired fixture has silk cord laced through the chain, and keyless sucket for one electric light inside of ball. Satin finish to-inch glass bowl resembling diabaster, beautifully embossed in paneled and floral design.

No. 84A5299

Price, complete as shown\$7.35



Two-Light Reed and Ribbon Pendant

Length to bottom of glassware, 36 inches. Spread, 9 inches. Diameter of pan. 10 inches. Made of brass in brush (satin) brass and black finish. It has an embossed reed and ribbon 6-inch canopy, fitted with two solid brass chains supporting the 10-inch oval body pan. The pan is embossed around the edge in reed and ribbon design with plain concave center. From the ends of the pan hang two embossed reed and ribbon 2%-inch socket covers on link chain connections for electric lights. The wired fixture has silk cord laced through the chains, and key sockets. Frosted glass ribbed reed and ribbon shades.

No. 34A5273

Price, complete as shown.... \$4.98

One-Light Large Ball Pendant

Length to bottom of ball, 33 inches. Made of genuine brass in brush (satin) brass finish. It has a ceiling canopy, 6 inches in diameter, embossed in laurel wreath design and fitted with three east loops. To these loops are attached three solid brass round link chains supporting a spun brass body. The body measures 8½ inches in diameter at widest part and is embossed around the edge in laurel wreath design, the bottom forming a 4 inch holder for glassware. The wired fixture has silk cord run through the chains, and keyless socket inside of ball for one electric light. Frosted glass 10-inch ball,

No. 34A4952

Price, complete as shown\$6,45



Halls and Public Buildings

brush (satin) brass and black finish. It has a Sheffield ceiling canopy, 5 inches in diameter, and reeded stem 1 inch in diameter. To this stem is attached two solid brass chains supporting an 8-inch oval embossed Sheffield design body with cost brass ball. From the ends of the pan are suspended two em-bossed Sheffield 214-inch socket covers for electric lights on link chain connections. The wired fixture has silk cord laced through the chains, and key sockets. Frosted glass embossed Sheffield shades.

No. 34A5271

1-Light Massive Luceo Ball Pendant

Length to bottom of ball, 36 inches. Made of genuine brass in brush (satin) brass and black finish. Six-inch, ceiling canopy, embossed with laurel wreath band, and solid brass round link chain supporting a very massive embossed laurel wreath body 9 inches in diameter, the bottom forming a 5-inch fitter for glassware. The fixture is wired with silk cord laced through the chain, and keyless socket inside of ball for one electric light. Fancy 10-inch light radiating satin finish Luceo ball richly em bossed in Grecian design.

No. 34A5286

Page Fifty



Four-Light Colonial Chandelier


Length to bottom of glassware, 34 inches. Spread, 15 inches. Made genuine brass in brush (satin) brass finish. It has a large round mial canopy 6 inches in diameter and stem 3/6 inch in diameter. the bottom of the stem is a large massive spun body, 8 inches long is inches in diameter, with knob ornament at bottom. From the of this body extend four turned solid brass Colonial arms from the are suspended four 314 inch plain socket covers on solid brass. chain connections for electric lights. The wired fixture has silk run through the fixture and chains, and key sockets. Dainty matter shades, measuring 4 mehes in diameter and 5 inches in length Dosed of amber color jewel beads and crystal reeded pencil prisms

A.	RS,	ROEBU	CK AND	CO., CHIC.	AGO, ILL.
A.	5495	4-Light	\$6.75	\$7.90	\$10.50
alai	ж No.	Style	Glass Shades. Not Wired		Complete With Glass Shades as Shown, Wired

Four-Light Sheffield Chandelier

Length to bottom of glassware 37 inches Spread, 1716 inches Made of genuine brass in brush (satin) brass and black finish. If has a Sheffield ceiling canopy 5 inches in diameter and recded stem 3s inch in diameter, ornamented with ball. The stem supports a large round Sheffield design body. It inches long and 5½ meles in diameter, with ornamented ends. Curved reeded arms with 5½-inch Sheffield key socket covers for clee trie lights. The wired fixture has key sockets. Dainty prismatic shades, measuring 4 meles in diameter and 5 inches in length, composed of amber color jewel beads and crystal reeded pencil prisms.

Catalog No 1 Style	Bare, Without	Complete, but	Complete With
	Glass Shades	Without Glass	Glass Shades
	Not Wired	Shades Wired	as Shown Wired
34A5494 4-Light	\$7.50	\$8.90	1 _ 811.50




Four-Light Chain Chandelier

Length to bottom of fixture, 30 inches. Spread, 17 inches. Made of gename brass in brash estime brass fitches. It has a total dealer of gename brass in diameter and short stem % inch in diameter. From the stem extends a solid briss line chain supporting a fact vispan body a set mextends a solid briss line chain supporting a fact vispan body a set line bear and complex and display to the set of the se inches long and 6 inches in drameler will kind at a position of the body extend four high carved arms (2). key socket covers on solid brass bink chain connections for electric lights. The wired fixture has silk cord laced throu b the chains and key a diameter and sockets. Dainty prismatic shades, measurit 5 duches in length composed of amber cold ats and crystal reeded pencil prisms

t stateg No	Style	Ren W. C.	1 1144	Complete With
34A5528	4-Light	87 35	88.65	811.25

Page Fifty-One



Four-Light Mission Style Chandelier

Length to bottom of glassware, 39 inches. Spread, 16 inches. Made of genuine brass in brush (satin) brass fluish. It has a square ceiling canopy 4½ inches in diameter, with square stem ½ inch in diameter. The stem has a square pan ornament in center and square cornected oval body at bottom. From this body extend four ¾ inch straight square arms a inches logs utted with square key sacket covers with rolled ends for electric lights solid brass square link chains extend from the center pan ornament on the stem to the arms. The wired flyture has key sockets and 21 inch shade holders. Square deep frosted glass shades ornamented with embossed Gree ian key border around bottom.

Catalog No. Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades Wired	Complete With Class Shades as Shown. Wired
Page Fifty-Two	\$9,95	811.23	\$12.63

Four-Light Laurel Wreath Chain Chandelier

Length to bottom of glassware, 35 inches. Spread, 15½ inches. This massive fixture is made of genuine brass in brush (satin) brass finish. It has a ceiling canopy 6 inches in diameter, richtly embossed around the edge with laurel wreath border and short stem and hook. From this hook liangs 1 heavy solid brass link chain which supports a massive round body measuring 9 inches in diameter. This body is embossed around the center and top with a wide laurel wreath brud. From the center of the body extend four reeded curved brass arms fitted with 2½ inch embossed laurel wreath design key socket covers for electric lights. The wired fixture has key sockets. Large frosted glass shades embossed in laurel wreath pattern.

Catalog No	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5531	k-Light	89.48	810.79	\$19.61



Round Colonial Style Chandeliers

Length to bottom of glassware, 38 inches. Spread, 16 inches. Made of genuine brass in brush (satin) brass finish. Has 4½ inch ceiling canopy and beautiful turned spool shape body, 5 inches in diameter, with turned shottom ornament. From the center of the spool proceet four 3½ inch round arms, fitted with link chain connections supporting round 2½ inch key socket covers for electric lights. The wired fixture has key sockets. Fancy ribbed frosted glass cylinder shades.

	2			
Catalog No.	Style	Bare Without Glass Shades Not Wired	Complete, but Without Glass Shades, Wired	Complete With Class Shade as Shown, Wit d
34A5343	2-Light	\$2.25	\$2.92	\$3.64
34A5344	3-Light	2.98	3,90	4.98
34A5345	4-Light	3.75	5.04	6.48

Square Mission and Colonial Style Electric Chandeliers



Square Mission Chandeliers

Length to bottom of ornament, 36 mehes. Spread, 20½ mehes, but of genuine brass in brush (satim) brass finish. It has a square sling canopy, 4½ inches in diameter, and square stem 3½ inch in ameter. The stem supports a large square body with 4-meh diameter center, flaring at top and bottom to 5½ me hes square, and measures beingth 11¾ mehes to bottom of ornament. Square arms, 34 meh in ameter, project from center of the body, fitted for electric lights be wired flyture has key sockets and 2½ meh shade holders. Square bission frosted glass shades.

Catalog No	Style	Bare Without Glass Shades, Not Wired	Complete but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wire
34A5328	2-Light	\$1,48	\$5.80	\$5.58
34A5329	4-Light	5.55	7.32	7.88

EARS, ROEBUCK AND CO., CHICAGO, ILL.

Colonial Prism Chain Chandelier

Length to bottom of glassware () inches spread 20 inches Made of geminie brass in brush (satin) brass finish. It has a round celling canopy 5¹/₂ inches in diameter, and short stem. From this stem hangs a heavy solid brass link (ham supporting a beautiful extra large spin Colonial body, 8 inches in diameter, from which extend four straight arms ³/₄ inch in diameter end ing in turned knobs. These arms support four 3¹/₄ inch in diameter end for electric lights, each pierced for ten prisms. The wired fixture has silk cord run through the chain and fixture, and keyless sockets. Each shade is composed of ten 5-inch genuine cut crystal glass Colonial style prisms


Catalog No	Style	Complete as Shown, Not Wired	Corsplete as Shown, Wired
34 A 5529 .	4-Light	\$11.50	812.95

Square Mission Chandeliers

Length to bottom of glassware 36 mehrs. Spread 21 to Made of genuine brass in brush (satin) brass funsh. If has a so, a last another 4½ inches in diameter, fitted with square stem 3/4 inch in diameter. The stem supports an oval body with square edges a soft another than a bottom. From the sides of the body (xb) and 24 to sating the square arms, \(\frac{1}{4} \) inch in diameter with cast end fittings wired fixture lens key sockets and \(24 \) inch shelf. Square arms, \(\frac{1}{4} \) inch shelf.

Catalog No	Style	Born Web 1 Glass Shorts Not World	d dissi	Complete With Glass Shades as Shown Wind
3 FA5323	2-Light	82,38	83.30	88.38
34A5324	4-Light	3.50	5.32	5.88

Page Fifty-Three



Length to bottom of glassware 36 inches. Spread, 19 inches. Made of genuine briss in polished brass fluish with rich matte gilt decoration. It has receiving campy 1 inches in drameter, with % juch stem, the lower part of stem being twisted and the upper part plain. This stem supports a large ova polished brass body and cup ornament at top and fancy cast knob at notton, measuring II inches in length including ornament. The body is ctubossed with beaded design and decorated with a mattergill, band. From the body extend curved arms fitted with cast brass ornaments in matte gill flush, for electric lights. The wired fixture has key sockets and Stranch shade rings. Pressed erystal glass shades in cut glass design

		11 - 31 -4		
Citatog No.	Style	Hare Without Glass Shades	out Glass Shades	Complete With Glass Shades as
9115111		Not Wired	Witted	Shown Wired
34.15341	⇒Light	82.18	82.95	83.15
3 FY22 15	3-Links	2.65	0.00	
21 A 50 to	1 1 A	2.00	3,85	4.15
34A5346	1-Light	3.12	1.75	5.15
-	-			17. 2.7

Page Fifty-Four

Richly Embossed Chandeliers


Length to bottom of glassware, 30 inches. Spread, 22 inches. Made of genuine brass in brush (satin) brass and black fluish (satin brass with the handsome embossing and ornaments touched up with black). It has a 5% inch canopy, embossed in egg and dart design, and plain stem %meh in diameter. The stem supports an extra large, tapering body, embossed in egg and darf design which measures 5^3_4 inches in diameter and is 13 mehes long uncluding ball. From the body extend curved arms fitted with east brass floral ornaments, for electric lights. The wired fixture has key sockets and \mathcal{D}_{t} in its hade holders. Fluted frosted glass shades ornamented with floral wreath design in clear glass

Catalog No	Style	Bare, Without Glass Shades, Not Wired	Complete but Without Glass Shades, Wired	Complete With Glass Shades as Shown Wired
34A5353		\$2.98	83.82	84.18
34A5354			4.81	5,35
3FA5355	4-Light	3.98	5.76	6,48

Hexagonal Paneled Chandeliers

Length to bottom of glassware, \$7 inches. Spread, 22 inches. Made of genuine brass in brush (satin) brass finish. It has a 5-inch paneled canopy and 4 inch stem, the upper part of which is round and the lower part hexagonal, divided in center by fancy paneled ornamental ball. The stem supports a hexagonal paneled body with plain center band and is decorated with a fancy cup ornament at too and fancy east ball at bottom, measuring 1132 inches over all. From the body extend curved arms with cast scroll ornaments, for electric lights. The wired fixture has key sockets and 2¼ inch shade holders Hexagonal paneled frosted blown glass shades

Catalog No.	Style	Bare Without Glas Shades, Not Wired	S Complete but With out Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5317	2-Light	82.10	\$2.86	\$3.18
34A5318	3-Light	2.55	3.77	4.25
34A5819	4-Light	2.98	4.61	5.25



Length to bottom of glassware, 36 inches. Spread, 18 inches. Made of genuine brass in polished brass finish. It has a plain ceiling canopy, 1 mehes in diameter, and stem. The upper part is plain, % inch in diameter, and the lower portion twisted, ¼ inch in diameter. The stem supports a polished ball body with fancy band, surmounted by a brass cup ornament. From the body extend curved arms for electric lights. The wired fixture is fitted with key sockets and 2¼-inch shade holders. Pressed glass shades in crystal star pattern.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5300	2-Light	\$0.98	\$1.72	\$1.88
84A5301	3-Light	1.18	2.24	2.48

SEARS, ROEBUCK AND CO., CHICAGO, ILL.

Length to bottom of glassware, 37 inches. Spread, 21 inches. Made of genume brass in brush (satin) brase fluish. It has a plain ceiling canopy 4½ inches in diameter, and ¾-inch stem, fitted with ball ornament in center. The stem supports a large pincapple shape plain body surmounted by cup ornament, mensuring 8 inches over all. From the body extend curved arms for electric lights. The wired fixture has key sockets and 2¼-inch shade holders. Plain flared frosted blown glass shades.

Catalog No. Style	Bare. Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired
34A5310 2-Light	1	\$1.97	\$2.15
34A5311 3-Light		2.58	2.85

Length to bottom of glassware, 36½ inches. Spread, 22 mehes. Made of genuine brass in brush (satin) brass fluish. It has a plain ceiling canopy 4½ inches in diameter, and plain stem ¾ inch in diameter, stem supports an embossed ball body, surmounted by a tancy embossed cup. From the body extend curved arms for electric lights. The wired fixture has key sockets and 2½-inch shade holders. Press the shades in crystal floral wreath and rib pattern

Catalog No	Style	Bare, Without Glass Shades, Not Wired	Complete out Without Glass Shades Wired	Complete With Glass Shades as Shown. Wired
34A5305		\$1.23	≈₹ 00	89.15
34A5306		1.48	₹.51	2.78

Page Fifty-Five

Inexpensive Electric Brackets



One-Light Straight Arm Bracket

Made of genuine brass in brush (satin) brass thish - Extends 6 inches from the wall. It has a plain round. mopy 1½ inches in diameter and 3½ melies deep. The arm is ¾ meh in diameter with turned end fitting and #14 mch plain socket cover for one electric light. The wired bracket has a key socket. Frosted glass shade

No. 34A5017

Bare, Without Glass Shade, Not Wired	Complete, but Without Glass Shade, Wited	Complete, With Glass Shade as Shown, Wired
550	800	ne



One-Light Curved Arm Bracket

Genuine brass in brush (satin) fluish. Extends 6 inches. Arm. % meh in douncter. It has a wall canopy 4 inches in diameter and 3 melies deep with 3s inch arm for electric light. The wired bracket has a key socket and 2½ inch shade holder. Crystal glass shade in wreath design.

No. 34A5002

Hare, Without Glass Shede, Not Wired	Complete, but Without Glass Shade, Wired	Complete, With Glass Shade as Shown, Wired
25e	56e	65c



One-Light Curved Arm Bracket

Genuine brass, polished finish, Extends 5 inches. It has a plain round wall canopy 4 inches in diameter and 21/4 inches deep from which extends a 38-inch arm for electric light. The wired bracket has a key socket and 24-inch shade holder. Crystal glass star design shade.

No. 34A5000

Bare, Without Glass Shade, Not Wired	Complete, but Without Glass Shade, Wired	Complete, With Glass Shade as Shown, Wired
20e	€0 <i>e</i>	48c



One-Light Curved Arm Bracket

Genuine brass in brush (satin) finish. Extends 6 inches. Curved arm, % inch in diameter. It has a wall canopy 4 inches in diameter and 3 inches deep and arm 3k inch in diameter for electric light. The wired bracket has a key socket and 21/4-inch shade holder. Frosted plain glass shade.

No. 34A5014

Bare Without Glass Shade, Not Wired	Complete, but Without Glass Shade, Wired	Complete, With Glass Shade as Shown, Wited
28c	60e	69e



One-Light Round Sheffield Chain Bracket

Genuine brass in brush (satin) brass and black line finish. Extends 612 mehes from the wall. It has an embossed Sheffield wall canopy 5 inches in diameter and arm 4 inch in diameter supporting a 214. inch Sheffield design socket cover on link chain connection for one electric light. The wired bracket has key socket. Frosted glass reflector in Sheffeld design.

No. 34A5072

Bare, Without Glass Shade, Not Wired	Complete, but Without Glass Shade, Wired	Complete, Witt Glass Shade as Shown, Wired
85e	\$1.27	\$1.65



Reeded Bracket Genuine brass in brush (satin)

brass and black finish. Extends 7 mehes. It has a reeded canopy 412 inches in diameter and reeded arm I meh in diameter. To the arm is attached a 2¼-inch plain socket cover for one electric light. The wired bracket has key socket. Frosted glass shade with clear ribs.

No. 34A5035

Bare, Without Glass Shade, Not_Wired	Complete, but Without Glass Shade, Wired	Complete, With Glass Shad as Shown, Wired
_ 48c	84c	98e




Two-Light Square Mission Brucket

Genuine brass in brush (satin) brass finish. Extends 614 inches. from the wall. Spread, 7½ inches. It has a 4½ inch square wall canopy from which extends a square stem and two arms ¾ inch in diameter for electric lights. The wired bracket has key sockets and 214 inch shade holders. Frosted glass square shades

No. 34A5054

Without Glass Shot Not Wired	Considerate but Without telesee Shada Wired	Complete With Glass Shade as Shown, Wited
81.28	81 00	5.2.20

Page Fifty-Six



Genuine brass in brush (satin) brass thirsh Extends 6 inches from the wall. It has a square wall canopy W inches in diameter from which extends a square arm 4 inch in diameter fitted for one electric light. The wired bracket has key socket and 24-inch shade holder. Frosted glass square shade, Can be used with light up or down.

No. 31A5050

Bure Without Glass Shude oil Wired	Complete but Without Glass Shade Wired	Complete With Class Shade as Shown, Wired	,
-59e ⁻¹	81e	95e	



One-Light Square Reeded Bracket

Genuine brass in brush (satin) brass and black fluish. Extends 6½ inches from the wall. Square reeded arm, % inch in diameter. It has a square canopy 1½ inches in diameter and square reeded arm % inch in diameter fitted for one electric light. The wired bracket has a key socket and 2%-inch shade holder. Frosted glass square shade with clear ribbed corners.

No. 34A5060

Bare Without Glass Shade Not Wired	Complete but Without Glass Shade, Wired	Complete With Olass Shade as Shown, Wired
70e	81.11	\$1,25



One-Light Round Sheffield Bracket

Genuine brass in brush (satin) brass and black finish. Extends a inches from the wall. It has an embossed Sheffield wall canopy 5 inches in diameter and round arm fitted with a 21/4-inch Sheffield design socket cover for one electric light. The wired bracket has a key socket. Frosted glass shade em-bossed in Sheffield design.

No. 34A5070

Bare, Without Glass Shade, Not Wired		Complete, With Glass Shade as Shown, Wired
100	\$1.07	81.25



One-Light Straight Arm Bracket

Genuine brass in brush (satin) brass finish. Extends 6 inches. It has a plain round wall canopy 41/2 inches in diameter and 3½ inches in diameter with turned end fitting for one electric light. The wired bracket has a key socket and 2½ inch shade holder. Frosted glass plain shade. Can be used with light up or down.

No 84 4 5016

	7.4	Or SALTON	11.0
lete, h Shade own, ed	Bare, Without Glass Shade Not Wired	Complete, but Without Glass Shide Wired	Complete, With Glass Shade as Shown, Wired
25	35e	66e	7.5e

Two-Light Straight Arm Bracket

Genuine brass in brush (satin) finish. Extends 6 inches from the wall. Spread, canop) 1½ inches it has a plain round wall canop) 1½ inches in diameter and 3½ inches deep, and arms ¾ inch in diameter with turned center and end fittings for two electric lights. The wired bracket has key sockets and 2¼-inch shade holders. Frosted glass plain shades. Can be hung with lights up or down.

No. 34A5018

Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shudes, Wired	Complete With Glass Shades as Shown Wired
81.15	\$9.07	80 95

Fancy Ornamental Electric Brackets



One-Light Colonial Torch Bracket

Made of genuine brass in brush (satin) mss finish. Extends 6 inches from the glass, 121/2 inches. It has an oval wall mopy 7 inches long and 4 inches wide, oth convex oval center, from which exands a plain round arm. This arm suports a beautifully shaped taper torch dy with the top forming a 21/4-inch with the table of table

No. 34A5105

rice, complete as shown\$3,40



One-Light Art Glass Bracket

Made of genuine brass in brush (satin) brass finish. Extends 51/2 inches from the wall. It has a square wall canopy 4½ inches in diameter, and square arm % inch in diameter. The arm supports a lantern made of cut-out brass with cut-out border fitted with green art glass sides measuring 712 inches high and 51/2 inches square at bottom, for one electric light. The bracket is wired with chain pull socket.

No. 34A5112

Price, complete as shown .. \$2.68



One-Light Colonial Prism Bracket

Made of genuine brass in brush (satin) brass finish. Extends 61/2 inches from the wall. It has a round spun wall canopy 5 inches in diameter, and arm 4 inch in diameter, with round solid brass end fitting supporting a 3\(\frac{1}{4}\)-inch
plain socket cover for one electric
light, pierced for prisms. The bracket is wired with chain pull socket. Shade is composed of ten 5-inch genuine cut crystal glass Colonial style prisms.

No. 34A5141

Price, complete as shown .. \$2,68



One-Light Square Chain Bracket

Genuine brass in brush (satin) brass finish. Extends 7 inches from the wall. It has a square wall canopy 41/2 inches in diame ter, and square arm 34 inch in diameter, with cast loop connection for one electric light. The wired bracket has a key socket and 214-inch shade holder. Ribbed paneled frosted glass shade

No. 34A5058

Price, complete as shown. \$1.38



One-Light Metal Overlaid Bracket

Made of genuine brass in brush (satin) brass finish. Extends 8 inches from the wall. It has a round canopy 1½ inches in diameter and 3½ inches deep, and round arm % inch in diameter, terminat ing with east brass fitting. This arm supports 24-inch plain spun socket cover for one electric light. The bracket is wired with a key socket. Beautifully cut brass shade, 6 inches in diameter, with frosted glass lining.

No. 34A5113

Price, complete as shown .. \$2,25



One-Light Mission Torch Bracket

Made of genuine brass in brush (satin) brass finish. Extends 6 inches from the wall. Measures 14 inches high from bottom of torch to top of glass ball. It has a wall canopy 4 inches in diameter, from which extends a round arm 4 inch in diameter. This arm supports a torch body forming a 34 inch shade holder with beaded edge at top for one electric light. The bracket is wired with chain pull socket. Frosted 6 inch glass ball

No. 34A5102

Price, complete as shown 82,98



One-Light Vase Bracket

Made of genuine brass in brush atin) finish. Extends 5½ melies om the wall. Height, 12½ melies top of glassware. It has a large all canopy 5½ inches in danneter, all canopy 5½ inches in danneter. The m supports a vase shape body ith two ornamental brass arms, top of the body forming a 21/4 ch shade holder for one electric tht. The bracket is wired with chain pull socket. Fancy tulip ape light, optic glass shade.

No. 34A5104

rice, complete as



One and Two-Light Colonial Prism Brackets

Made of genuine brass in brush (satin) brass finish. Extends 8 inches from the wall. The two-light bracket has a spread of 7½ inches. It has a 5%-inch round wall canopy and turned solid. brass arms. These arms support 3½-inch massive spun brass socket covers, pierced for prisms, on link chain connection, for electric lights. The bracket is wired, with keyless socket. Each shade is composed of eleven 5-inch genuine cut crystal glass Colonial style prisms.

No. 34A5124 One-Light Bracket. Price, complete as shown No. 34A5125 Two-Light Bracket. Price, complete as shown....

6.50

.84.25



One-Light Prism Bracket

Made of genuine brass in brush (satin) brass finish Extends 6 mehes from the wall. It has a 134 inch round wall canopy and a solid brass turned arm. This arm supports a 144 inch plain socket cover on link chain con-nection for one electric light. The bracket is wired with a key socket. Dainty prismatic shade 4 inches in diameter and 5 inches in height, composed of amber color jewel beads and crystal reeded pencil prisms.

No. 34A5140

Price, complete as shown

82.98



One-Light Fancy Bracket

Made of genuine brass in brush (satm) brass fluish. Extends 9 mehes from the wall. It has a wall canopy 142 inches in diameter. From this canopy extends i curved arm % inch in diameter with fancy cast brass ornament for one electric light. The bracket is wired with a key socket and has a 21 anch brass shade holder Crystal glass shade in wreath de

No. 34A5100

e, complete as show 1 51 . Page Fifty-Seven

Colonial and Embossed Electric Brackets



Colonial Period Brackets

Made of genuine brass in brush (satin) brass finish—Extends 8 inches from the wall. The two light bracket has a spread of $8\frac{1}{2}$ inches. It has a round spin will canopy, $4\frac{1}{2}$ inches in diameter, from which extend two $\frac{1}{2}$ -inch arms, onding in turned brass balls and artistic turned brass ornaments at bottom. This a arms support $2\frac{1}{2}$ -inch spin brass socket covers for electric lights. The wired brackets have key sockets.—Satin finish frosted Colonial glass shades.


Catalog No.	Style	Bare, Without Glass Shades, Not Wired	1 Complete but We hout (dass Short & World	Complete With Gross Shades on Shown, Wreed
34A5126	1-Light	\$1.85	82.35	82.60
31A5127	2-Light	4.60	5 40	5.00



Colonial Link Brackets

Made of genuine brass in brush (satin) brass finish. Extends 7½ inches from the wall. The two-light bracket has a spread of 7½ inches. It has a round wall canopy, 5 inches in diameter, from which extend a ¾-inch stem and cast ball with two gracefully curved arms ½ inch in diameter. These arms support 3¼-inch plain socket covers on link chain connections, for electric lights. The wired bracket has silk cord laced through links and key sockets. Frosted glass deep bell shane shades.

Catalog No. Sty	le Glass Shades,	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown Wired
34A5065 1-Li	ght \$1.25	\$1.70	\$2.05
34A5066 2-Li	ght 2.10	2.90	3.60





Two-Light French Style Bracket

Made of heavy cast brass in antique gold finish. Extends 3½ inches from the walk. Spread, 7 inches. It has a cast brass shield walf plate, 9 inches long and 3½ inches wide, with beaded edge surmounted by a handsomely chased Adam conventional rosette and French bowknot and draped leaf design. The center of the shield is a convex oval with a cast ornament in fluted design. From this ornament extend two gracefully curved reeded arms, litted with cast metal plates, spun key socket covers with beaded border, for electric lights. The wired bracket has key sockets. Frosted glass fancy crystal striped shides.

A	(2.4	A ==	100	
, NO.	9.4	AD	165	

Bare, Without Glass	Complete, but Without	Complete With Glass
Shades, Not Wired	Glass Shades, Wired	Enades as Shown, Wited
\$10.25	\$11.00	\$11.50



Two-Light Fancy Bracket

Made of genuine brass in silver and black finish. Extends \$\frac{3}{2}\$ inches from the wall. Spread, 7 inches. It has a cast shield wall plate, \$\frac{9}{2}\$ inches long, with beaded edge. Beautifully chased cast stem with recded arm suspending two \$\frac{2}{4}\$-inch embossed key socket covers on loop connections, for electric lights. The wired bracket has silk cord laced through links and key sockets. Satin finish frosted glass shades etched in scroll design.

No. 34A5082


Bare Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Gl. sa
86.74	\$7.60	38.00



Fancy Ribbed Brackets

Made of genuine brass in brush (satin) brass and black finish. Extends $9\frac{1}{2}$ inches from the wall. The two-light bracket has a spread of 8 inches. It has a round wall plate, $5\frac{1}{2}$ inches in diameter, with cast brass ribbed edge and convex plain round center. From this center extend gracefully curved round arms fitted with $2\frac{1}{2}$ -inch socket covers with cast brass fluted bottom, for electric lights. The wired bracket has key sockets. Frosted glass fancy ribbed shades.

Catalog No.	Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown, Wired J
34A5088	1-Light	82.35	\$2.69	\$2.85
34A5089	_2-Light *	3.40	4.03	4.3.5



Reed and Ribbon Brackets

Made of genuine brass in brush (satin) brass and black finish. Extends 6½ inches from the wall. The two-light bracket has a spread between arms of 8 inches. The oval wall plate (10½ x5-inch on 2-light, 8x4-inch on 1-light) is handsomely embossed around the edge in reed and ribbon design. From the center of this plate project two round curved arms, fitted with embossed reed and ribbon 2¼-inch key socket covers for electric lights. The wired bracket has key sockets. Frosted glass shades in reed and ribbon design.


Catalog No. Style	Bare, Without Glass Shades, Not Wired	Complete, but Without Glass Shades, Wired	Complete With Glass Shades as Shown Wired
34A5092 1-Light		82.73	\$2,98
34A5094 2-Light	3.45	4.18	4.68



Made of genuine brass in brush atm) brass finish. Extends 61/2 ches from the wall. Height over 1. 15 inches. It has a round wall ate, 5 inches in diameter, with aded edge and hexagon center. om this plate extends a cast brass med arm, supporting a hexagon ber torch body fitted at top with a in, hexagon socket cover for one etric light. The bracket is wired id has key socket. Frosted glass meled shade, hand painted in ral sprays.

No. 34A5109

r ce, complete \$6.45



One-Light Fancy Bracket

Made of genuine brass in Etruscan gold finish. Extends 3½ inches from the wall. It has a shield design cast wall plate 9½ inches long and 3½ inches wide, with plain center and beaded edge. From this plate extends a massive beautifully chased ornamental cast arm supporting a 214-inch embossed socket holder on loop connection for electric light. The wired bracket has silk cord and key socket Fancy satin finish frosted glass shade.

No. 34A5083

Bare, Without Glass Shade, Not Wired	Complete but Without Glass Shade, Wired	Complete With Glass Shade as Shown, Wired
\$3.00	\$3,50	\$3.80



One-Light Colonial Bracket

Made of genuine brass in brush (satin) brass finish. Extends 9 inches from the wall. It has an oval wall plate, 7 inches long and 4 inches wide, from which extends a gracefully curved cast brass ornamental arm with shield base and ball and fancy loop at the end. Fitted with spun brass 21/4-inch socket cover for one electric light. The wired fixture has silk cord and key socket. Frost ed glass crystal stripe fancy bell

No. 34A5086

_		
Bare, With- out Glass Shade, Not Wired	Complete, but Without Glass Shade, Wired	Complete With Glass Shade as Shown, Wired
\$3,25	\$3,68	\$3.98



One-Light Fancy Bracket

Made of genuine brass in brush (satin) brass and black timish. Extends 10 inches from the wall. It has a round wall plate, 5 inches in diameter, with cast brass border beau tifully chased and a curved reeded flat tubing arm. This arm supports a 21/4-in, socket cover with east brass drapery on solid brass ring connection for one electric light. The wired bracket has silk cord and key socket. Satin finish frosted glass shades embossed in fluted design

No. 34A5170

TAOL OFTENATOR		
Bare, With- out Glass Shade, Not Wired	Complete, but Without Glasse Shade Wired	Complete With Glass Shade as Shown Wired
84.25	\$4.59	84.75



One-Light Laurel Bracket

Made of genuine brass in brush (satin) brass and black finish. Ex-tends 7 inches from the wall. It has a large oval wall plate, 10 inches high and 5 inches wide, with cm bosed laurel wreath border, from which extends a curved reeded arm which supports an embossed laurel wreath 21/1-in, socket cover, on link connection, for one electric light. The wired fixture has silk cord and key socket. Large frosted glass shade embossed in reed and ribbon design

No. 34A5098

	Complete, but Without Glass Shade Wired	Complete With Glass Shade as Shown Wired
82.85	\$2,90	83.29



One-Light Reed and Ribbon Torch Bracket

Made of genuine brass in brush (sat.n) brass and black finish. Extends 6 inches from the wall. It has a large wall canopy, 6 inches in diameter, with edge embossed in reed and ribbon design and plain center. From this center extends a fancy stem which supports a reeded torch with cast ornamental ball at bottom and 24-inch socket cover at top for one electric light. The bracket is wired and has key socket brosted glass shade in leaf desigle

No. 34A5107

Price, complete



Adam Period Massive Upright Bracket

Made of genuine brass in brush (satin) brass and black finish. Extends 8 inches from the wall. The two-light bracket has a spread of 6 inches. It has a round ribbed brass wall plate 41/2 inches in diameter. From the center extend round arms with solid brass turned fittings and cast brass tassel at bottom. These arms support 21/4-mch saucer shaped socket covers, ornamented around the center in leaf design with fluted top for electric lights. The wired brackets have key sockets. Satin finish frosted tulip shape



SEARS, ROEBUCK AND CO., CHICAGO, ILL.



Composition Bracket

Made in composition closely resembling east brouze in Roman gold or Tiffany green finish. State finish desired. Very durable and handsome. Extends 61/2 inches from the walt. It has a round wall canopy, 6 inches in diameter, in rose wreath and ribbed design, and arm % inch in diameter. This arm supports a 21/4-inch com-position socket cover to match canopy on link chain connection, for one electric light. The wired fixture has silk cord and keyless socket. Etched frost ed glass shade.

No. 34A5175

Bare, Without Glass Shade, Not Wired	Complete, but With out Glass Shade, Wired	Complete With Glass Shade as shown, Wired
_	20 05	\$4.34



Colonial Period Bracket

Made of genuine brass in brush (satin) brass finish. Extends 7 inches from the wall. The two hight bracket has a spread of 8½ inches. It has an oval wall plate, 8 inches long and 4 inches wide, with convex plain center surrounded by a ½-inch flat edge. In the center of the plate is a plain brass casting from which astend expenditule surroul, round, arms 7.16 inch in diameter. casting from which extend gracefully curved round arms 7 to inch in diam eter, supporting 24-inch spun brass key socket covers for electric lights. The wired fixture has key sockets. Colonial star cut glass shades.

Catalog	Style	Bare, With- out Glass Shade, Not	Complete, but With out Glass Shade, Wired	Shade as Shown Wired
34 A 5115	t-Light	\$2.50	~ (n)	\$3.60
34A5116	2-Light	4.25	5,00	6.20

Page Fifty-Nine

Two-Light French Fancy Bracket

Made of genuine brass in Etriscan gold fluish. Extends 6 inches from the wall. Spread, 6 julieles. It has a cast ornamental wall plate, 15 inches long over all and 4 inches wide, with a beautifully clusted border, cust brass urn at top, and laurel leaf fassel at bottom. From a cust brass ram's head ornament extend two reeded arms, fitted with famey cast brass candle plates, spun brass cups and white enameled metal candles 1½ inches in diameter. The bracket is wired and fitted with Edison base keyless sockets inside of candles and round 2½-inch frosted 16-caudle power electric lamps

No. 34A5171 Price, complete. \$12.50





Two-Light French Period Ribbon Bracket

Made of heavy east brass in antique gold finish Extends \mathfrak{s}^{12} inches from the wall. Spread, 6 inches. It has a cast ornamental wall plate 14 inches long and a inches wide. This wall plate is east brass, beautifully chased in French bowknot, scarf and tasseldesign. The scarf entwines two gracefully curved chased cast arms, fitted with fancy cast brass candle plates, candle cups, %-inch opal glass candles. The bracket is wired and fitted with miniature sockets inside of candles and twisted imitation flame frosted 16-candle power electric lamps.


No. 84A5159 Price, complete, \$13.50



Two-Light French Bracket

Made of heavy cast brass in Etruscan gold finish. Extends 5 inches from the wall. Spread, 7 inches, It has a cast ornamental torch wall plate, 10% inches long, in urn capped pattern, handsomely chased in fluted floral French bowknot and festoon drapery design. From a plain center medallion extend two handsomely fluted cornucopia arms fitted with orna-mental candle plates and opal glass candles 7% inch in diameter. The bracket is wired and fitted with candle labra sockets inside of candles and twisted im-itation flame frosted 16-candle power electric lamps

No. 34A5155 Price, complete, \$10.50



Two-Light French Period Mirror Bracket

Made of heavy cast brass in silver and black finish. Extends 4½ inches from the wall. Spread, 8½ inches. It has a cast shield wall plate, 18 inches long and 6½ inches wide, in which is mounted a silver glass mirror. From a cast chased cup with floral decoration at bottom extend two gracefully curved receled arms, fitted with chased plates and candle cups. White enameled metal candles, 1 inch in diameter. The bracket is wired and fitted with miniature keyles speckets inside of candles and round each free lifected them. sockets inside of candles and round 2-meh frosted 16-candle power electric lamps. French candle shields of planted old rose silk, trimmed with gold braid

No. 34A5162


Price, complete....\$19,25



Two-Light English

Made in genuine brass
brass linish. Extends 5½
in brush (satin)
inches from the
wall. Spread, 6½ inches. It has a stamped brass
ovat wall plate. It inches high and & inches wide,
with one brass brass ovat wall plate. ovar wall plate. It inches high and 4 inches wide, with cast brass ornaments at top and bottom. From the convey center of the wall plate extend two arms, fitted with spun brass candle plates, candle cups, white opal glass candles ¼ inch in dameter. Wired and fitted with candelabra keyless sockets inside of candles and round 2-inch frosted 18-candle power electric lamps.


No. 34A5128 Price, complete, \$7.50



Dutch Period Brackets

Made of genuine brass in brush (satin) brass and black fluish, Extends 8 inches from the will. It has an oval wall plate, 6½ inches long and tinches wide, with convex plain center and east beaded edge. To this center is attached a cust brass ornament in ribbed design, from which extends a flat tubing receded arm, ½ inch in diameter. The arms are fitted with spun brass candle plate and cup. White enameled metal candle 1½ inches in diameter. Wired and fitted with Edison base keyless socket inside of candle and round 2½-inch frosted 16-candle power electric lamp.

No. 34A5150 1-Light Bracket. Complete as No. 34A5151 2-Light Bracket. Complete as



Colonial Period Brackets

Made of genuine brass in brush (satin) brass finish. Extends 5 inches from the wall. It has an oval wall canopy, 6 inches long and 4 inches wide. The wall plate has a concave border and plain convex center from which extend gracefully curved arms $\frac{1}{2}$ inch in diameter. These arms are fitted with spun brass bobaches, candle cups, white opal glass candles $\frac{7}{2}$ s. inch in diameter. Wired and fitted with candelabra keyless sockets inside of candles and imitation twisted flame frosted 16-candle power electric lamps with candelabra base.

No. 34A5122 1-Light Bracket. Complete as No. 34A5123 2-Light Bracket. Complete as



Two-Light English Design Bracket

Made of genuine brass in silver and black finish. Extends 5 inches from the wall. Spread. 812 inches. It has an ornamental stamped wall s¹⁴2 inches. It has an ornamental stamped wall plate 7½ inches high and 4½ inches wide with a landsomely embossed reeded cdge. From an embossed cup extend two gracefully curved round "s_-inch arms, fitted with embossed candle cupi and white enameled metal candles 1½ inches in diameter. Wired and fitted with Edison base keyless sockets inside of candles and round 2½ inch frosted 16-candle power electric lamps

No. 34A5131 Price, complete, \$7.50



Two-Light | French Bracket

Made of chased cast brass in Etruscan gold finish. Extends 5 as from the wall. Spread, 7 inches. It has a c 1st wall plate 11³4 as long, including urn and flambeau ornament at top and lotus. pendant at bottom. In the center of the plate is a handsome It would style porcelain cameo with white classic figure in rused of on delft blue background. From below the cameo extend two refully curved arms fitted with spun brass candle plates, east the cups and opal glass candles I inch in diameter. The candles fitted with candelabra sockets inside of candles and twisted attion flame frosted 16-candle power electric lamps.

No. 34A5157 Price, complete as shown....\$16.75





Two-Light French Leaf Bracket

Made of genuine brass in Etruscan gold finish. Extends 4½ inches from the wall. Spread, 8 inches. It has a stamped wall plate II inches long and 5 inches wide. The plate has a beautifully embossed conventional leaf design border with ornamental top and bottom and plain convex oval center, from which extend two gracefully curved cast brass arms with extending ornamental ends beautifully extending ornamental ends beautimost chased in leaf design. These arms are fitted with 244-inch cast key husks in conventional tulip design, key sockets and round 245-inch frosted 16-candle power electric lamps.

No. 34A5163

Price, complete as shown....\$7.50



Two-Light Fancy Bracket

Made of genuine brass in brush (satin) brass and black finish. Extends 6 inches from the wall. Spread, 8½ inches. It has a stamped oval wall plate, 8½ inches long and 4½ inches wide, with embossed edge in laurel leaf design. In the center is a cup ornament from which extend two gracefully curved arms, E inch in diam eter, fitted with embossed Funel wreath plates and candle cups holding white enameled metal candles 11₄ inches in diameter. The candles are fitted with Edison base keyless sockets inside of can dies and round 2½ inch frosted 18-candle power electric lamps.

No. 34A5152

Price, complete as shown....86.75



Two-Light French Bracket

This heavy massive bracket is made of cast brass in antique gold finish Extends 410 inches from the wall. Spread inches. It has a cast wall plate 17 inches long, in urn capped forch pattern, handsomely chased in fluted classic des 2n with testooned drapery and flambeau. From the center of the torch extend two gracefully curved cast arms richly ornamented in chased leaf design, fitted with ornamental cast candle plates and candle cups. White opal glass candles I inch in diameter, fitted with candelabra sockets inside of candles and twisted mitation flame trosted 16-candle power electric lamps.

No. 34A5158 Price, complete as shown. \$18.50



Made of genuine brass in brush (satin) brass finish. Extends 4 inches Made of genuine brass in brush (satin) brass finish. Extends 4 inches in the wall. The 2-light bracket has a spread of 7 inches. Massive cast ss Colonial urn pattern wall plate, 10½ inches long and 4¼ inches wide, in this handsome wall plate extend two curved brass arms, ½ inch in meter, fitted with brass candle plates, candle cups and white enameled al candles 1¼ inches in diameter, fitted with Edison base sockets inside andles, and round 2½-inch frosted 16-candle power electric lamps.


. 34A5132 1-Light Bracket, Complete as shown, wired. \$4.25 o. 34A5133 2-Light Bracket. Complete as shown, wired. 6.25



Two-Light English Style Bracket

Made of cast brass in silver plated and black line fluish. Extends I inches from the wall. Spread, sinches. It has a beautifully chased cast wall plate, 13 inches long and 4½ inches wide, with plain center and ornamental scalloped top and bottom. To the lower part of the oval center is attached a cast cup ornament in fluted design, from which extend two gracefully curved arms \(\textit{\epsilon}\)_i inch in diameter. These arms are fitted with spun candle plates, candle holders, miniature chain pull sockets, opal glass candles \(\textit{\epsilon}\) inch in diameter, and round 2-inch frosted 16-candle power electric lamps. Old rose silk shades trimmed with coral pink silk braid. with coral pink silk braid.

No. 34A5164 Price, complete as shown.....\$13.75



Colonial Period Electric Brackets

Made of genuine brass in silver plated fluish. Extends 7 inches from the wall. Spread, 8½ inches on 2-light bracket. It has a stamped oval wall plate, 8 inches long and 4 inches wide, with plain convex center and a cast hexagon cup with ½ inch flat edge. From the cup extend two gracefully curved hexagonal arms, ½ inch in diameter, fitted with hexagonal brass candle plates, candle holders and white enameled metal candles 1½ inches in diameter. The candles are fitted with Edison base keyless sockets in side of candles and round ½½-inch frosted 16-candle power electric lamps

No. 34A5129 1-Light Bracket. Complete as shown. \$4.75 No. 84A5180 2-Light Bracket. Complete as shown ... 7.7

Page Sixty-One

One-Light Rope Stiff Bracket


Solid brass, gilt finish. Extends 51/2 inches. Rope arm, cast fittings and key Complete with pillar burner and lip-

No. 34A1000 Price

One-Light Rope Single Swing Bracket

Solid brass, gilt finish. Extends 9% inches. Rope arm, cast fittings and key Complete with pillar burner and tip-

No. 34A1001 Price



Solid brass, gilt finish. Extends 181. laches. Rope arms, cast fillings and key. Complete with pillar burner and tip-

No. 84A 1002 Price

One-Light Square Stiff Bracket

Solid brass, polished finish. Extends $5\frac{\pi}{4}$ Inches. Square arm, cast fittings, fancy key. Complete with pillar burner

No. 34A1006 Price

One-Light Square Single Swing Bracket

Solid brass, polished finish. Extends 10 Inches. Square arm, cast fittings and key. Complete with pillar burner and tip

No. 34A1007 Price



Solid brass, polished finish. Extends 1815 inches. Square arms, cas fittings and key. Complete with pills burner and tip.

No. 34A1008 Price.



One-Light Curved Arm Bracket

Made of genuine brass in polished brass finish Extends Ub, Inches. 18th in polanical grass musin Extends Ub, Inches. 18th in a 3-linch plain round and fancy key. The complete bracket has a kinch shade ring, pillar burner and tip. Crystal glass, star design shade

No. 81A1012

Bare, Without	
Ring, Burner or	n
Glass Shade	

Complete With Ring. nd Burner Burner and Glass Shade



One-Light Candle Bracket

Genuine brass in brush (satin) brass finish Extends & inches from wall. It has a wall can ope 1', inches in dometer and arm & inch in dome to with turned end sitting and key. The complete bracket has a brass candle cup, white glass candle and bobache, brass pillar burner and tin.

No. 34A1016

Bare, No Cup. Pillar Burner or Candle F0e

Complete With Cup, Burner and Candle



Inexpensive Gas Brackets—Upright and Inverted

Two-Light Straight Arm Bracket

Genuine brass in brush (satin) brass finish. Extends 6 inches from wall. Spread, The inches, It has a wall canopy 4½ inches in diameter and arms 32 inch in diameter and end fittings and keys. The complete bracket has 4-inch brass shade rings, pillar burners and tips. Plain frosted diags shades.

No. 34A1018

	Title to same district	,
Bare, Without	Complete With	Complete Wil
Burners or Glass Shades	Burners, Without	Burners and
\$1.37	\$1.64	\$1.98



One-Light Sheffield Bracket
Genuine brass in brush (satin) brass and black
finish. Extends \$1\frac{1}{2}\$ inches from the wall. It has
a round Sheffield wall canopy 5 inches in diameter
with round arm \$\frac{3}{4}\$ inch in diameter with round
end fitting and key. The complete bracket has
brass flambeau, pillar burner and tip.

No. 34A1070

Bare, No Flame or Burner 78c

Complete With Flame and Burner

89e



for and Sinches deep, and curved arms s_s incl in diameter with turned fittings and round ga key. The complete bracket has a 4-inch shad-ring, pillar burner and tip. Plain frosted glas

	o. 34A101	4
re, Without	Complete	Complete
Ring.	With Ring	With Ring
Burner or	and Burner,	Burner and
lass Shade	Without Shade	Glass Shad



One-Light Square Bracket

Made of genuine brass in brush (satin) brass flaish. Extends 6 inches from wall. It has a square wall canopy \$1/2 inches in diameter with %-inch square arm and gas key. The complete bracket is fitted with inverted gas burner and mantle. Frosted glass sirbole ball shade with clear mitered ribs.

No. 34 A 9590

Bare, With-		Complete
out Burn-	With Burner	With Burner.
er. Mantle	and Mantle	Mantle
or Glass	Without	and Glass
Shade _	Shade	Shade
81 08	Q1 50	Da or

Page Sixty-Two



One-Light Round Bracket

Made of genuine brass in brush (satin brass finish Extends 3½ inches from wall. It has a round wall canopy tinches in diameter and round wait entopy sinch arm with turned end fitting and key. Complete bracket is fitted with inverted gas burnet and mantle. Frosted glass paneled open bottom shade.

No. 84 A 9510

240: 07/12010		
Bare, With-	Complete With Burner	Complete With Burner
er. Mantle	and Mantle.	Muntle
or Glass . Shade	Without Shade	and Glass Shade
650	81.09	21 10



One-Light Square Bracket

Genuine brass in brush satini bruss fusish. Extends 6 inches from wall. It has a square wall canopy 49, inches in diameter and square arm 34 inches in diameter and square arm 34 inch in diameter with square gas key. The complete bracket has a 4-inch shade ring, pillar burner and tip. Prosted glass square shade.

No. 34A1050

Bare, With- out Ring, Burner or Glass Shade	Complete With Ring and Burner, Without Shade	Complete With Ring Burner and Glass Shade
66e	70e	95c



One-Light Straight Brucket Genuine brass in brush (satin) brass floish. Extends 6 inches from wall. It

100:90. Extends 6 lockes from wall. It bas a wall canopy \$4\frac{1}{2}\text{ inches in diameter and round \$\frac{1}{2}\text{.inch arm with turned end fitting and key. The complete fixture is fitted with 4-inch shade ring and pillar burner and tip. Frosted glass round shade.

No. 34A1017

Bare, With- out Ring, Burner or Glass Shade	Complete With Ring and Burner, No Glass	Complete With Ring, Burner and Glass Shade
40e	48c	65c



One-Light Sheffield Bracket

Made of genuine brass in brush sating brass and black line flush. Extends 7 inches from wall. It has a Sheffield wall canopy 5 inches square, ribbed square arm and key. The complete bracket is fitted with inverted gas burner and mantle. Frosted glass open bottom shade with clear ties. shade with clear ribs.

No. 34A2330				
Bare With-	Complete	Complete		
out Burn-	With Burner	With Burner,		
er, Mantle	and Mantle,	Mantle		
or Glass	Without	and Glass		
Shade	Shade	Shade		
\$1.49	\$1.90	\$9.15		
10 A 6 A 67	10 X 1 D O	50 AG + 1 LF		



One-Light Curved Bracket

Made of genuine brass in polyhed brass finish. Extends 10 inches from wall. It has a round wall canony inches in diameter and curved arm with fancy key. The complete bracket is fitted with inverted gas burner and manufactured for the complete of the comp mantle. Frosted glass open bottom ball shade with beaded ribs.

No. 84A9500

2				
Bare, With- out Burn-	With Burner	Complete With Burner		
er, Mantle or Glass Shade	and Mantle, Without Shade	and Glass		
550	930	950		

Gas Pendants and Hall Lights TITLY CVAVAVATATATATATATATA できるというできると

One-Light Pendant

ength to bottom of gas key, 30 inchesle of solid brass in polished brass finish, ass a brass tubing stem %-inch in neter, fitted with stiff joint (coupling) round gas key. The fixture is fitted h a brass pillar burner with lava tip, s fixture should not be confused with cheap brass plated iron pendants red

. 34A1200 Price, complete..29c . 34A1201 Same as No. 34A1200, described above, at 36 inches in length. Price.....38c

One-Light Harp Hall Pendant

Length to bottom of key, 30 inches. Width of harp, 11 inches. Made of genuine brass in polished brass finish. It has a stem % inch in diameter, with stiff joint (coupling) and cup ornament which supports a harp of %-inch tubing with fancy cast gas key and smoke bell. The fixture is fitted with a 4-inch brass shade ring and pillar burner with lava tip. Crystal glass shades in floral design.

No. 34A1205 Price, without glass shade. ...86c
Price, complete with glass shade 98c

Two-Light Pendant

Length to bottom of gas keys, 36 inches. Spread 16 inches. Made of genuine brass in polished brass finish. It has a stem 36 inch in diameter with fluted design cup shaped ornament and round curved arms 35 inch in diameter, with fancy cast keys. The complete fixture is fitted with brass pillar burners with lava tips. On account of its wide spread this pendant throws light to all parts of the room. It is used extensively for lighting kitchens, laundries, etc. Glass shades can be supplied if desired at additional cost.

No. 34A1202 Price, complete as shown 89

One-Light Square Hall Pendant

Length to bottom of gas key, 30 inches Made of genuine brass in polished brass finish. It has a flat ceiling plate 4 inches in diameter, round stem % inch in diameter supporting a %-inch brass tubing harp and brass smoke bell. Inside the harp is a square brass frame surmounted with an ornamental brass crown. The brass frame is fitted with clear bevel plate glass sides. Complete with brass pullar burner with lava tip

No. 34A1207 Price, complete as shown \$2,98


One-Light Pendant

Length to bottom of gas key, 36 inches. Made of genume brass in polished brass finish. It has an embossed ribbed ceiling canopy 3% inches in diameter, and stem \(\frac{1}{2}\), inch in diameter with cast brass key. The fixture is fitted with 4-inch brass shade holder and pillar burner with laya tip. Pancy pressed crystal glass shade in earl star design.

No. 34A1203 Price, without 59c

Price, complete with glass shade... 69c

Page Sixty-Three



One-Light Pendant

Length to bottom of glassware, 32 inches. Genume brass in brush (satin) brass finish. The stem is ½ inch in brase finish, and fancy gas key. The complete flxture is fitted with inverted gas burner and mantle. Frosted glass open bottom ball shade with beaded ribs.

No. 34A2600

Style Bare, Without Burner, Mantle or Glass Shade	Complete, With Burner and Mantle, Without Glass Shade
I-Light 68e	\$1.06 \$1.18

Two-Light Round Pendant

Length to bottom of glassware, 36 inches. Spread. 113/2 inches. Made of genuine brass in brush (satin) brass flush. It has a round certing canopy, 5 inches in diameter, and round stem 3/4 inch in diameter. eter, with arms to match with turned round center, end fitting and round keys. The complete fixture is fitted with inverted gas burners with \$\frac{1}{2}\text{-inch}\$ shude holders and mantles. Frosted open bottom glass balls with beaded ribs and center band.

No. 34A2606

Style	Bare, Without Burners, Mantles or Glass Shades	Complete, With Hurners and Mantles, Without Glass Shodes	Complete, With Burners, Montles and Glass Shades
2-Light	\$2.15	\$3.25	\$3,49

One-Light Hall Pendant

Length to bottom of gas key, 28 inches. Made of genuine brass in polished brass thish. It has a stem % inch in diameter, supporting a harp with fluted cup ornament and fancy key. The complete fixture is fitted with inverted gas burner and mantle. Frosted glass open bottom ball shade with beaded ribs.

No. 34A2602

Style	Bare, Without Burner, Mantle or Glass Shade	Complete, With Burner and Mantle, Without Shade	Complete, With Burner Mantle and Glass Shade
1-Light	98c	\$1.36	\$1.48

Two-Light Square Pendant

Length to bottom of glassware, 36 inches. Spread, 11½ inches. Made of genuine brass in brush (satin) brass finish. It has a square ceiling canopy 11/2 inches in diameter, and square stem % inch in diameter, with arms to match with The complete fixture is fitted with inverted gas burners with 31/4 inch shade holders and mantles. Frosted glass fancy paneled gas shades.

No. 31A9607

	1101 1) E1X=001	
Style	Bare. Without Burners, Mantles or Glass Shades	Complete, With Burners and Mantles, Without Glass Shades	Complete, With Burners, Mantles and Glass Shades
2-Light	82.65 1	83.69	84,29

One-Light Round Pendant

Length to bottom of glassware inches. Made of genume brass in bru (satin) brass finish. It has a round ca opy 5 inches in diameter, and steminch in diameter, with fancy gas ke The complete fixture 'is fitted with i verted gas burner and mantle. Frost glass open bottom ball shade with bea ed ribs. No. 34A2601

21010	2521000
 Bare,	Complete, With

Mantle, Without \$1.27 | \$1.39 1-Light 85e

Page Sixty-Four


Inexpensive Gas Chandeliers



Fancy Embossed Chandeliers

ength to bottom of body, 36 inches. Spread, 20 inches. Made of genuine s in brush (satin) brass finish. It has an embossed ceiling canopy 4½ inches ameter. The plain round stem is ¾ inch in diameter, to which is attached abossed ball body surmounted by embossed cup ornament. From the body nd curved gas arms, fitted with fancy keys. The complete fixture is fitted 1 inch shade rings, brass pillar burners with lava tips. Pressed glass es in crystal floral wreath and rib pattern


talog No.	Style	Bare, Without Rings, Burners or Glass Shades	Complete With Rings and Burners, Without Shades	Complete With Rings, Burners and Glass Shades
A1305	2-Light	\$1.65	\$1.71	\$1.95
A1306	3-Light	1.98	2.12	2.48



Two-Light Hall or Bedroom Fixture

Length to bottom of ornament, 36 inches. Spread, 7 inches Made of genuine brass in brush (salm) brass and black finish. It has an embossed Sheffield ceiling canopy 5 inches in diameter, and reeded stem 1 inch in diameter. The stem supports an oval embossed Sheffield body pan mensuring 8 inches in length and 4 inches wide with ornamental east brass knob at bottom. The extreme ends of this pan are fitted with fancy gas lights having Sheffield burner pans and candle cups, cast brass keys, brass pillar, burners with lava tips and round white opal glass candles and bobaches.

No. 34A1271




Our Leader Chandeliers

Length to bottom of keys, 36 inches. Spread, 18 inches. Made of genuine brass in polished brass finish. It has an embossed ceiling canopy, 3 inches in diameter, and stem. Upper part of stem is plain, 5s, inch in diameter; lower portion is twisted, % inch in diameter. To this stem is attached a ballcenter body with ribbed band surmounted by brass cup ornament. From the body extend curved arms, fitted with fancy keys. The complete flyture has 4 inch shade rings, brass pillar, burners with lava tips. Pressed glass shades in crystal star pattern.

Catalog No.	Style	Bare, Without Rings, Burners or Glass Shades	Complete With Rings and Butners, Without Shades	Complete With Rings, Burners and Glass Shades
84A1300	9-Light	\$1.12	\$1.23	\$1.43
34A1301	3-Light	1.48	1.65	1.95

Mission Style Gas Chandeliers





Length to bottom of knob, 30 inches. Spread, 18¹½ inches, Made of gramme brass in brush (satin) brass finish. It has a square ceiling canopy, 4¹½ inches in diameter, and square stem, ½ inch in diameter. The stem supports an oval-body with plain band in center and cast brass ornamental knob. at bottom with square edges. From the body extent straight square arms % meh in diameter, with square end fittings, square pans and long square gas keys. The complete fixture is fitted with 4 inch shade holders and brass pillar burners with lava tips. Square frosted glass shades.

Catalog No.		Rings, Burners or Glass Shades	Complete With Rings and Burners, Without Glass Shades	
34A1323	2-Light	\$2.93	\$3.05	\$8.55
34A1824	4-Light	4.47	4.65	5.65

Page Sixty-Six


Length to bottom of keys, 38 inches. Spread, 20 inches. Made of genuine brass in brush (satin) brass finish. It has a large eciling canopy W_2 inches in diameter, and sten W_3 inch in diameter, with ball ornament in center and supporting a large pineapple shape plain body. The body is surmounted by cup ornament and measures 8 inches over all. From the body extend curved gas arms fitted with fancy keys. The complete fixture is fitted with 4-inch shade rings and brass pillar burners with large first. Plain threat fracted blown rules showed. lava tips. Plain flared frosted blown glass shades,

Catalog No	Style _	Barr Without Rings Burners or Glass Shades	Complete With Rings and Burners With out Glass Shades	Complete With Rings, Burners and Glass Shades
-34A1310	2-Light	\$1.39	\$1.51	81.85
84A1311	3-Light	1.76	1.94	2.45

Square Mission Chandeliers

Length to bottom of ornament, 36 inches. Spread, 20 inches. This ve massive and handsome square Mission style fixture is made of genuine bra massive and handsome square Mission style fixture is made of genuine bra
in brush (satin) brass finish. It has a square celling canopy 4½ inches
diameter, and square stem ¾ inch in diameter, fitted with a large squa
body. The body flares at top and bottom to 5¼ inches square and measur
in length 11% inches to bottom of ornament. From the center of the bot
extend straight square arms, ¾ inch in diameter, fitted with square gay
keys. The complete fixture is fitted with 4-inch shade rings and brass pill
burners with lava tips. Square Mission frosted glass shades

Catalog No.	Style	Bare, Without Rings, Burners or Oless Shades	Complete With Rings and Burners, With out Glass Shades	Complete W Rings Burnets Glass Stude	118
34A1328	2-Light	\$1.83 ,	\$4.95	\$5,45	72
34A1329	4-Light	6.41	6.65	7.65	-



Richly Embossed Chandeliers

Length to bottom of ornament, 36 inches. Spread, 19 inches. Made of the brass in brush (satin) brass and black finish. It has an embossed ling canopy 5% inches in diameter, and plain stem % inch in diameter, large taper shaped body is embossed around the edge and measures 13 hes in length, including the ball. From the body extend curved arms, ed with cast brass floral ornaments and fancy gas keys. The complete ure is fitted with 4-inch shade rings and brass pillar burners with lava tips, sted fluted glass shades, ornamented with floral wreath design in clear glass.

atalog '	No. Style		and Burners, Without Glass Shades	
A13	53 2-Lig	ht \$3.28	\$3.40	\$3.78
A13	54,3-Lig	ht 3.93	4.11	4.68
A13	55 4-Lig	ht 4.65	4.89	5.65

Matte Gilt Chandeliers


Length to bottom of keys, 37 inches. Spread, 19 inches. Made of genuine brass in polished brass finish with rich matte gilt decoration. It has a ceiling canopy 4 inches in diameter, and stem \(^{3}\) inch in diameter, with cup ornament. The large oval body is polished brass, embossed with beaded design and decorated with a matte gilt band, and measures 11 inches in length, including cup ornament. The curved arms are fitted with fancy keys and cast brass ornaments in matte finish. The complete fixture is fitted with 4-inch shade ring and brass pillar burners with lava tips. Pressed crystal glass shades in cut glass design.

Catalog No.	Style	Bare, Without Rings, Burners or Glass Shades	Complete With Rings and Burners, Without Glass Shades	Complete With Rings, Burners and Glass Shades
34A1341	2-Light	\$2.31	82.43	82.69
34 A 1342	3-Light	2.91	8.09	3.48

Hexagon Paneled Chandeliers

Length to bottom of gas keys, \$6 inches. Spread, 17 inches. Made of genuine brass in brush (satin) brass finish. It has a paneled ceiling canopy, 5 inches in diameter, and stem. The stem is $\frac{1}{3}$ inch in dameter, the upper part round and the lower part paneled (hexagon) with paneled ball ornament in center. The large hexagonal body measures $11\frac{16}{3}$ inches over all, and from it extend curved arms with fancy scroll ends and gas keys. The complete fixture is fitted with tinch shade rings and brass pillar burners with lava tips. Eight paneled frosted blown glass shades.

Catalog No.	Style	Hare, Without Rings, Burners or Glass Shades	and Burners, With	Complete With Rings, Burners and Glass Shades
34A1317	2-Light	\$2.45	82.57	1 82.97
34A1318	3-Light	2.99	3.17	3.77
34A1319	4-Light	3.24	3.79	4.59



Round Inverted Gas Chandelier

Length to bottom of glassware, 36 inches. Spread, 14 inches. Made of genuine brass in polished brass finish. It has a round ceiling canopy 4 inches in diameter, with stem % inch in diameter. The stem supports a polished ball body surmounted by brass cup, from which extends four gooseneck arms, filled with freeze many large. stitled with fancy gas keys. The complete fixture is fitted with inverted gas burners with 3½-inch shade holders and mantles. Open bottom frosted glass bull shades with embossed centers and beaded ribs and band.

Catalog No. Style	Bare, Without Burners, Mantles or Glass Shades	Complete With Burners and Mantles, Without Glass Shades	Complete With Burners, Mantles and Glass Shades
34A2703 3-Light		\$3,25	\$3.61
34A2701 4-Light		\$.10	4.58

Two-Light Inverted Gas Chandelier

Length to bottom of glassware, 36 inches. Spread, 19 inches. Made of genuine brass in polished brass finish. It has a round ceiling canopy inches in diameter, and stem ¾ inch in diameter, the upper part of which is dulin such the lower part is teld. which is plain and the lower part wisted. The stem supports a bull body surmounted by cup ornament measuring 5½ inches over all, from which extend two curved gas arms with fancy gas keys. The complete flyture is fitted with inverted gas burners with 3½-inch shade holders and mantles. Open bottom frosted glass bail shades with beaded ribs.


Catalog No.	Style	Bare Without Burners Mantles or Glass Shades	Complete With Burners and Mantles, Without Class Shades	Complete With Burners, Mantles and Glass Shades
34A2700	2-Light	81 85	80 15	20.00

Square Inverted Gas Chandelier

Length to bottom of glassware, 36 inches. Spread, 16⁴2 inches. Ma of genume brass in brush (satin) briss finish. It has a square ceiling cano 4⁴g inches in diameter, with square stem ³g inch in diameter. The ste supports an oval body with square edges, from which project four squarms, litted with fancy cast gas keys and gooseneeks. The complete lixtus fitted with inverted burners with 3⁴g inch shade holders and manth Open hottom frosted dass maneled shades with fancy cast centers. Open bottom frosted glass paneled shades with fancy embossed centers. I

Catalog No.	Style	Bare, Without Burners, Mantles or Glass Shades	Complete With Burners and Mantles Without Shades	Complete With Burners Mantles and Glass Shotes
34A2729	2-Light	\$4.25	\$5.69	86.29
34A2730	4-Light	4,85	7.75	8.95

Page Sixty-Eight




Square Inverted Gas Chandelier

Length to bottom of glassware, 38 inches | Spread 16 inches. Made nume brass in brush (satin) brass finish. It has a square ceiling py 112 inches in diameter, and square stem 21 inch in diameter stem supports an oval body with square edges and ornamental cast is knob at bottom from which project four square arms, with square keys and end fittings. The complete fixture spitted with inverted burners with the met stude holders, and mantles. Glass panieled tes with Liney embossed centers

11	og No		Style	Bare Withor Burners Manthes of Gliss Shade		omplete With Burners and Mantles ithou! Shides	Complete With Burners Mantles and Glass Shades
1.	2726		2-Light	84.50		\$6.10	\$6,60
	2725		4-Light	5.75		7.98	8.98
A	RS,	I	OEBUCK	AND	CO.,	CHICA	GO, ILL .

Two-Light Inverted Gas Fixture Length to bottom of glassware 30 mehes. Spread 41 inches. Made of genuine brass in brush (satin) brass and black finish. Pan measures 11 mehes long and 734 mehes wide. It has a round ceibing camppy, 5 mehes in diameter, with short stem and east ball end fitting. From this ball fitting extend two solid brass 12 mehe curved arms with scotlends, supporting the 11 meh oval pan. This pan is beautifully embossed around the edge martishe design and has a plan convex order and east plans around supporting the pan are fitted for two inverted. center and cast brassacorn knob. The ends of the pan are fitted for two inverted gas lights. The complete fixture has inverted gas burners 34 mich shade holders in full clearry effect and chain pull keys. Frosted tancy open bottom shades, handsomely embossed in leaf design with beaded stripes Complete With Bare Without Burners Mantles or Glass Shades Burners and Mantles and Glass Shades Catalog No. Style Manth -Without Sho les-86,63 86.9534A2705 2-Light \$4.80



Hexagon Inverted Gas Chandeliers

Tength to bottom of fixture, so melies. Spread 19 a cost Man of genuine brass in brushes atmit brass finish. Fancy occluse hely a cobes in diameter. Stem [5] inch in diameter, the upper, at the condition of the lower part hexagonal. The large overlike vigorial boost control by a cup ornament and measures 12 miles over all. Curved arms of square tubing with funcy gas keys extend from plete fixture is littled with inverted 2 is being a mile many fixed by the condition of the complete fixture is littled with inverted 2 is being consistent with shade holders and manifest. Purchal fixed a mile. holders and mantles. Purched frosted oper 2

Catalog No	Style	Bare William Barners Mintles r Olass Shall	1	Burners Mantles and Glass Shades
34A2717	2-Light	89.65	57.58	1 83.88
34A2718	3-Light	, 25	4,80	5, 25
() 111 ~ 1 7			1)	Chata Wis.

Page Sixty-Nine



Inverted Gas Fixtures



Four-Light Inverted Gas Shower

Length to bottom of glassware, 36 inches. Spread, 18 inches. Round pan, 12 inches in diameter. Made of genuine brass in brush (satin) brass and black finish. It has a plain round canopy 5 inches in diameter, and round stem % inch in diameter, supporting the 18-inch round pan. This pan has a plain edge and spun taper body with cost ornaments in festoan and bowknot design. From the top of the pan extend four round receded scroll arms with funcy cast loop ends. The complete fixture is fitted with inverted gas burners with 5% inch shade holders and mantles. Frosted glass grape stallectic shades.

Catalog No.	Style	Bare, Without Burners, Mantles or Glass Shades		Complete With Burners, Mantles and
84A2718	4-Light		\$13.75	Glass Shades

One-Light Semi-Indirect Gas Fixture

Length to bottom of glass bowl, 24 inches. Made of geny to be brass in brush (satin) brass finish. It has a round canopy 5 inches in diameter, and sten \(\frac{9}{5} \) inch in diameter, fitted with bruss shell body. Attached to this body are three solid brass link chains which support an 11\(\frac{1}{5} \) inch ring for glass bowl. From the center of the body extends a brass stern, fitted with by pass, the chains of which pass through the side of the bandfor turning off and on the gas. Complete with inverted gas burner, with 3\(\frac{1}{3} \) inch holder, mantle and gas globe. The bowl is made of frosted glass with fancy clear stripe. It measures 10 inches in diameter across the top and flares to 12 inches in diameter at widest part, with pointed center.

No. 34A1374 Price, complete as shown....\$7,98



Length to bottom of glassware, 35 inches. Spread, 20 inches. Diameter of par 13 inches. Made of genuine brass in brush (satin) brass and black finish. It has ceiling canopy 4½ inches in diameter, with plain stem % inch in diameter, supporing the 13-inch spun pan. This pan has a plain edge with round gas keys and plain pear shaped center with applied floral ornaments and cast brass fancy ornament is bottom. From the top of the pan extend four curved reeded arms with scroll end for gas lights. The complete fixture is fitted with inverted gas burners with 3½ inch shade holders and mantles. Frosted glass open bottom balls with fance embossed panels and beaded band and ribs.

	~	Bare, Without	Complete With	Complete
Catalog No.	Style	Bare, Without Burners, Mantles of Glass Shades	Burners and Mantles, Without Glass Shades	With Burners, Mantles and Glass Shades
34A2714	4-Light	\$9.35	\$11.87	\$12.35



One-Light Semi-Indirect Gas Fixture

Length to bottom of bowl, 30 inches. The hanger is made of genuines in brush (satin) brass finish. It has a round brass ceiling canopy \$\frac{4}{2}\$ cs in diameter, with sho't stem, supporting a round embossed body ball. In the side of the body extend three gracefully curved round reeded swith scroll ends, fitted with three cast hooks. These hooks support as bowl measuring 14 inches at top and 16 inches at widest part. The lis satin finish, closely resembling pure white Castilian slee beautifully embossed in reed and ribbon design border and fluted ded bottom. On the inside of the bowl is a curved gas arm, fitted with less and the chains passing through loops on the hooks to the outside, urning off or on the gas. Complete with gas burner with \$\frac{3}{4}\$-incher, 5-inch gas globe and mantle.

Semi-Indirect Inverted Gas Fixtures



One-Light Semi-Indirect Gas Fixture

Length to bottom of glass bowl, 30 inches. Made of genuine brass in brush (satin) brass finish. It has a round canopy 4½ inches in diameter, with east hooks and round stem ½ inch in diameter. From these hooks extend three solid brass round link chains supporting a 10-inch spun brass bund—fhis band is fitted with a 11x15-inch light radiating frosted glass bowl—The—bowl closely resembles Italian marble and is hand-somely embossed on the bottom in fluted panel and bead design with an embossed border in raised relief. From the bottom of the canopy extends a ¼-inch solid brass stem, fitted with by-pass, the chains of which pass through the side of the band for turning off or on the gas, Complete with burner, having a 3¼-inch globe holder, 5-inch gas globe and mantle

No. 34A1373 Price, complete as shown...........\$10.50



Length to bottom of bowl, 35 inches. Made of genuine bruss in brush (satin) brass and black finish. It has a round eciling canopy 5 inches in diameter, with 7s inch stem, supporting a round body ball 3½ mehes in diameter, with cast brass knob. From this body extend three gracefully curved arms with fancy scroll ends and turned brass centers supporting a 14-inch massive metal band richly embossed in flower and leaf design. The band is fitted with a 15-meh light radiating satin finish frosted glass bowl, beautifully embossed in Corinthian fluted design on bottom with beaded design border. On the inside of the bowl is a curved gas arm fitted with by-pass and the chains extending through the band for turning on or of the light. Complete with gas burner having a 3½-meh holder, 5-inch gas globe and mantle.

Page Seventy-One



Four-Light Combination Fixture

Length to bottom of glassware 35 mehes. Spread, 20 inches. Made of genuine brass in brush (sitm) brass and black fluish. It has a ceiling genium brias in brish (stim) bits and black flush. It has a ceiling curion 12 inches in daimeter with plan stem's inch in daimeter. Due stem supports a 13-inch spin pan with oblin edge with two go keys and pour sleepe ornament if center with ambied flord rosettes and cust brass tame bottom knob. From the top of the pure extend four curved recoder arms with fancy seroll ends, for two gibt and two electric lights. The complete flyture is wired and fitted with key sockets and 3½-inch shade holders for cleetric lights inverted gas burners with 1½ inch shade holders in full cleetric effect and maintles. Frosted glass open bottom balls with embossed centers, headed ribs and band

Bare Without Complete Complete With Catolog Na STA2911 4-Light (Zgas) z christico 89,35

Page Seventy-Two



Length to bottom of glassware, 36 inches. Spread, 18 inches. Made of genuine brass in brush (satin) brass and black finish. It has a plain round canopy 1/2 inches in diameter, and plain round stem 7s inch in diameter. The stem supports a 12 inch round pan with plain edge with two gas keys, and spun Liper body with east ornaments in festion and bowknot design, and times cast brass loop connection at bottom, for one electric light. From the top of the pan extend four found reeded scroll gas arms with fancy east loops, two for gas and two for electric lights. The complete fixture is wired with silk cord and fitted with key sockets with 31 meh shade holders for electric lights, inverted gas burners with 314 inch shade holders in full electric effect, and mantles. Frosted glass

Burners of Glass but Without Glass as Not Wited Glass Wired Shown Wired Catalog No 1

34A29135-Light (*gas) | \$10.45 | \$13.73 | \$14.98



Length to bottom of glassware, 39 inches. Spread 12 inches. Made of genuine brass in brush (satin) brass finish. It has a round 5 inch (celling canopy with 7s-inch stem which supports an 18-inch round pain with pear shape center. To the bottom of this ornament is attached a stem with 34 inch key socket cover for one electric light. From the edge of the pan de scend four brass stems, two fitted for gas and two for electric lights with 314 meh shade holders in full electric effect. Four frosted glass shades with head fringe and a frosted glass 6 inch glass ball.

Catalog No.

34A2911 5-Light * cheeper \$9.60 \$12.64 \$14.71

SEARS, ROEBUCK AND CO., CHICAGO, ILL.



Four-Light \ Inverted Chandelier

Length to bottom of glassware, 37 inches. Spread, 19 inches. Made of Length to brother of glasswate, 37 linenes. Spread, 19 inches. Made of usine brass in polished brass and rich matte gilt finish. It has a ceiling opy 4 inches in diameter, and stem ¼ inch in diameter, the upper part in and the lower part twisted. The stem supports a large oval body, obssed in beaded design, surmounted by a beaded cup, measuring 11 less long including cup and ornament. From the body extend two curved s with cast brass floral ornaments and fancy keys, and curved electric s to match. The complete fixture is wired and fitted with key sockets, unch electric shade holders, inverted gas burners with 3¼-inch shade lers and mantles. Frosted glass ball shades with crystal beaded ribs.

alog N	D.	Style	Bare. Without Burners or Glass, Not Wired		
A284	11	4-Light 2 gas 2 cleetric	\$2.98	\$5.50	\$5.98

Nine-Light Semi-Indirect Shower glass fancy crystal stripe pointed shape bowl, measuring to inches across the top and 12 inches at widest part, and shades to match Bare, With out Glass, but Without Glass, Wired Shown, Wired 34A3482 9-Light | 4 gas | \$10.50 | \$12.90 | \$14.95

Length to bottom of glassware, 36 inches. Gas spread, 18½ inches. Electric spread, 18 inches. Made of genuine brass in Roman matte (brush) and burnished gilt finish. From the 6-inch ribbed ceiling canopy extends a %-inch stem with cast hooks, to which are attached four solid brass link chains, supporting a 16-inch ornamental spun brass pan, decorated with beaded design edge. The bottom of this pan is From the outer edge of the pan extend four 24-inch socket covers, embosed to match canopy, on link chain connections, for electric lights. The complete fixture has silk cord, one keyless socket inside the bowl, four key sockets on the sides and cast flame gas burners with lava tips. Frosted

Catalog No.



Four-Light Inverted Chandelier

Length to bottom of glassware, 36 inches Spread, 19 inches. Made of genuine brass in brush (satin) brass and black finish. It has a large ceiling canopy 5% inches in diameter, beautifully embossed around the edge, with plain stem % inch in diameter. The stem supports a large fancy body measuring 18½ inches over all, embossed in classic design, surmounted by a beaded ball. From the body extend two curved gas arms with doral cast brass crammatic and fancy keys and two electric arms to match. The combrass ornaments and fancy keys, and two electric arms to match. The complete fixture is wired and fitted with key sockets, $3\frac{1}{2}$ meh shade holders for electric lights, inverted gas burners with $3\frac{1}{2}$ meh shade holders in full electric effect and mantles. Fancy fluted light optic glass shades.

Catalog No. Burners C. 1. 34A2853 4-Light [2 glectric] \$4.95

Page Seventy-Three



Length to bottom of glassware, 30% inches. Spread, 41% inches. Made of genuine brass in brush (satin) brass finish. It has a square ceiling canopy 43% inches in diameter, and square stem is melt in diameter. The stem supports a large square body, flaring at top and hattom to 54 makes square, and measuring 11% inches in longth, meluding bottom ornament. From the body project two square gas keys and two electric arms to match gas. The complete flatture is wired and fitted with key sockets with (4) mich shade holders and inverted gas burners with 34 mich shade holders in tail electric effect, and mantles. Square frosted glass shades, embassed in grape design.

Catalog No	Style	Bure Without Burners or Glass Not Wired	Complete but Without Gloss Wired	Complete With Glassias Shown Wired
84A2829	4-Light (gran)	\$6.25	\$8.73	\$10.45


Length to bottom of glassware, 38 mehes—Spread, 46 inches. Made of genuine brinss in brush (satin) brass finish. It has a square ceiling canopy Ω_2 inches in diameter, and square stem ϑ_2 inch in diameter. To the stem is attached an oval body with square cdiges, from which protect two square gas arms fitted with square keeps and two clearm, arms to match. The compile fixture is wired and fitted with key sockets with ϑ_1 , inch shade holders and moreted gas binners with ϑ_1 , inch shade holders and moreted gas binners with ϑ_1 , inch shade holders and moreted gas binners with ϑ_1 , inch shade holders and morting discontinual with black in Mission style.

Catalog No	Style	Bare, Without Barners or Glass Not Wired	Complete, but Without Glass, Wired	Complete With Glass as Shown, Wired
31.12828	4-Light (2 gas)	\$5.58	87.88	\$9.68

Length to bottom of fringe on glassware, \$8½ inches. Spread 17 inches. Made of genuine brass in brush (satin) brass finish. I has a large ceiling campy 5 inches in diameter, and plain round stem 1 inch in diameter. The stem supports a large round (\$1\text{in der}\$ body measuring \$15½ inches long over all, flaring to 5 inches in diameter at top. From the body project two round gas arms with round gas kevs and two round electric arms to match. The complete flyture is wired and fitted with key sockets and \$3½ inch shade holders and inverted gas burners with \$3½ inch holders in full electric effect, and mantles. Frosted glass mushroom shape 6 incl shades fitted with 1 inch crystal beaded fringe.

Catalog No	Style	Bare, Without Burners or Glass Net Wired	but Without	Complete WIU Glass as Showa Wired
34A2835	4-Light (2 gas)	\$5.45	87.76	\$9.68

SEARS, ROEBUCK AND CO., CHICAGO, ILL



Length to bottom of glassware, 36 inches. Spread, 22 inches. Made of tine brass in brush (satin) brass and black finish. It has an embossed ng canopy 5% inches in diameter, and plain stem % inch in diameter. stem supports an extra large round embossed body that flares at the st point to 5% inches in diameter and is surmounted by a ball 3 inches ameter, measuring 13 inches in length including ball. From the body nd curved gas arms with gas keys and east brass floral ornaments, and cre arms to match. The complete flature is wired and fitted with key ets. 24 inch shade holders, 4 inch gas shade holders and pillar gas ers with lava tips. Frosted glass fluted shades, ornamented with I wreath design.

Bare With Complete, but , Complete With out Glass, Not Wired Shades, Wired Shown, Wired Style A3353 4-Light (2 gas 2 cleetric) \$4.15 \$6.35 S5.61 A3354 6-Light * selectric* 5.19 8.38

ARS, ROEBUCK AND CO., CHICAGO, ILL.

It has a ceiling canopy 4 inches m diameter, and stem % inch in diameter. The lower part of the stem is twisted and the upper part plain. The stem supports a large oval polished brass body, embossed with beaded design, decorated with a matte gilt band, surmounted by a cup shaped ornament. Length of body, including cup and ornament, 11 inches. From the body extend curved gas arms with cast brass ornaments and fancy gas keys, and two electric arms to match. The complete fixture is wired and fitted with two key sockets, 2½-inch shade holders, 4-inch gas shade holders and pillar gas burners with Java tips. Pressed crystal glass shades in cut glass design

Bare, Without Glass Complete With Glass Shades, Wired Shown, Wired Catalog No. 34A3341 4-Light 2 electric | \$2.88 | \$4.52 \$4.98

Length to bottom of glassware, 37 inches. Spread, 22 inches. Made of genuine brass in brush (satin) brass fluish. It has a large paneled ceiling canopy 3½ inches in diameter, and the stem is ½ inch in diameter, the upper part round and the lower part hexagonal, divided in center by a paneled ball ornament. The stem supports a hexagonal paneled body with cup ornament and measuring 11½ inches in length over all. From the body extend curved gas arms with turned littings and east fancy gas keys, and electric arms to match. The complete fixture is wired and fitted with key sockets, ½¼-inch shade holders and pillar gas burners with lava tips. Paneled frosted blown glass shades.

Catalog No.	Style	Bare, With	to the fat and a second	Complete With Glass as Shown Wir d
34A3317	4-Light genetric	\$3.65	84.76	\$5.48
34A3318	6-Light Selectric	F.28	5.90	6.98

Page Seventy-Five



Square Mission Combination Chandelier

Length to bottom of electric glassware, 36 inches. Spread 183, inches. Made of genuine brass in brush (satin) brass flush. If has a melics, and or kerning orass in massi estably mass union. It has a square certing canopy, 1½ inches in druncler and square stem. So meli in diameter. The stem supports an oval body with square edges and east brass ornamental knob at bottom. From this body extend stright square arms ½ inch in druncler with square east brass ends of the large tensor transparents. fitted with brass burner pans, brass candle cups, long square g is keys and upple for electric lights. The complete fixture is wired and fitted with key sockets, 214 inch shade rings and pillar gas burners with layer tips. Square frosted glass electric shades and square white opal glass gas candles and bobaches

Catalog No.	Style	Bare, With out Glass Not Wited	Without	Complete With
34A3323	1-Light (tgas)	82.98	\$1.57	\$1.85
34A3324	8-Light (tgas)	4.50	6.83	7.39

Four-Light Combination Chandelier

Length to bottom of glassware 37 inches. Spread 22 inches. Made of genuine briss in brush (safin) briss finish. If his receiling emopy 43, inches in drimeter with plain stem, 3s inch in drimeter fitted with ball ornament in center. The stem supports a large pine upple shape body surmounted by a cup ornament, measuring 8 metres over all. From the body extend two scroll gas arms with round keys and s he has deep at From the boar extend two strong as thus wired with key sockets. 24-inch electric slunde holders, sinch gas shade holders and pillar gas burners with layetips. Plain flued frosted blown glass shades

Catalog No	Style	Bare Without Glass Not World	Complete With out Glass Wired	Complete Wit Glass is Shewi
\$1A3310	t-Light 2 gas	81.75	82.96	83.18

Square Mission Combination Chandelier

Length to bottom of ornament 36 inches. Spread, 20 inches. Made of genuine briss in brush (satin) briss finish. It has a square ceiling canopy, 1½ inches in diameter, and square stem, 7s, inch in drimeter. The stem supports a large massive body flaring at the top and bottom to 514 mehes square and measures in length. 1134 mehes to bottom of ornament. From this body extend square arms Trunch in diameter fitted with square gas keys, square brass candle cups and square 214 mch key socket covers for electric lights. The complete fixture is wired and fitted with key sockets and pillar gas burners with Liva tips. Square frosted glass shades and square white opal glass gas c indles and bobaches.

Catalog No	Style	Bare Without Olass Not Wired	Complete Without Cross Wired	Complete With Class as Shown. Wired
31A3398	4-Light gale tre	85,48	87.10	8 7.38
34A8829	8-Light Agas	7.65	9,99	10.48



Length to bottom of glassware, 36½ inches. Spread, 22 inches. Made genuine brass in brush (satin) brass finish. It has a plain ceiling canopy anches in diameter and plain stem ½ inch in diameter. The stem supports an embossed ball body, surmounted by an embossed cup. From the dy extend two curved gas arms with fancy keys and two electric arms to atch. The complete fixture is wired and fitted with key socket ½¼ inch for the state of the state o

Catalog No.	Style	Bare Without Burners or Glass, Not Wired	Complete, but Without Glass, Wired	Complete with Glass as Shown, Wired
4A3305	4-Light 2 gas	\$2.15	\$3.26	\$3 68
DADO	DOTIDATE A	NID CO	OTETO AC	0 77 7

Length to bottom of electric glassware, 36 inches. Spread, 18 inches. Made of genuine brass in polished brass finish. It has a kinch ceiling canopy and ½ inch stem, upper part plain, lower part twisted, supporting a ball body with fancy band surmounted by cup. From the body extend two curved gas arms with fancy keys and two electric arms. The complete fixture is wired and fitted with key socket ½½-inch shade holders, inverted gas burners with ½½-inch shade holders and manties. Frosted glass paneled shades

Catalog No. 1 Style Bare, Without Surveys of Glass. Not Wired St. 75


Bare, Without Complete Complete With Burners of Glass but Without Glass as Not Wired S1.75 \$3.50 \$3.98

Length to bottom of electric glassware, 36 inches. Spread, 18 inches. Made of genuine brass in polished brass fluish. It has a 4-inch ceding canapy and 3/4 inch stem, the upper part plain and the lower part twisted, supporting a polished ball body with fancy band, surmounted by brass cup. From the body extend two curved gas arms with fancy keys, and two curved electric arms. The complete fixture is wired and fitted with key socket 2½/4 inch electric shade holders. Finch gas shade holders and pillar gas burners with lava tips. Pressed glass shades in crystal star pattern.

Catalog No. 1 Style Bare, Without Charles Without Class Stoke Wired S4A3300 [4-Light Light Light

Page Seventy-Seven

EARS, ROEBUCK AND CO., CHICAGO, ILL.



Two-Light Round Pendant

One electric light and one gas light. Length to bottom of glassy uc, as inches Made of genuine biass in brush (sitin) to iss finish. By inch ceiling canopy and a-meh stem. The complete fixture is fitted with key socket, 24-inch electric ring. 4-inch gas ring, and pillar gas burner with lava tip. Pancy pressed crystal glass shades in cut star design

No. 31 \3205

Style	Bare Without Glass Not Wired	Complete Without Glass, Wired	Complete With Glass as Shown, Wired
2-Light	: \$1.02	81 60	81.78

Two-Light Square Pendant One electric light and one gas light. Length to bottom of gas key (6) inches Made of genuine biass in brush (salm)

Combination Plain

to use thinks 4'; such square cetting campy and % inch stem. The complete fixture is wired and fitted with key socket, 2'4-inch shade holder, candle cup and pillar gas burner with lava tip. Frosted glass square shade, opal glass candle and bobache,

No. 31 A3208

Style	Bare	Complete	Complete
	Without	Without	With Glass
	Glass Not	Glies	as Shewn,
	Wited	Wited	Wood
2-Light	82.18	83,00	83.25

Four-Light Sheffield Fixture

Two electric lights and two gas lights. Length to bottom of glassware, 36 inches. Spread, 7 inches. Made of genuine brass in brush (satin) brass and black fluish. It has a Sheffield y inch canopy and reeded I inch stem, supporting an 8 inch oval Sheffield body pansupporting an 8 inch over Sheffield body pain-ittled with Sheffield gas burner pains and cup-and Sheffield 2½-inch electric key socket covers on link chains. The complete fixture is wired and has key sockets and pillar gas burners with lava tips. Frosted glass Sheffield shades, opal glass candles and bobaches.

No. 31A3271

Style	Bare With out these Not Wired	Complete Without Odass Wired	Complete With Glass as Shown Wired
4-Light	_83,98	\$5.16	85.50

Two-Light Ball Pendant

and Fancy Pendants

One electric light and one gas light Length to bottom of gas key, 36 inches Made of genuine briss in polished brass Made of genuine of iss in poished brass funds. 4½-unch cerling canopy and 5z-inch stem. The complete fixture is wired and fitted with a key socket, 3½ inch shadering, candle cup and pillar gas burner with lava tip. Twisted opalescent glass 6-inch ball, opal glass candle and bobache.

No SLASSIE

	140, 0		
Style	Hare Without Glass Not Wired	Complete Without Glass Wired	Complete With Glass as Shown, Wired
2-Light	81.35	82.12	82.68

Two-Light Round Pendant


One electric light and one gas light. Lengtl to bottom of gas key, 36 inches. Spread, 1 nches Made of genume brass in polished brass finish. 4½-inch ceiling canopy and ¾-inch stem The complete fixture is wired and fitted with a key socket, 2¼-inch electric shade ring, 4-inch garing and pillar gas burner with lava tip. Fine: pressed crystal glass shades in cut star design.

No. 34A3203

	Borr With	Complete	Complete	
te	cut (il iss	Without	With Chass	
	A d Wired	Glass, Wired	Wared	
1. 6	0.000	21 1"	\$1 65	

Page Seventy-Eight

SEARS, ROEBUCK AND CO., CHICAGO, ILL



Two-Light Square Combination Pendant ne electric light and one gas light. I ength to bottof gas arm, 30 inches. Spread, 40 inches. Made of une brass in brush (salim) brass finish. It has a are ceiling canopy, 4½ inches in diameter, and are stem, ¾ inch in diameter, with cup ornament in the side of the stem extends a fitting for one tric light and from the bottom a curved square arm with gas key. The complete fixture is wired fitted with a key socket. 2¾ inch electric shade lers, 1 inch gas shade holder, pillar and gas burner to laya tip. Square frosted glass shades.

Stalog No Style Without Glass, Not Wired A3210 2-Light \$1.75 \$2.59 \$2.98

One electric light and two gas lights. Length to bottom of glassware, 36 inches. Spread, 12 inches: Made of genu ine brass in brush (salim) bruss finish. It has a square canopy, \$42 inches in diameter and square \$45 inch stem, with square cup ornament. From the side of the stem extend two square gas arms with square gas keys and candle cups. From the bottom extends a fitting for one electric light. The complete fixture is wired and fitted with a key socket, \$245 inch electric shade holder, pillar gas burners with laya tips. Frosted glass square shade, square opal candles and bobaches.

Catalog No Style Rare, Without Glass, out Wired Style Style

One clee trie light and one gas light. Length to bottom of the trie shade, 30 melos. Spread, 15 melos. Made of genume brass in brush (sature brass finish). If has a round deep certing canopy, 15 melos in diameter, and stein, 5s melowith emporement. From the bottom of the stein (stein) a round fairly arm filted on one end with gas key and on the other end for one electric light. The complete flyture is wired and fifted with key socket 25 mich electric shade holder. 4 inch gas shade holder pallar gas burner with lava tip. Fairly etched gliss shades.

Two Light Square Combination Pendant on chefric light and one gas light. Length to bottom of stem, 95 inches. Spread 11½ declays Mane of genuine brass in brush sature brass it shiftless clarge square emopy 3½ inches; inches; and square stem 4½ inch in diameter. To square east center filling. From the second square burnets is a significant filled with square burnets is a capacite histories wired and filted with a kernel and filted with a kerne

Citalog No Style (1) Complete but With Class (2) With Class (3) Wind With Class (3) Wind Wired (3) FA32042 Light (5).18 S2.76 S3.15

Inverted Combination Brackets and Pendants




One electric light and one inverted gas One electric light and one inverted gas hight. Made of genuine brisss in brush tsatin) brisss finish. Extends 5½ inches from wall. Spread, 10½ inches it thas a square campy, 1½ inches in diameter and stem and arms, 1½ inch in diameter. The gas arm is fitted with square gas key. The complete fixture is filted with key sacket, 8½ inch electric shade holder, inverted gas burner with 8½ meh shade holder in full electric effect and manths. Frosted glass nursiale bull shades

mantle. Frosted glass airhole bail shades with clear mitered ribs

Blyle	Bare, With- out Glass, Not Wired	Complete Without Olass, Wired	Complete With Glass as Shown, Wired
2-Light	\$1.95	\$3.35	\$8.65

No. 34A2522



Two-Light Round Bracket.

One electric light and one inverted gas light. Made of genuine brass in brush (satin) brass finish. Extends 61/2 inches from wall. Spread, 8 inches. It has a round canopy, 4½ inches in diameter and stem, ¼ inch in diameter, with arms ¼ inch in diameter. The gas arm is fitted with round gas key and turned end and center fittings. The complete fixture is fitted with key socket, 3¼ inch electric shade holder, inverted gas burners with 3¼ meh shade holder in full electric effect and mantle. Frosted glass open bottom ball shades with clear beaded ribs.

No. 34A2512

Style	Bare, With- out Glass, Not Wired	Complete Without Glass, Wired	Complete With Glass as Shown, Wired	
2-Light	\$1.58	\$2.98	\$3.22	





Two-Light Square Combination Pendant One electric light and one inverted gas light. Length to bottom of glassware, stambass spread, 11½ makes. Made of genuine brass in brass (satin) brass thirsh. It has a square ceiling canopy, 4½ makes in drumeter and square stem, ar mich in diameter with cist center litting From the slem extends one square gas arm with key and one electric tim to match. The complete fixture is wired and fitted with a key socket, 3½ meh shade holder inverted gas burner with \$\psi_1\$ meh shade holder inverted gas burner with \$\psi_2\$ meh shade holder and mantle. Plant paneled crystal stripe octagon open bottom shudes.

Printer warming				
Catalog No.	Style	Bare, Without Glass, Not Wired	Complete Without Glass, Wired	Complete With Glass on Shown, Wired
34A3207	2-Light.	\$2,35	\$3.68	\$8,98

Two-Light Combination Chandelier

One electric light and one inverted gas light. Length to bottom of glassware 36 inches. Spread, 19 inches. Made of genuine biass in polished brass limish. It has a plain Finch canopy and δ_4 inch stein which supports a polished round body surmounted with cup originate in issuing 50, inches over all. One curved gas arm with fancy east key and one curved electric arm. The complete fixture is wired and fitted with a key socket, O_1 inch electric shade holder, inverted gas burner with U_4 inch shade holder in full electric effect and mantle. Frosted glass fancy embossed open bottom balls,

Catalog No.	Style	Bare, Without Glass Not Wired		Complete With Glass as Shown, Wired
84A2702	2-Light	\$1.25	82.70	82.98

Two-Light Round Combination Pendant

One electric light and one inverted gas light. Length to bottom of glassware, 36 inches. Spread, 11½ inches. Made of genuine brass in brus (Satin) brass fluish. It has a round ceiling canopy, 1½ inches in diameter and round stem, 34 meh in diameter with turned center fitting. From the stem extends one round gas arm with key and one electric arm t match. The complete fixture is wired and fitted with a key sockel, 34 inch electric shade holder, inverted gas burner with 34 inch shad holder in full electric elect and mantle. Frosted glass fancy embosses

Catalog No.	Style	Bare, Without Glass, Not Wired	Complete Without	Complete With Glass is Shown, Wired
34.43214	2-Light	82.23	83.61	\$3.85



Round Combination Bracket

ne gas and one electric light.) Genuine ine gas and one electric light.) Genuine is in brush (satin) brass finish. Extends ches from wall. It has a wall canopy, inches in diameter and 3½ inches deep, arm, % inch in diameter, with turned fitting, with round gas key at top and trie attachment at bottom for electric t. The complete fixture is wired and d with key socket, 24-inch electric le holder, 4-inch gas ring and pillar ner with lava tip. Frosted glass plain les.

No 94 A 9019

	NO. STASU	1.2
e, Without Glass, of Wired	Complete, but Without Glass, Wired	Complete Will Glasses Show Wired
45e	\$1.09	\$1.35
	C-1-	7



are Reeded Combination Bracket

ne gas and one electric light.) Genuine s in brush (satin) brass and black finish. nds 7 inches from wall. It has a square nch wall canopy and ribbed arm and end fitting with square gas key and lle cup at top and attachment at bottom ne electric light. The complete fixture rired and fitted with key socket, 24electric ring and candle pillar gas ier with lava tip. Frosted glass square e with fancy clear ribs and opal glass lle and bobache.

No. 34 A 3060

110. 07110000					
Without Glass, Wired	Complete, but Without Glass, Wired	Complete With Glass os Shown, Wired			
1.08	\$1.83	\$1.98			

Combination Brackets



19c

Round Combination Bracket

plete With

\$1.35

One gas and one electric light.) Genuine brass in brush (satin) brass fluish. Extends 10 inches from wall to tip of electric shade, It has a wall canopy, 4½ inches in diameter and 3½ inches deep, and arm, % inch in diameter, with turned end fitted with round gas key at top and attachment at bottom for one electric light. The complete bracket is wired and is fitted with a key socket, 214 inch electric ring, Linch ring and pillar gas burner with lava tip. Frosted plain glass No. 94 A 9014

\$1.09

	MOLOGIATION	Lik
Bare, Without	Complete, but	Com
(1899,	Without Glass.	Glas
Not Wired	Wired	



Candle Combination Bracket

(One gas and one electric light.) Genume brass in poished brass finish. Extends 6 inches from wall. It has a wall canopy, 4½ inches in diameter and 3½ inches deep. The arm is % inch in diameter, having a cast end with gas key and spun candle cup at top and fitting at bottom for one electric light. The complete flyture is wired and fitted with a key socket, 24-inch shade holder and emdle pillar gas burner with lava tip. Pebbled glass shade in wreath design, opal glass candle and bobache.

No. 34A3010

Bare, Without Glass, Not Wired	Complete, but Without Glass, Wired	Complete With Glass as Shown Wired
39e	96c	\$1.05



Round Combination Bracket

(One gas and one electric light.) Genuine brass in polished brass fluish. Extends 10 inches from wall to end of electric shade. It has a wall canopy, 1/2 inches in drameter and 3% inches deep, with arm, 3/4 inch in dameter, with cast gas key at top and fitting at bottom for an electric light. The complete fixture is wired and fitted with a key socket, 214-inch electric shade ring for electric light, 4-inch gas ring and pillar gas burner with lava tip for gas light. Pebbled glass shades in wreath design.

No. 34A3008

Sare, Without	Complete		nplete Witt
Glass,	but Without		15 as Shown
Not Wired	Glass, Wired		Wired
39c	93c	1	\$1.12_



Round Upright Combination Bracket

(One gas and one electric light,) Genuine brass in brush (satin) brass finish. Extends $6^{1/2}$ inches from wall. Spread, 8 inches It has a 41/2 inch wall canopy, and %-inch stem with % inch arms fitted with turned center and end fittings. The gas arm is fitted with round gas key and candle cup The complete fixture is wired and fitted with key socket, 2% inch shade holder and candle pillar gas burner with lava tip. Frosted glass plain shade and opal glass candle and bobache.

No. 84A8090

Bare, Withou Glass, Not Wired	Complete, but Without Glass. Wired	Complete With Glass as Shown, Wired
\$1.39	\$2.26	89.85

Square Combination Bracket

(One gas and one electric light.) Genuine brass in brush (satin) brass finish. Extends 6 inches from the wall. It has a square wall on menes from the wan. It has assistate want canopy 1½ inches in diameter, and arm, \(\frac{1}{2} \), inch in diameter, with square end fitted with square burner pan, gas key and candle cup at top and fitting for an electric light at bottom. The complete fixture is wired and fitted with key socket, 24, inch shade ring and pillar gas burner with lava tip. Frosted glass square shade, opal glass candle and bobache.

No. 34.13052

Bare, Withough Olass. Not Wired	Without Class.	Complete Will Glass as Shows Wired
870	\$1.56	81.70

Candle Combination Bracket

(One gas and one electric light.) Genuine brass in brush (satin) brass finish. Extends 6 inches from wall. It has a wall cappy, 4½ inches in diameter and 3½ inches deep, and arm, % inch in diameter, with turned end fittings, with round gas key, and candle cup at top and attachment at bottom for an electric light. The complete fixture is wired and fitted with key socket, 214-inch electric shade ring and candle pillar burner with lava tip Frosted glass plain shades, opal glass candle and bobache.

No. 34A3016

Bare, Without	Complete, but	Complete With
Glass	Without Glass,	Glass as Shown
Not Wired	Wired	Wired
45c	\$1.16	\$1.25



Square Upright Combination Bracket

(One gas and one electric light.) Genuine brass in brush (satin) brass finish. Extends 6¹2 inches from wall. Spread, 7½ inches. It has a square canopy and square stem and arms, % inch in diameter. The gas arm is fitted with square pan, gas key and candle cup, and the electric arm has fitting for one electric light. The complete bracket is wired and fitted with key socket, 21/4-inch shade holder and candle pillar gas burner with lava tip. Frosted glass square shade, opal glass candle and bobache.

No. 34A3054

Bare, Without	Complete, but Without Glass	Complete With
Not Wired	Wired	Wired
81.79	\$2.64	82.78



Flambeau Sheffield Combination

(One gas and one electric light.) Genuine brass in brush (satin) brass and black finish Extends 5½ inches from wall. It has an embossed round Sheffield wall canopy, 5 inches in diameter, and plain arm 15-inch in diameter, with turned end fitting, with round gas key and cast flambeau at top and 24-inch embossed Sheffield socket cover at bottom for one electric light. The complete flyture is wired and fitted with a key socket and gas flambeau burner with lava tip. Frosted glass, Sheffield design shade

No. 34A3070

Bare, Without	Complete, but	Complete With
Glass	Without Glass	Glass as Shown,
Not Wired	Wired	Wired
\$1.19	81 68	81.86

Nickel Plated Gas and Electric Fixtures for the Bathroom Two-Light Candle

One-Light Curved Electric Bracket

Made of genuine brass, polished nickel fluish. Extends tinches. If has a tinch wall emopy with 3₈ inch arm. The bracket is wired and fitted with key socket and ₹¼ inch shude holder. Frosted glass plata shade.

No. 34A50031 Price, complete......71c




One-Light Square Electric Brucket

Made of genuine brass In polished nickel finish. Extends a inches. It has a ½ inch wall can opy with ¼ inch arm. The fixture is wired and atted with key socket and 2½ inch shade holder. Frosted and a little with the socket and a little with the socket and a little with the socket and a little with a little wi glass square shade.

No. 84A50501 Price, complete,81.01 $Two ext{-}Light\,Round\,Combination\,Bracket$


One gas and one electric light. Made of genuine brass in polished nickel fluish. Ex-tends d inches from wall. It has a 1½ inch-wall canopy and ½ inch arm, with turned end fiffing and round gas key at top and key socket at bottom. The bracket is wired and fitted with \$\frac{94}{1}\$ inche electric shade holder. I inch gas shade holder and pillar gas burner with lava tip. Frosted glass plain shades.

No. 34A30121 Price, complete\$1.46




Made of genuine brass in polished nickel flubb. Extends 6 inches. It has a $4\frac{1}{2}$ -inch wall canopy and $\frac{8}{4}$ -inch arm with turned end fit ting. The bracket is wired and fitted with key socket and 24 inch shade holder. Frosted glass plain shade. Can be used with light up

No. 34A50161 Price, complete83c




One gas and one electric light. Made of genuine brass in polished nickel finish. Extends 10 inches from wall to tip of electric glass shade. It has a 43-inch wall canopy and %-inch arm with turned end fitting and round gas key at top and key socket at bottom. The bracket is wired and fitted with 214-inch electric shade holder, 4-inch gas ring and pillar gas burner with lava tip. Frosted glass plain shades.

No. 34A30141 Price, complete... \$1.49



Made of genuine brass in polished inckel finish. Extends 6 inches from wall. It has a 4¹2 inch wall canopy and 34 inch arm with turned fittings and round key - Fitted with Finch shade holder and pillar gas burner with lava tip, - Frosted glass plain shade,

No. 34A10171 Price, complete.....63c



Made of genuine brass in polished nickel finish. Extends 6 m. from wall. It has a square \$12 inch wall canopy and %-inch arm fitted with long square gas key Fitted with 4-inch shade holder and pillar gas burner with lava tip. Frosted glass square shade.

No. 34A10501 Price, complete93c



Two-Light Square Combination

Combination

Bracket

One gas and one elec-tric light. Made of gen-

uine brass in polished

mickel finish. Extends 6 inches from wall. It has a 4½-inch wall canopy and is-inch arm with turned fittings, round

gas key and candle cup at top and key socket at bottom. The bracket is wired and fitted with 2½-inch shade holder and pillar gas burner with lava tip. Frosted glass plain shade, opal glass candle and bobache

No. 34A30161

BracketOne gas and one elec-tric light. Made of genu me brass in polished nickel fluish. Extends 6 inches from wall. It

has a square 3/2-inch wall canopy and square 3/4-inch arm fitted at top with square burner pan, long gas key and square candle cup and at bottom with key socket. The bracket is wired and fitted with key socket, 2¼-inch shade holder and pillar gas burner with lava tip. Frosted glass square shade, opal glass candle and bobache.

No. 34A30521 Price, complete\$1.92

One-Light Gas Pendant

Length to bottom of gas key, 36 inches. Made of genuine brass in polished nickel finish. It has a plain ceiling canopy 3% inches in diameter and stem % inch in diameter with east brass gas key. The complete fixture is fitted with 4-inch brass shade holder and pillar gas burner with lava tip. Frosted glass plain

No. 34A12091 Complete as shown, wired. 82c



Two-Light Combination Pendant

One gas and one electric light. Length to bottom of gas and the electric light. Length to button in gas key, 36 inches. Made of genuine brass in polished makel finish. It has a 4½-inch ceiling canop, and 44-inch stem with cast brass fitting. From the side of this fitting extends a nipple for one electric light and from the bottom a bent gas arm with cast round key, The complete fixture is wired and fitted with a key socket, 2%-inch electric shade holder, 4-inch gas shade holder and piller gas burner with lava tlp. Frosted glass plam shades.


No. 34A32091 Complete as shown. \$1.98



Length to bottom of flyture, 20% inches. Made of genuine brass in polished mekel finish. It has a round ceiling canopy 5 inches in diameter, with short stem to which is attached a solid brass round link chun connection, keyless socket holder and frame for 60-watt lamp supporting a 10-meh indires t spun brass bowl, white enamel on the inside

No. 34A60101 Price, complete as shown......\$3.98

One-Light Indirect White Enamel Ceiling Fixture Exactly the same as No. 34A60101, but in white enamel finish.



Nickel Plated Electric Fixtures for the Bathroom



One-Light Ball Ceiling Light

Brass ceiling band in polished mokel finish. Length to bottom of glass ball, 74 inches. Diameter of band at top, 6 inches, with 314inch fitter at bottom for glassware. Fitted with porcelain keyless socket. Frosted glass 6-inch ball.

No. 34A70081

Price, complete as shown....69c



One-Light White Enamel Bracket

Made of genuine brass in white enamel finish. Extends 6 inches from the wall. It has a wall canopy 1½ inches in diameter and 3½ mehes deep, and arm ¾ inch in diameter with turned end fitting. for one electric light. Completely wired and fitted with insulated white porcelain key socket and 21/4-inch shade holder. Frosted



One-Light Chain Pendant

ength to bottom of glassware, 36 inches. de of genuine brass in polished nickel sh. It has a round the meh ceiling iopy and solid brass link chain supporta 214 meh round key socket cover, one electric light. The fixture is wired h silk cord baced through the chain and ed with key socket Frosted glass 7-mch gsten reflector for 40 or 60-watt lamp.

No. 34A52051

One-Light Straight Pendant

Length to bottom of glassware, 36 inches Made of solid brass in polished mckel finish It has a round ceiling canopy with paneled bottom \$12 inches in drimeter with 3s inch stem fitted for one electric light. The complete fixture is wired and fitted with key socket and 214 inch shade holder. Frosted glass tungsten reflector 6 inches in diameter. for 25-watt lamp.

No. 34A49001 ce, complete as shown ... \$1.69 Price, complete as shown 99c Price, complete as shown



One-Light Bowl Electric Ceiling Light

Ceiling band made of genuine brass in polished nickel finish, with hinged holder for glassware which has a thumbscrew on side for locking hinge. The complete fixture is fitted with porcelain separable, wired, keyless socket and frosted glass 8-inch bowl.

No. 34A70251 Price, complete as shown



One-Light White Enamel Pendant

Length to bottom of slade, 24 inches, Made of genuine brass in white enamel finish. It has a ceiling canopy \$\frac{1}{2}\$ inches in diameter with 4, inch stem fitted with 21, meh socket cover, for one electric light. The complete fixture is wired and fitted with keyless socket, 8 inch white enameled steel reflector for 10 or 60 watt tung sten lamp. Clean, sanitary and attractive.

No. 34A52124



One-Light Reflector Ceiling Light

Made of genuine brass in pol ished nickel flush. Ceiling band 514 melies in diameter at top, with 234 inch holder for glassware. The complete fixture is fitted with porcelain separable, wired, keyless socket, for one electric light. Ready to attach to ceiling. Frost ed glass tungsten reflector 6 inches in diameter, for 25-watt lamp.

No. 34A70201


Price, complete as shown....76c



One-Light Bracket

Made of genuine brass in white enamel or nickel fluish. Extends 6 inches from the wall. It has a wall canopy 41/2 inches in diameter and 31/2 inches deep and arm 3/4 inch in diameter with turned fit-ting and 2%-inch key socket cover, for one electric light. Completely wired with key socket. Frosted glass plain shade





Length to bottom of knob () S Made of genuine brass in person cakel finish It has a round it's make a mag canopy and a solid brass rout 1 - k count supporting a briss harp 1 - (c) - 9 keyless socket The fixture is a old with silk cord laced through the contract of interest with keyless socket. Deep to a less tungsten 60-watt reflector in ribbed design.

No. 34A52921

Price, complete as shown \$2.89



82,85

No. 34A52081 Price, complete as shown... \$1.85

One-Light Round Pendant

Length to bottom of glassware, somehes

This substantial, massive pend int is made of

genume brass in polished mokel finish. It

has a large 112 meh ceiling cinopy with 31

inch stem with a 21 inch plan socket cover, for one electric light. The complete

fixture is wired and fitted with key socket.

Clear prismatic glass shade 712 inches in

.12 (4U35) . 1/111

diameter, for 40 or 60-watt lamps.


Oxidized Copper Fixtures for the Kitchen, Hall and Bedroom



Made of genuine brass in oxidized copper finish, ceiling band, 5% inches in dumeter, with 214 inch holder for glassware. Fit ted with porcelain separa ble keyless wired socket Frosted glass tungsten re flector, 7 inches in diame ter, for 40 or 60-walt lamp

No. 34A70872

Without	Camplete Wit
Glass	Class Reflects
Reflector	as Shown
Renevior :	244



Made of genuine bruse in oxidized copper fluish. Extends 9% inches from wall. It has a plain wall plate 3 mehes in diameter and curved arm with fancy cast gas key. The complete flature is fitted with upright in candescent gas burner, mantle and open glass airhole gas glob

Catalog No	Histo Without Burner Mantle of Olnbe	Complete, With Burner, Month and Globs as Shown
25.1 \$ 1 () 12801	12.2.	1.13



One-Light Rope Single Swing Gas Bracket

Made of genuine brass in oxidized copper finish. Extends 9% inches. Rope design arm with cast fillings and key. Complete with pillar burner and lava tip.

No. 34A10012 Price....22c



Onc-Light Rope Stiff Gas Bracket

Made of genuine brass in oxidized copper fluish. Extends 51/2 inches. Rope design arm with cast fittings and key. Complete with pillar and lava tip.

No. 34A10002 Price....12e



One-Light Square Stiff Bracket

Made of genuine brass in oxi dized copper thish. Extends 54 inches. Square arm, with clist ht times and fancy key. Complete with pillar gas burner and lava-

No. 31A10062 Proc.

One-Light Square Single Swing Bracket

Made of genuine brass in ox idized copper finish. Extends to mehes, square aim with cast fittings and fancy key. Complete with pillar gas burner and lava

No. 34A10072 Price



One-Light Inverted Incandescent Gas Bracket

Made of genuine brass in oxidized copper fluish. Extends 10 inches from wall. It has a round wall canopy 4 inches in diameter, curved arm % inch in diameter with fancy gas key. The complete fixture is fitted with inverted gas burner and mantle. Frosted glass open bottom ball shade with embossed

Catalog Vo	Bare, No Glass or Burner	With Burner and Mantle, No Glass	With Glass
3+A25002	66c	\$1.25	\$1.37



Two-Light Combination Pendant (One gas and one electric light)


Made of genume brass in oxidized copper finish. Length to bottom of gas key 36 inches. Spicad to inches $\{1\}$ has clarge ceiling canopy $\{1\}$, inches in diameter and stem uch in diameter with east biass end filtings. From the bottom of the stem extends a nupple for one electric light and a curved gas arm with fancy gas key. The complete fixture is wired and filted with key socket 214 in h shade holder. Emeh gas shade holder, pillar gas humer and lava tip. Crystal glass shades in wreath design

Catalog No	Style	Bate, No Glass or Socket	With Rings, Pillar and Socket No Glass, Wired	Complete With Glass as Shown, Wired
34A32012 2	-Light	98e	81.79	\$1.93



Made of genuine brass in oxidized copper finish Length to bottom of gas. key to mehes. The stem is 'sinch in diameter with fancy cast key. Complete with brass pillar burner and lava tip-

No. 34A12012 Price, complete,



Genuine brass in oxidized copper fluish. Extends to inches from wall to end of electric shade. If has a wall canopy 112 inches in diameter with east brass end fit lings. The complete bracket is wired and fitted with misulating formt electric key socket 214 meh electric shade holder brass flambern gas burner and lava tip. Pebbled glass strade in wie ith design

Catalog No. Style	Bare Without Glass Not Wired	Complete, but Without Olass, Wifed	Complete With Glass as Shown, Wired
_34A3009g/2-Light	68e	\$1.33	81.44

Two-Light Gas Pendant

Made of genuine brass in oxidized copper tinish | Length to bottom of gas keys 36 inches. Spread, 16 inches. The stem is 's meh in diameter with east bottom fitting and fluted ornament at top From the center fitting extend two gas arms "\ mch in diameter, with fancy gas keys. Complete with pillar gas burners and lava tips This fixture is used extensively for lighting kitchens, laundries, etc.

No. 34A12022 Price, complete

One-Light Inverted Gas Pendant

Made of genuine brass in oxidized copper finish. Length to bottom of glassware, 32 mches. It has a large round canopy 412 inches in diameter and stem 12 inch in diameter with a long gas key. The complete fixture is fitted with inverted gas burner, mantle and fancy embossed frosted glass open bottom ball shade

Catalog No Style	Barc, Without Glass or Burner	Com plete With Burnet and Mantle, No Glass	Complete With Glass as Shown
3+A26012 1-Lie	ht 96c	81 57	\$1.69

Oxidized Copper Fixtures for Kitchen, Hall and Bedroom



ne-Light Electric Pendant One-Light Electric Pendant Me-Light Bleetric Femanic Made of genuine brass in oxidized oper finish. Length to bottom of iob, 36 Inches. 4½-inch celling inopy, a brass chain and brass-iade holder. The complete fixture wired with silk cord and keyless leket. Semi-indirect ribbed opal One-Light Execute Frontant
Made of solid brass in oxidized
copper finish. Length to bottom of
glassware, 36 inches. It has a 4st
inch round paneled ceiling canopy
with %-inch stem. The compile
Axture is wired and fitted with key
socket and 2½-inch shade holder
Frosled glass 25-watt tungsten re
flector. ass 60-walt tungsten reflector

No. 34A52932			
e. With- Reflect-	Complete, Without	Complete With Re-	
r, Not	Reflector, Wired	flector, Wired	
1.93	\$2.35	\$2.75	

No. 34A52132			No.		
e, With- Shade, Wired	Complete, Without Shade, Wired	Complete With Shade as Shown, Wired	Hare, With- out Ring, Burner or Shade	Cor Wi G	
50e	940	81.09	52c	į į	

One-Light Gas Bracket

Made of genuine brass in oxidized copper finish. Extends 912 inches tinch wall canopy and curved arm by each in diameter with fitting-round gas key. The complete bracket has a 4 inch shade holder and pillar gas burner with law tip Pebbled crystal glass shade in wrenth diagram. wreath design

140. 34/410232						
Bare, With- out Ring, Burner or Shade	Complete, Without Glass Shade	Complete With Glass Shade				
52c	57e	69c				

One-Light Gas Pendant

Made of g nume brass in oxidized copper finish. Length to bottom of gas key, 30 inches. It has an embossed ribbed ceiling ranopy 3% inches in diameter and stem 36 inch in diameter, with fancy cast brass key. The complete fixture is fitted with incandescent gas burner, man tle and opal gas globe

No. 34A12042

Bare, No urner, Mantle or Globe	Complete With Burner, Mantle and Globe as Shown
65e	81.22

One-Light Electric Bracket

One-Light Electric Reflector Pendant

Made of gonuine brass in oxidized copper finish Length to bottom, is inches - It has a round ceil

ing canopy with puncted bottom tinches in diameter and stem % inch in diameter. The complete fixture is wired and fitted with key socket and

214-inch shade holder. Green glass reflector shade lined with white opal glass, measuring 10

No. 34A52012

inches in diameter

Price, complete as shown

Solid brass in oxidized copper in lsh Extends 5 linches from the wall It has a wall campy 4 linches in di ameter and curved arm 3s inch is diameter. The complete bracket is wired and fitted with key socket and the horse shade holder. Crystal glass shade in wreath design

No. 34A 500002

or mirel Mitted Mitted	are, With- it Glass of Wired	Shade.	Complete With Shade us Shown	
22c 50c 59c		5 97 15 11 11	Wired	

One-Light Electric Pendant

81.18

Made of genuine brass in oxidized copper finish. Length to bottom of plassware, 30 in thes. Round 4½ inch celling canopy and short stem fitted with brass chain. The complete fixture is wired with silk cord, key sucket and 2½-inch shade holder. Frosted glass 60-watt re-

No. 34A49012

Bore, With- out Shade, Not Wired	Complete, but With- out Shade, Wired	Complete With Shade as Shown Wired
83c	\$1.32	81.51

One-Light Electric Pendant

One-Light Execute Fendant Made of genuine brass in oudired copper finish. Length to bottom of glussware. 36 mehes Round 3½-inch setting canopy and ¾-inch stem with a ½-inch socket cover for one electric light. The complete fixture is wired and fitted with a key socket. Clear glass 60-watt prismatic shade.

No. 34A52082

are, With	Complete,	Complete
et Glass.	but With-	With Glass
Shade, 1	out Shade.	Shad:
ot Wired	Wired	Wired
\$1.05	\$1.57	\$1.85

Page Eighty-Five

Bar




With Ginan Without Glass Shade, Glass Shar Glass Shade, Wired Shown, Wired 390



One-Light Straight Arm Bracket
Made of genuine brass in oxidized copper finish. Extends on he serious the wall. It has a wall can be the he serious the wall. It has a wall can be the modern with turned end fitting and round gas key. The complete bracket has a 4 inch shade holder and pillar gas burner. with lava tip. Frosted etched glass shade. No. 34A10252

Style	Bare, Without	Complete but William Glassi	Complete With Glass Shade as
	Chass Shades	Shade	Shown
1-Light	440	47c	65e



Brackets and Fixtures

One-Light Square Gas Bracket
Made of genuine brass in oxidized copper finish.
Extends 6 inches from the wall. It has a square wall
campy 4½ inches in diameter and square arm % inch in diameter with square end fitting and square gas key. The complete bracket has a 4-inch shade holder and pillar gas burner with lava tip

No. 34A10502

Bure. Without Ring Barner or Glass Shade	Complete, but Without Glass Shade	Complete With Glass Shade as Shown
73e	77¢	\$1.02



Bracket

Made of genuine brass in oxidized copper finish - Extends 6 inches from wall. It has a square wall canopy 11/2 inches in diameter and square arm 14 inch in diameter with square end fitting for one electric light. The wired bracket has a key socket and 214-inch shade holder Frosted glass square shade.

No. 34A50502

Bore, Without Glass Shade, Not Wired		Complete, but Without Glass Shade, Wired	Complete With Glass Shade as Shown, Wire
6åe	ĺ	90e	81.04



Electric Chandeliers

Made of genuine brass in oxidized copper finish. Length to bottom of glassware, 37 inches. Spread, 21 inches. It has a ceiling canopy 4% inches in diameter and 34 inch stem, fitted with ball ornament in center. The stem supports a large pineapple shape plain body, surmounted by up ornament and measures sinches over all. From the body extend curved arms for electric lights. The wired fixture has key sockets and the melt shade holders. Flated top etched trosted glass shades

Untulog No Style	Bare Without Glass Shades, Not Wited	Complete but Without Ohese Shudes, Wired	Complete With Glass Shades as Shown, Wired
34A53122 2-Light	\$1.27	89.17	89.51
34A53132-3-Light	1.49	2.84	1 3.35

Inverted Combination Chandelier

Made of genume brass in oxidized copper finish. Length to bottom of glassware, 36 inches. Spread, 18 inches. It has a plain ceiling canopy tinches in diameter and stem $^{7}\%$ inch in diameter, upper part plan, lower part twisted. The stem supports a ball body ornamented with fancy band and surmounted by cup. From the body extend two curved gas arms with fancy keys and two clee tric arms to match. The complete fixture is wired and fitted with key sockets and $P_{\rm T}$ inch shade holders inverted gas burners with $\Omega_{\rm T}$ inch shade holders and markles. Frosted glass panched shades

Catalog No	Style	(olena	Shades	Without Glass	Complete With Glass Shades as Shown Wired
84A28002	4-Light Henn	\$1	.98	\$3.85	\$4.33

Electric

Chandeliers

Made of genuine brass in oxidized copper finish. Length to bottom of glassware, 36 inches. Spread, 18 inches. It has a plain ceiling canopy 4 inches in diameter and stem, the upper part plain. 's inch in diameter, the lower part twisted, 8_4 inch in diameter. The stem supports a round ball body with fancy band surmounted by a cup shaped ornament. From the body extend curved arms for electric lights. The wired fixture is fitted with key sockets and 214 meh shade holders. Frosted glass fancy embossed shades.

Catalog No Style	Bare Without Glass Shades Not Wired	Complete but Without Glass Shades Wired	Glass Shades Shown Wire	-
34A53022 2-Light	\$1.08	\$1.90	82.14	
84A58082 8-Light	1.30	2.49	2.85	



EARS, ROEBUCK AND CO., CHICAGO, ILL.

One-Light Gas Lantern

Extends II Inches from the wall. Made of wrought from in dead black finish. If has a wall entropy 4% tuches square and square arm with east end filling supporting a square linlern measuring 18 inches from top of spindle to bottom Fitted with 7 x 5 fuels clear bevelod gluos, gase key and pillar gas burner with lava tip-

No. 34A7015 Price, complete.\$5,48



One-Light

Lantern

Electric

Pendant

Length to bottom of flx

ture, 36 inches. Made of

wrought from in dead black

fluish. If husen 6 meli ceil

ing canops, with round

Itak chain supporting a

wrought from lantern cage

measuring 8 mehes bigh

and 8 melies in drameler to loss top billed with

nostesi glassery, meh cyl-inder. The wired flyture

is fitted with a weather

No. 84A7005

Price, not wired \$3.88

Price, wired 4.48

proof key less sucket

Made of wrought from in dead black thrish. Extends 8% inches. It has an obtong wall plate. 019 mehes long and 416 inches wide with border in reed and ribbon design. From the plate extends a massive curved arm decorated in lotus leaf design with lane's scalloped. Up such globe holder and filled for one electric light. The wired fixture is fitted with a weatherproof aluminum keyless socket. Firsted glass clear crystal stripe 6 inch paneled globe.

No. 34A7077 Price, complete, not wired 82.50 Price, complete, wired. 3.23 Wrought Iron Porch and Outside Lights



120-Candle Power Inverted Gas Light For Outdoor Use Made of stamped metal, heavily japanned. Magnesia mantle holder and nickel

plated shade ring. Fitted with 7 inch frosted ginss ball mantle and by pass No.


S1A2119 Price., \$1.87



One-Light Electric Lantern Bracket

Made of wrought iron in dead black finish Extends 7 inches from the wall. Ornamental wall plate, 6 inches square and square arm supporting on link chain connection a square lantern which measures o inches in height and so inches in width a ross the iron top Cut out, ornamental metal sides form the lantern frame which is fitted with frosted pebbled glass panels. The wired fixture is fitted with weatherproof aluminum keyless socket for one electric light

No. 34A7002 Price, complete, not wired 85.65 Price, complete, wired . 15, 25



Length to bottom of fixture, 321/2 inches Made of wrought from in dead black fluish. It has a fluted canopy conches and another with plain stem is such in dismeter. The stem supports around fintern which measures 18 inches in height to top of ornament and is fit ted with twisted opal glass cylinder measur ing 7 inches high and 7 inches in dameter. The complete fixture is fitted with gas key and pillar gas burner with lava tip

No. 34A7000

Price, complete as shown. ... \$3.50



round arm and scroll wall brace. The arm supports a lantern to inches from the top of ball to bottom of lantern frame and 6 mehes in diameter. Fitted with a twisted opales cent glass cylinder measuring 6 inches high and 6 inches in diameter. Complete fixture fitted with gas key and pillar gas burner with lava tip.



Made of cast iron in dead black finish. Extends 11 mches. It has a square wall canopy 5 inches in diameter and square arm 11/4 inches in diameter, with square end terminating in a round bottom ball. This arm supports a cast iron ornamental hexagon lantern, to inches song and 6 inches wide with cast non-closed top and knob. Fitted with frosted cathedral glass panels under a cast metal open framework in artistic design The wired fixture is fitted with weatherproof aluminum keyless socket

No. 34A7079

Price, complete, not wired \$5.50 Price, complete, wired

Page Eighty-Eight

SEARS, ROEBUCK AND CO., CHICAGO, ILL.

Wrought Iron Porch and Outside Lights





One-Light Electric Bracket Extends 9 inches. Made of wrought on in dead black fluish. It has a till plate 3% of inches with egg and it border. From this plate extends massive cast arm with 3% inch globe lider with fitting for one electric ht. The wired fixture is fitted the weatherproof socket. Frosted iss 6-inch ball.

No. 34A7013 rice, complete, not wired. \$1.73 rice, complete, wired.... 2.48



One-Light Electric Ceiling Lantern

Made of cast iron in dead black finish. Hexagon ceiling plate, 8 inches in diameter with ornamental hexagon body 8½ inches long and 5 inches in diameter with closed bottom. The panels are fitted with frosted cathe dral glass under a cast metal open framework in artistic design. The wired flature is fitted with weather proof aluminum keyless socket for one electric light.

No. 34A7080

Price, complete, not wired.84,25 Price, complete, wired.... 4,98



One-Light Electric Ceiling Fixture

Length to bottom of fixture, 8 inches Made of cast from in dead black fined. It has a hexagon ceiling plate, 15 inches across corners with extended hexagon ornamental paneled body with closed bottom. The panels in the body are fitted with frosted cathe dial glass under a cast me fal open framework in artistic design. The wired fixture is fitted with weather proof aluminum keyless socket for one electric light.

No. 34A7081

Price, complete, not wired.\$5,25 Price, complete, wired.... 5,98



Electric
Bracket

Bracket

Bracket

Games and Square an

One-Light Square

Torch

shade holder at top for one electric light. The wired fixture is fitted with a weatherproof keyless socket Frosted glass stalactite shade with crystal leaf design corner panels.

Extends 8 inches Made of wrought

ron in dead black

finish. It has a 5

No. 34A7075
Price, complete, not wired, \$2,25
Price, complete, wired... 2.98



One-Light Electric Lantern Pendant

Length to boltom of lantern, 30 mehes. Made of cast iron in dead black finish. It has a hexagon ceiling camopy, 5½ mehes in diameter, with short stem and iron chain. The chain supports a cast iron original manufacture and iron chain for the chain supports a cast iron original manufacture and iron lantern, 8½x6 inches, fitted with frosted cathedral glass, under a cast iron open framework in artistic design. The wired fixture is fitted with weatherproof aluminum keyless sockel for one electric light.

No. 34A7083 Price, not wired.\$5.50 Price, wired.... 6.25



One-Light Electric Fancy Ceiling Light

Length to bottom of glassware, 7½ inches, Cast iron ceding band in dead black finish. Diameter at ceiling, 6 inches with 3½ inch after for glassware Complete with porcelain keyless socket. Frosted glass ball with panels out lined in black. Mission

No. 34A7018 Price, complete 98c



One-Light Electric Reflector Ceiling Light

Length to bottom of glassware, 6% inches. Castiron ceiling band in dead black flush. Diameter at eciting, 5½ inches with P'a inch fitter for glassware. Complete with porcelain keyless socket Frosted glass reflector for 90 or 40-wat lamp 0 or 40-wat lamp.


No. 34A7035 Price, complete...69c



One-Light Electric Ball Ceiling Light

Length to bottom of glass ball, 7½ inches. Cast from ceiling band in dead black fluids. Diameter at ceiling, 6 inches with 3½ inch fltter for glossware. Complete with porcelain keyless socket. Frosted glass 6 inch ball

No. 34A7017 Price, complete...65c



Length to bottom of glasball, 30 inches, Made of cast iron in dead black flush. It has a hexagon ceiling canopy, 5½ inches in diameter, with short stem. To thus emopy is attached an iron chun from which is suspended a time cast iron holder for one electric light. The wired flushres is fitted with weatherproof—duminum keyless socket—Frosted glass 8-inch bull.

No. 34A7082 Price, not wired.\$1.75 Price, wired ... 2.48



One-Light Square Electric Bracket

Extends 7 inches Made of wrought inch square canopy and arm % inch in diameter, with fancy ornamental cut bottom and 34 meh globe holder at top with fitting for one electric light. The wired by thrue is fitted with a weatherproof socket. Frosted glass

No. 34A7076
Price, complete, not wired. \$1.47
Price, complete, wired... 2.12

Page Eighty-Nine

EARS, ROEBUCK AND CO., CHICAGO, ILL.



rable socket for one electric light. Pressed clear glass

Without Glass

67c

Complete, but Complete With

Shown, Wired

light radiating prismatic reflector for 60 watt lamp

Catalog No.

34A7034 1-Light

Length to bottom of glassware, 21 inches - Spread, 45 inches on two and three light and 22 inches on four light - Made of genuine biass in brush (satin) bruss fluish If his a 5 (neh ceiling carrops litted with a inch stein which supports a large eval budy. The budy measures Hy inches in down ter and my inche clong including bottom ring, from which extend tound arms with binso hooks. From these books hing Ω^{1} inch keyless socket covers on ting connections for electric lights. The wired fixture has stlk cord run through the fixture, and ring counci tion and keyless socket. Frosted whose timesten reflectors for 25 watt huma.

Catalog No.	Style	Unite, Without Class Shade, Sof Wired	Complete but Without Glass Shade, Wired	Complete With Gla- Shade as Shown Wir
81A7585	2-Light	82.65	83.45	34 T 1
84A7586	8-Light	3.45	4.40	4,85
OLAPEUP	I T Louis I	4 (34)	6 (10)	P 1161

Round Tungsten Brackets

Made of genuine brass in brush Gatin) brasa finisha Extends 7 inches from the wall. It has a wall canopy 5 inches in diameter and 4 inches deep and arm 14 meli in dinmeter with east loop. From the arm in suspended a #14 inch key speket cover on link chain connection for one electric light. The wired fixture has silk cord and key sneket. Frost ed glass Tungsten teffector.



Square Tungsten Pendants.

Length to bottom of glassware, 15 s Inches Made of genuine brace. ht brush (satin) bruse finish. It lust a square cetting canopy 419 inches in diameter and I inches deep with square stem 4 inch molecular Thesslem supports a glamch square keyless socket cover on link chain connection for one electric light. The wired flyture has allk cord

d keyless isted glass lector		4	7,	
'atalog No	Size Lamp to Be Used	Bare, Without Glass Shade, Not Wired	Complete, but With- nut Glass Shade, Wired	Cor Wit Shi Sl
FA7558	25-Watt	\$1.02	81.88	8

34A7566 40-60-Watt 1.02 1.33

Size Lamp 34A7554 40-60-Watt

34A7556 100-Watt

Bare. Complete, Complete Without , but With With Glass 1. Shade as \$1.20 \$1.39

1.20

-1.45

Length to bottom of glassware. 21 inches - Spread on two-light flyture, 15 inchest on four light fixture B inches. Made of genuine brass in brush (satin) brass fluish. It has a W_2 -inch square ceiling campy fitted with W_3 inch stem that supports a massive square body. The body measures 10 mehes long, including bottom ornament, and is 184 inches in diameter at center band from which extend square arms with brass hooks. From these hooks hang 2¼-inch square keyless socket covers on ring connections for electric lights. The wired fluture has silk cord run through the fluture and keyless sockets Square frosted glass tungsten reflectors for 25-watt lamp.

Bare, Without Glass Complete, but Without Complete With Glass Shade, Not Wired Glass Shade, Wired Shade as Shown, Wired Catalog No. | Style 34A7541 | 2-Light \$5.00 \$6,00 \$ 6.50 34A7542 4-Light 10.38 9,38

Round Tungsten Pendants.

Length to bottom of glassware, 1515 inches Made of genuine brass in brush (satin) brass fluish. It has a ceiling canopy 5 inches in diameter and 4 inches deep with stem % inch in chameter. This stem supports a 2% meh plain round socket cover on link chain con nection for one electric light. The wired flx ture has silk cord faced through the flyture and keyless socket. Glass tungsten reflector.



Bracket

Made of gennine brass in brush (satin) brass finish. Extends 7 inches from the wall. It has a square wall canopy 11/2 inches in diameter and 3 inches deep. and square arm % inch in diameter with east loop. From the arm is suspended a 21%-inch key socket! cover on link connection for one electric light. The wired fixture has silk cord and key socket. Frosted glass tungsten reflector.

With Glass 25-Watt \$1.02 34A7551 40-60-Watt 1.02 1.33 | 1.78

Page Ninety

31A7517 to so. Watt 75c



ength to bottom of 100-watt lamp, 24 inches. dde of genuine brass in brush (satin) brass fluish. has a ceiling canopy 4½ inches in diameter with inch stem fitted with 2¼-inch socket cover for e electric light, keyless socket and 12-inch white ameled flat type steel reflector. Furnished with without 100-watt frosted bottom tungsten lamp.

No. 34A7559

Not Wired, Without Without 100 Watt Lamp 100 Watt Lamp 100 Watt Lamp 100 Watt Lamp Light

No. 34.46561. Street and VOutdoor Farm Light.



Length to bottom of glassware, 161/2 inches. Made of genuine brass in brush (satin) brass finish. It has a ceiling eanopy 5 inches in diameter and stem % inch in diameter. From the stem is suspended a 21/4-inch socket cover on link chain connection for electric light. The wired fixture has silk cord run through the fixture and keyless socket. Ribbed opalescent glass tungsten reflector for 60-watt lamp.

No. 34A4907

I-Light 75e

Style	Bare, Without Glass Shade,	Complete, but With out Glass Shade.	Complete With Glass Shade as Shown,
	Shade, Not Wired		Shown, Wired
	***************************************	17 54 6 65	


\$1.24 \$1.71

One-Light Ceiling Pendant Length to bottom of glass ball, 20 inches. Made of genuine brass in brush (satin) brass finish. If basea cerbing can opy 5 inches in diameter and stem 74

inch in diameter. From the stem is suspended a large 81/4-inch socket cover on link chain connection for one electric light. The wired fixture has silk cord run through the fixture and chain and keyless socket. Frosted glass ball.

No. 84A4906

Style	Bire Without Of iss Bill Not Wired	Complete but With out Class Hall, Not Wired	Complete With Class Bill 18 Shown Wired
1_Light	950	\$1.40	81.65



Length to bottom of glassware, 1614 inches. Made of genuine brass in brush (satin) brass finish. It has a ceiling canopy 5 inches in dumeter and stem % meh in danneter. From the stem is suspended a 2¼-inch socket cover on link chain connection for one electric light. The wired flyture has silk cord run through the fixture and keyless socket. Light radating prismatic tungsten reflector for 60-watt lamp.

No. 84A4905

Style	Hare,	Complete,	Complete
	Without	but With-	an Shown,
	Glass	aut Glaso	With Glass
	Reflector,	Reflector,	Reflector,
	Not Wired	Wired	Wired
	***************************************	** 111 **1	

1-Light 75e | \$1.24 | \$1.52

Electric Cluster Pendants

Length to bottom of knob, 18 inches. Made of genuine brase in brush (salin) brass finish. It has n ceiling canopy 11/2 inches in diameter, with 3/4 inch stem to which is attached a brass wireless cluster for electric lights and 15 mch white enameled that type steel reflector. Completely wired. Furnished with or without 10-watt tungsten

Catalog No.	Style	As Shown, Without Lamps	Complete With Land
84A7560	2-Light	\$3.17	\$3.61
84A7561	3-Light	8.43	4.09
-34A7562	i-Light	3.79	4.67





Outdoor Ceiling Cluster Fixtures

The ceiling band is made of cast iron in dead black finish and measures 51/2 inches in diameter at top with 21/4 inch holder at bottom. Fitted with white enameled that type steel reflector, aluminum wireless cluster for electric light. The flyture is wired and furnished either with or without 40-watt clear tungsten lamps. A weatherproof fixture

Catalog No	Style	1 4. 1	A Sh wh W lind Latops	Complete as Shewn, With Lamps
34A7516	2 Fight	Panch	82.67	\$3,11
FA7517	# Light	11 meh	3.03	3,69
34A7518	#Light:	14-inch i	8.93	4.81

Street and Outdoor Farm Light




attached and feed wires run through the insulators.

This new and original light is the result of careful study by us to produce a roughly simple practical and inexpensive outdoor light. The use of this light minates dark streets dangerous roads and unsafe spots on your farm, and will tays assure you of a light driveway to barn garage or gate. It will chiminate the cessity for an oil lantern when going into the barnyaid, pasture, etc... This light n be creeted mexpensively on wires strung between trees, posts or buildings. The ht can be controlled by a switch either on the porch or inside the house, making

This street and outdoor farm light consists of a porcelain weatherproof suspension yless socket with two lead wires which are to be connected to the main electric feed wires. Through a hole to the cap of the socket is run a galvanized wire rod with loops it each end to which the supporting wires from the tree post house, etc., are to be attached. This galvanized wire rod also supports two porcelain insulators through which the electric feed wires are strong and to which the two lead wires from the socket are to be attached. This light comes complete with 214 inch shade holder and to meh white en incled that type steel reflector. Furnished with or without priwith clear tungsten timp. For weitherproof feed wires see page 90

No. 34A6561 Outdoor Light Without Tungsten Lamp. Price, \$1.25 Price complete with 40-watt clear tungsten lamp, as shown.... 1.47

Electric Fixtures for Garages, Barns and Farm Buildings



Electric Wentherproof Drop Cord for Open Wiring

Length, 4 feet to bottom of lamp guard. Complete with purce lain clent rosette. in gauge weatherproof heavily insulated can vasite cord, porcelain key socket and wire lamp guard.

No. 31A 6685

Price, without tungsten lamp.....54e Price, as shown, with 40-watt elear tungsten lamp 76c


Page Ninety-Two



Made of from in dead black finish. Extreme extension, 10% inches. Round arm, % inch in diameter out to inches to long to be all to be throw light directly downward. Itted with 10 in in white common of 6.6 by p. 25.2 by 0.6 by 10. The fixture is wired and fitted with aluminum, weatherposed keeps. Let not 30 wait plain lung sten lamp.



If wanted with longer cord add for each additional foot. Se



Made of east from indead black finish tale of east two indead black finish tale of east from the well. It has a wall easupy \$\frac{3}{2}\$, inches in diameter, atth round seem \$\frac{1}{2}\$ inches in diameter and turned end. The fixture is wired and fitted with finuitiest porcelain key socket and wire lamp guard.

No. 34A7084

Price, Without Price, as Shown With 40 Watt Tangeten Clear Fungsten Lamp 1-Light | \$1.03 \$1.27



Iron Chain Electric Pendants

Out type steel reflector and aluminum with based size fitted for electric lights. The complete fixture is worsel and fitted with to wait clear lungsten lamps.

Not Wired.

Wired With Lamps

84.65

5.15

5,65


Catalog No. | Style

84A7086 2-Light \$3.95

34A7087 3-Light 4.20

34A7088 4-Light 4.50

Length to buttom of knob, 34 inches, Made of wrought from in dead black fluish. It has a ceiting canopy 6 inches in diameter, and round link from their to which is attached a 18 inch white enameted



Made of iron in dead black finish. Extreme extension, 221, inches. Round arm, % inch in diameter, and 16 inches in length, bent so as to throw light at in angle of 48 degrees. Fitted with 10 inch white inameted finit type skell reflector. The fixture is wired and fitted with an aluminum, weatherproof, keyless socket and 40-watt plain tanguler lamp.



Electric Ceiling Light

With east iron ceiling band in dend black fulsh, with 5 and opening at top and 24, such holder. Length to bottom of sire garret, 7 in hes. The fixture is wired and fitted with porcelain keyless sucket and forther white cumuled flat type steel reflector and wire lamp guard

No. 31A7033


Style	Price, Without Lungsten Lamp	Price as Shown With 40 Wall Clear Lungsten Lamp
Lal nobt	81.00	21 11



Keyless Ceiling

Light For cellings where all where are enclosed in conduct throu pipe). Fits a standard defined round box P also and of stamped declifical with porcelar steady sees on cot and Sanch had wars complete with wire chang guard and 40 wat where tangeten lamp

Price, complete



With porcelain keyless socket Length to bottom of lamp guard, 9 m Consists of porcelain keyless wall socket, #1/4-inch brass slade ring, 10 meh flat type white enamel steel re flector and wire lamp guard



Percelain Keyless Ceiling Light

For ceilings or walls molding is used. Par bendarly utayled for byrns cellurs garages or damp places. For cellin, keyless, with socket fitted complete. with wire lamp guard and to-watt clear tung


No. 84A6734 Price, complete 19c



Porcelain Key Ceiling Light

For walls or ceilings where open wiring or molding is used. Par-licularly adapted for barns, cellars, garages or damp places. Por-celain key wall sucket fitted complete with wire lamp guard and 10 watt clear tungsten


lamp. No. 31A6751 Price, complete



Length, 4 feet to bot-tom of lamp guards Complete with 4-inch stamped steel cover with insulated bushing for iron ceiting heavily insulated cans vasite cord, porcellen key socket and ware lamp guard.

No. 34A6686 Price, without tungsten lamp...... ale Price, as shown, with 40-watt clear tungsten lamp.....76c

Electric Drop Cords and Electricians' Supplies



clain bushing Standard overed twisted lamps ord

ith rubber bushing No. 34A6799 Price each For each extra

coded wring Standard coxered twisted lamp cord and brush brass key sorket with rubber bush

No. 34A6797 35c For each extra 1120

4-Foot Drop Cord with percelain cleat resette for open witing. Standard covered twished limp cord and brush brass key

No. 34A6777 35c Price, each other 1120

Albeh stamped steel cover with rubber leashing for from celling box. Standard covered twisted bamp cord and brush brass key

No. 34A6776 35c Price each 350 Lor each extra 1 c

Round brush brases Vinch celling can pay with ported in bushing Standard rowered lamp celd with ball officebr for raising and lower ing brases key socket C, who shade holder and Dirich nothing fleeter, green outside and white coamel linside

No. 31 \ 6779

with porceion clear rosetic for open wirely Consists weather professed (wished standard in sudated with cosmical with weitherproofed consists and Edisortasi purerhinkey socket

No. 31A6773 Larenhestra foot add with porcelar profits for so could writing. Converted with the weatherprofit control with converted with other profits for most red with other profits for most red with worth representations.

No. 31A6775 Lorenderth Catoff 11 t Weitherproof Deep Gord with the heavy of disclosure with 100 techniques of the force of the Converte weither proof cort, 3x (cd.) infalled wire exceed with wealth exported curves and the company of the heavy which I dron are percelan key sucket

No. 34A6774 Price cach Lorench extra to failed

No 31 16031 Price cach., 50c st 16630 Price le No 31 16 37 Price

6-inch Combination Phers Wite Caster tombination Ges Wire and 8-freedriver. Forged steel lidek kinesh togged tool steel polished paws Scrawdriver on non-hindle tradition of the Tength conduct tradition of the Tength conduc

Electricians' Gasoline filue Blast Bl. w forch | 11 shigh grade torch has an attachment for h foliag a In Long Nose ap Joint Side

Dr. pt.ord Vdjuster stallston work Arteible for see on all electrowling the polysed like the polysed plans. Warranted the polysed plans Warranted the polysed plans work arteible for see on all electrowling the polysed plans. The polysed plans work arteible for see on all electrowling the polysed plans work arteible for the polysed plans work. The polysed plans work are polysed plans to the polysed plans work are polysed plans. The polysed plans work are polysed plans to the polysed plans work are polysed plans. The polysed plans work are polysed plans to the polysed plans work are polysed plans. The polysed plans work are polysed plans to the po



Districtors Diffy practical torch made. Nickel plated brans lank Ma, I ed for cose diring wires and outlets with throf adderaig paste

Shipping weight 8 ounces N. 34 16638 854



Close Battom Wire Lump Guard Heav y timed with Sough Soldering wire spring bolder for lamp Paste Prospect to

Prat rach 1.19 er Price per paid 1 22c



No. 31A4763 \$0.12 No. 0 ACD Wife Sold

1 1/2-In. No. 6 Flat Head Recewafor wallanckela

No 31 No. 37 Lym No. 31 bit Head Bright Iron Wood Serews for crowleet.

Price 3 doz 6 / No. 31 V6608



The Underwriters' robs re r f friction tape on all and applica

Principle State 12 Control of the State 1 Con

Page Ninety-Three

SEARS, ROEBUCK AND CO., CHICAGO, ILL.

Key, Keyless and Chain Pull Brass and Porcelain Sockets



New Wrinkli Kryleson Sorkel Lift on for a With out theology for short fixed brasson prilate floor of siste State Dotah destreal 2s for h

car No. 31A6502 Price eigh Tác Price eigh, in lobent A to 100 He 45 to 100 Price, each, in lobr of 13c



"New Witcher Bry Socket them by a With of the planting butting butting butting but being but being or pool but being being butting but


No. 31 \6500 Price such Price each in lobs of Lac

New Wrinkle Bry Saket with hard rother double torships I draw have thresh house or a listed brise fin teh. State finish desired

No. 31 Yeart Price cach | 16c Processh in labor, 25 to 100 15c Price, each, in lots of 14c

w Wip kle Chain Pul So ket Edicortus Williand Footstips, leish sing throsh by seeing political televillar as brooks. State finish desired to be seen as a superior of the brooks.

No. 31 \6 501 Price each Me. Price, each, in lota 280 of 25 to 250



Porcelain Key

Socket with pend-

unterp Edison base For drop

No. 31 \6526

Price, each 15c

Porcelain Keyless Socket with pend ant cap Irdson. best for drop.

No. 31 \6521 Price cach 13c



Porcelain Keyless Sockel with 1s inch brasscap Threaded I dison base For fixfures:

No. 34A6528 Price, each . 15c



Porcecum key Socket with 3 mil brassi ip. Threaded. I dison base For fixfures

No. 31A6527 Price, each 18c



Portclain Chain Pall Socket with insulated chain branch brass cap. Threaded Edison Lase for flatures Excellent

No. 34A6529.

" New Works hell as Will Social I draw from Brosh brave of the Post from will been the Will been spring of the Post from will been spring of the spr

No. 31 \6 108

New Winkle Key Wall Scikel I divortise Rusch Frie with brees finish Percelus with free 11 des ta apporting sources and

ducal II of

New Wrinkle Chem Pull will so ket I drom hose Brighty ess satinfaces in the hoteless satinfaces in the hoteless wall beast Bobs Cropporting services special Control of the so-conduction.

No. 31 \6510 Price, each "Or Price, each 21c Price each

Hay not look Kry ess Wall Socket I discultance Filled with triss she boud potertion contraded with his Holes for supporting services spread by the his

No. 31 \6509 Price, each 12c "New Wrinks Kery ress Augle Will Stocket I disson lessor Brush brass satin brasss furtsh Percelain will besse flishes for supporting series spiced 1's nulses on centers

No. 31 \6514

Pince each 25c

New Wringer Key Angle Wall Sucket Edison bise Brush Brass satin brass flat (sh. Porcelain wall base Holes for supporting screws spixed 1½ inches on centers

No. 31 \6512 Price each

wallbase. Holes for supporting serous spaced 13g inches on cen-ters, 8 meh chain No. 34A6516 Price, each

New Wrinkle Chain Putt Angle Wall Sockel Edison Base Brush brass (salin brass finish P ro Jain



The above three illustrations show the construction of the "New Wrinkle" Socket. "New Wrinkle" Socket. National code standard brass shell fiber fixed. Edison base. Patented "New Wrinkle" fastening device, which permits the socket to be taken apart ensity without the act of the control of the cont the act of a seri-williver or other looks. When assembled other foods. When assembled it is very substantial. After placing the cap on a flature, the key of the socket can extend in any direction, as their are no seew holes to be matched between cap and shell.



"New Wrinkle Keyless We of Coding Socket Edisorboxe Bass ceiling I see with posulated post claus bottom. Brookly issessed to brases finish. Dutside shamelet of poreclaim large, § 110 (inches Heles for supporting screws are spaced I inches on centers.


No. 31 \6520 Price, each ... 27c





New Wrinkle Chain Pull Will or Ceiling Socket Edison base. Brass craing base with usualited per sciam bettom Estimate them from Brush brass satin brass flush Outside diameter of porcelain bases. Clib to taches. Holes for supporting screws are spaced anches on centers.

No. 34 Vong? Price, each




Wireless Cluster. Porcelain body covered with a genuine brass body shell in brash brass or p lished brass finish. State finish desired.

No. 34A6557 2 Light. Price, each, \$1.05 No. 34A6550 s Light, Price, each, 1.18 No. 34A6551 41 ight Price each 1.35 Benjamin Aluminum Weatherproof Keylisse Socket Filsson base seinch cap This socket is recommended for all fas-tures used on outside work. Absolutely weather and water proof

No. 34A6525 Price, each .. 49c

SEARS, ROEBUCK AND CO., CHICAGO, ILL.



Porcelain Will, or Colling Key Socket or conceiled writing. Edison base from one of the writing. Edison base for some of the writing series as the supporting series as the series for supporting series and the series for supporting series as base 1 libes for supporting series as parcel 2% in the series in base 1/2 in the series in base 1/2 in the series wide.

No. 34A6536





Porcelain Key and Keyless Sockets, Current Taps, Etc.

Porcelnin Keyless Clest Recep tiele with open terminals for clear wiring defison best. Hobes for supporting serens are spaced 1.15 to inches on centers

No. 34A6537 rice, each 18c Price, each 15c Price, each 17c In lots of 280, each 61/4c



Parrelain Keyless Weatherproof Receptacle 1 dison base 1400 d with 6 inches of No 14 % inches of virial ways are supporting serves are spaced 14532 inches on centers.

No. 31A6539



Potcelein Wall or Celling Key Sucket for use in wiring with wood modding Edison base Holes for supporting screws are spaced and he son senters

No. 31 \6765



Porculain Keyless Cleat Receptable with conceded terminals for cleat wiring Edison base. Holes for supporting screws are spaced I's inches on center Carries wires 12 inch from the surface.

No. 34A6540



Weatherproof Mica Composition keyless Sucket I dison base. Fitted with 6 inches of No. 14 inches the ber envered wire. To be attached di test to the feed wite as a lemporary

No. 34A6544 I2c Price, each 9c



Weatherproof Porcelain Key-less Socket. Edison base. Fitted with a makes of No. 11 rubber covered with In be at tached direct to feed wires for outdoor purposes and in damp

No. 34A6545



Brass Pendant Switch. Made of brass in brush (antin) brass finish. I'sed for turning on and off electric lights on fixtures not controlled by switch and out of reach from the floor. a bottom knob or extended to any length by cord from center of fixture.

No. 31A6517 Price, each

Round Duplex 10-Gauge Electric Cord in single silk cosing. For use on



Porcelnia Pendant Switch, Made of porcelain in embossed design, finited a gray color. Used for turning on and off electric lights or fixtures not conticled by wall switch and hing out of reach from the floor. Can be extended to any length by cord.

No. 31 \6743 30c Price cath



Porcelain Keyless Recentacle

for use with word molding 1 di-son base. It less for supporting serows spaced 1740 inches on

No. 31A6764

Chain Pull Make and Break Brass Pull Switch A very handy article for all fixtures installed in a home without a wall awitch. Can be attached to the bettom of a fixture having a ballom knot or extended to any length desired by a cord from designed by a cord from the center of the twin of the pull of the chain times on the light of another pull extinguishes. It. Brown brown finish, with 8 inches of chain.

No. 34A6549 Price, each 15c Price, each 87c



No. 34A6655



Plug Clusters. Porcelain body with a genuine brass dy shell in brush brass or polished used for increasing the number of hts or to operate an electric fan and we a light at the same time. Fits any

No. 34A6553

Twin Chain Pull Socket. Made of brush bross (satin brass) finish, Edison plug bast. Tits any stand and Edison base socket. First pull con-

No. 34A6558

Brass Current Tup With Rotating Sleeve. This is used where light is desired and also where a connection is to be made for an electric iron, chafing dish, percolator, lump or any other electrical desice. It has a relating sleeve whereby it may be attached in any desired position without twisting the lamp cord.

No. 34A6753



Porcelain Current Tap With Detachable Plug.

For safely carrying current from an electric flature to fans, motors, lamp and ato, the tried device without eliminating the original light. Edison base and snap porcelain attachment plug.

No. 34A6752

Price,teach......26c



No. 34A6541 No. 34A6511

Adapted for decorative work or general lighting, such as lown parties, fairs, street illumination, etc., or where outside lighting is required for a short time. Illustration is one fourth actual size. This illumination can be extended to any length and number of lights the addition of suckets, cleats and wire. We recommend a rubber covered stranded wire on this outil Forcelain Suspension Socket. The binding screws on the side have pointed ends which pointing the headstation on the wire and make contact with the copper wire. No. 34A6531

No. 34A6749 Price, each......4c

Rubber Covered Stranded New Code Wire

EARS, ROEBUCK AND CO., CHICAGO, ILL.

Page Ninety-Five

Porcelain Rosettes and Sundries-House and Fixture Wire



Porcelain Concealed Wiring Rosette

This resulte is fusiless with concealed ferminals and removable cap which snaps in place by a slight turn. For drop cords on concealed wiring. Holes for screws apaced 1% inches on center.

No. 34A6740 Price



Porcelain Self Tying Ceiling Button

Used with drop cord cleat and knob-open wiring. Can be nalled to reiling and drop cord easily althe he die he ford where. Moles for serves are spaced 1330 inches on centers. No. 34A6771

Price, each, 5c Per dozen



Porcelain Separable Molding Rosette

This reactle is functions, with mov-able cap. To be used for drop cord metallations in conjunction with wood modding floles for screws spaced 1% inches on center

No. 34A6850



Porcelain Cleat Rosette

Carries wire 1/2 inch from the surface wired over. Can be the cose the Holes for molding series share been provided in the cose the Holes for molding series share been spaced 143 32 inches on centers.

No. 34A6741



With Enclosed Terminals Holes for supporting screws are

spaced 1; inches on centers Adapted to all open wiring where drop cord is to be used.

No. 34A6772



Porcelain Molding Crossover

For use with wood molding where two wires cross, making it unnecessary to earry them over in loom. Crossing two

Porcelain Tubes

No. 34A6766 Price



Porcelain Molding Taplet, Corner Style For two wires. Used for a right angle turn. No. 3146851 Price

Porcelain Molding Taplet, Branch Style For branching off the main line, making it un-necessary to cut the wires.

No. 84A6767 Price.



Two-Wire Porcelain Cleat For Nos. 12 and 14-gauge wire. Glosed finish.

No. 34A6750 Price, per pair ... Per 100 pairs ...



Square Porcelain Switch Base For concealed or molding work. Will at any 5 or 10-ampere spap switch.

No. 34A6748 Price.



Porcelain Square Split Knobs

Price, each




Porcelain Round Solid Knob, No. 51/2

Old Standard, 1-Inch. No. 31 \6755 Price each £0.00 %

New Code, 1% inch. No. 34 \6680 80 (k) 76

Porcelain Round Split Knob Old Standard, 1-Inch. New Code, 1%-inch.

No. 31A6757 No. 34A6681 Price cach. Price each \$0.01% Per 1,000



Silk Covered Copper Wire

For wiring fixtures. Silk covered brush brass color copper fixture wire. Single ductor Approved New Code insulation.

No. 34A6790 16-gauge. Price, per foot Per 100 feet Per 1,000 feet.

No. 34A6792 18-gauge Price, per foot Per 100 feet Per 1,000 feet



Flexible Silk Corred (Olive Grunf Dupley Cord

Length 6 feet. Two parallel wires in one casing with rotating sleeve plug attached. Approved New Code insulation. No. 34A6796 Price, complete

Cotton Corered (Green and Yellow Mixed) Copper Wire Two conductors (twisted). Approved New Code insulation. For drop cords and extensions, 18 gauge

No. 31 \6793 Price, per foot 11 Per 100 feet 81 25 Per 1 000 feet

Waterproof Canvasite Cord. Canvas Covered Copper Wire For use as drop cords and extensions in all damp places, such as cellars, garages and barns. Approved New Code insulation. Takes currents up to 600 volts. 16-gauge.

No. 31A6616 Price, per foot Sc Per 100 feet 82.60 Per 1,000 feet ...

Waterproof Packinghouse Cord. Canvas Covered Copper Wire Lot use as drop cords and extensions in all damp places. Heavily insulated and made round with jute filter and wrapped with two weatherproof brants, for currents up to 600 volts. 16 gauge No. 34A6617 Price, per foot 31 Per 100 feet 63-00 Per 1,000 feet




Single Braid House Wire For open (knob and tube), and molding wiring. No. 34A6781 10-gauge. Price, per foot 8 0.01% 1.60 15.50 Per 1,000 feet

No. 34A6783 12-gauge. Price, per foot 8 0.0113 Per 1,000 feet 11.00 No. 34A6782 14-gauge. Price, per foot 8 0.01 Per 1,000 feet 7.95 Single Braid Fixture Wire To be used for wiring electric fixtures No. 34A6784 16 gauge. Price, per foot. Per 100 feet Per 1,000 feet

No. 34A6786 18 gauge. Price, per foot Per 1,000 feet

Double Braid House Wire For use in rigid or flexible conduit, No. 34A6610 10-gauge. Price, per foot 8 0 0214 1 ×5 17 30 Per 1,000 feet No. 34A6612 12 gauge. Price, per foot . # 0.0133 Per 1,000 feet 13.50 No. 34A6614 14-gauge. Price, per foot Per 1,000 fee:



Duplex House Wire-Two Wires in One Casing For use in rigid or flexible conduit No. 34A6788 12-gauge. Price, per font 0 0.03 14 No. 34A6780 1f gauge Price, per foot

Triple Braid Weatherproof Copper Wire

8 0 02

For all outdoor use. Heavily insulated to withstand the weather. No. 34A6693 10-gauge. Price, per foot. B 0.01 34 tion Liam fort No. 31A6694 12 gauge. Price per foot Per I 000 feet 9 00 No. 34A6695 Highuge 8 0 01

SEARS, ROEBUCK AND CO., CHICAGO, ILL.



ush Button Switch. Single pole, mperes.

No. 34A6730 ch, 23c. Prace for 10 \$2.10 me as No. 31A6730, but three-way, No. 34A6731 ch, 35c. Price for 10



No. 34A67322 Oxidized copper finish.

No. 34A67321 Nickel plated finish.

		Brass Wal Flush Plate for Switche No. 34A6730 at No. 34A6731 wh one, two or thr switches are use Made of genun brass in brus brass, oxidize copper or nick plated finish. Complete with screws.
inist.	_ No. 34A6734 B	rush brass finish.

Brass Wall Flush Plates for Switches No. 34A6730 and No. 34A6731 when

one, two or three Made of genuine brass, oxidized copper or nickel

plated finish. Complete with



Electric Switches, Plates, Plugs and Cut-Outs

No. 34A6733 Brush brass finish. No. 31467332 Oxidized copper finish

No. 34A67331 Nickel plated finish.



Indicating Key Snap Switch, 5 amperes, 110 volts. The key for turning this switch is on the side and out of the way, therefore not easily broken off. At one end of the key is a pointed indicator which, when turned toward the wall, indicates that the electric current is turned off and when pointing forward that

No. 34A6548 Price, each 16c



Turn Button Switch. Single pole, 5 amperes. Polished nickel finish Holes for supporting screws are spaced 1.5 He in the son centers.

No. 34A6736 Price each. 14c Same as No. 31Ad736, but three-way No. 34A6735 Price each 22c Same as No. 34 Vol'36 but indicating

No. 34A6737 Price each 15c



dison Baseboard Plug Receptacle. Com-te for attaching electric portable lamp, a, toaster, etc. When not in use the hid closed, making the plate flush with the seboard or wall. Brush brass fluish.

No. 34A6739

...\$3.20

Chapman Baseboard Plug Receptacle. Complete for attaching electric partable lamp, into toaster etc. The hist formserting the plug close over the cord so that the plate is at all times flush with the baseboard or wall.

No. 34A6738 Price, each 54c



No. 34A67342 Oxidized copper finish

No. 34A67341 Nickel plated finish,

Attachment Plug with Edison Screw Base, having a rotating slieve which makes it possible to altach the plug quickly without twisting the cord.



Separable Attachment Plug with Edison Serew Base. Percelam body and cap. The cap is detachable from the body of the plug by simply pulling apart, making a quick make and break connection.

No. 34A6554 Price, each 13c



Separable Attachment Plug. Made with carry 660 walls Edson serew base. A convenient affect for connecting portable Lump a feeting from and all other electrical

No. 34A6555 Price, each 15c



Copper form hal Fase Links to be used with No. 31 A6722 and No. 44 A6723 Switches. Carried in sizes of 10, 20 and 30 amperes State size wanted

No. 34A6630 Price for 10



Single Branch, Two-Wire, 10-Ampere, 125-Volt Panel Switch, de of porcelain. For Edison base fuses. Fitted with one igating spap switch.

No. 34A6675 Price, each .. Double Branch, Two-Wire, 10-Ampere, 125-Volt Panel tch. Made of porcelsin, For Edison base fuses. Fitted h two indicating map switches. No. 34A6679 Price, each



Double Branch, Two-Wire, 30-Ampere, 125 Volt Plug Cut-Out Block, Made of porcelain. For

Double Branch, Three-Wire, 30 Ampere, 125 Volt Plug Cut-Out Block, Made of porcelain For Edison base fuses

No. 34A6728 Price, each



Single Branch, Two-Wire. 30-Ampere, 125-Volt Pluz Cut-Out Block. Made of porcelain. For Edison base Juses



N. E. Code Cartridge Fuse. To be used with switches Nos. 34A6762 and 34A6778. Sizes, 10, 20 a 0.4 30 amperes

No. 44 \6645 Price, each

Edison Base Plug Fuse. From 6 to 30 amperes. Mention amperage des

No. 3136714



hirty Ampere, 450 Volt State Base I'wo-re Main Line Switch and Cut Out. For lo. 34A6722 Price, each . .. 40c Thirty-Ampere, 250 Volt, Slate Base Three Wire Main Line Switch and Cut Out For link fuses No. 34A6724 Price, each


I wenty Live-Ampere, 125 Volt, Porcelain tomb action Two Wire Main Line or Entrance Switch and Cal Out For plug fuses
No. 34A6725 Price, each 37c



Aharts Ampere 175 Volt Porcelain Combination Three Wire Mon Line Switch and Cut Out Torphag fases No. 34A6726 Price, each



Thirty Ampere 250 V II State Base Two-Wire Wing Line Switch and Cut Out For No. 31A6778 Price each



Thirty Americ 280 Vait State base thric Wes Man Line worten and Cut Out. For car rolls fuses. Type C. No 34A6762 Price each 65c



Round Deep Outlet Box

B. 11/2. 4 inches in diameter, 11/2 In hes deep with five knockouts in bottom and four on side for ly-inch conduit or BX cable. Black enamel

No. 34A6604 80.12 Price for 10...... 1.00 Round Drop Cord Cover

BD 4 Inches in diameter, with % lach insulated bushing for drop cord. For use with No. 34A0803 Round Outlet Hox. Black enamel



12 lach condult or BX vable. Black coamel finish.

No. 34A6593

Price, each 10c

Round Drop Cord

Corer

CD 3¼ inches in diam-

Price, ench-

Square Fixture Outlet Cover

AC Raised open cover for fix. tures. To be used with box No-84A6389. Black enamel finish.

No. 34A6587

Type E Condulets

No. MARRIE With two wire hole por celain plate. For by inch conduit

celain plate. For & inch conduit.

Price, each. 30c No. 51A6670 With two wire hole par-

three-wire hole porcelain plate. For %

Type II Switch Condulet

To be used with conduit for snap

Switch End Condulets for rotary or turn switches for 12-inch conduit.

Rigid Conduit

Threaded at both ends with

Round Shallow Outlet Box

B. 14. 4 inches in diameter and 12 luch deep, with five knockouts in bottom for 14 inch conduit or BX cable. Black enamel finish.

No. 34A6600 Price, each 7c Price for 10....... 62c



Cover AA 4 inches square,

BJ 4 inches in dito be used with No. 34A6589 box. Black chamel finish. snap switches in con-junction with 4 inch Round Box No. 34A0604 No. 31A6585 Black enamel finish.

Price, each 7c No. 34A6607



Outlet Box for Junction

Switch or Fixture

A. 1%. 4 inches square, 1% inches deep, with five knock-outs in bottom and two on each

side for 12-inch conduit and two for 12-inch gas pipe. Black chancl fig.sh

No. 34A6589

Square Flat Closed Round Flat Closed Cover

BA 4 inches in diam-eter, for closing ceiling outlet box. To be used with No. 34A6604 Round Outlet Box. Black enamel finish.

No. 34A6606 Price, each 6c

> Cut-Out and Switch Box Made of sheet steel, heavily is

panned in black fluish. Knuckouts in side for ½-inch conduit or BX ar-mored cable. Approved and re-quired by loard of fire underwriters to enclose all cut-outs and switches.

inches. Price, each......\$1.10

BX Bushing for

attaching flexible

armored cable to

No. 34A6716

Price, each....5C

iron box.

No. 34A6566 Size 10v18v3



Square Drop Cord Corer

4 inches in diameter with %-inch insulating bushing, to be used with No. 34A6589 box Black enamel fluish

No. 34A6586 Price each 9c



Single Wall Case or Switch Box

AA Union. To be used with all switches and baseboard receptacles with knockouts for flexible loom. and fits any switch Black chamel finish

No. 34A6590

No. 34A6658 Price, each ... 15c

Round Raised Closed Cover

BB I inches in diameter with his inch raised crown for closing outlet box in ceiling. To be used with No. 34A6604 Round Outlet Box. Black en-

amel finish.

Gas Pipe Ground Clamps

Made of stamped steel, galva-nized finish. Fitted with two exten-

sion legs having serew centers 1/2 inches apart, and made with a

fringe so as to close opening around the gas pipe. To be used in con-

No. 34A6656

Price 5c

junction with BX armored cable.



AA Union Spacer To be used with AA box for two or more switches. To use, remove side of sm gle box and insert - n.cy spaces as you desire switches many less the removed from cast for the opposite of the literal and touch

No. 31 \6591 Price, each 14c
Same as above but to be used with BB box for 4.

inch conduit No. 34A6659 14c Price, each



Round Raised Open Cover

BC 4 inches in diameter with 1 anch crown for redus ing 4-inch box to 3 inches. To be used in connection with No. 34A6604 Iron Outlet Box Black chamel finish.

No. 34A6603

No. 34A6605 Price, each....7c CB 34-inch. Same as No. 34A6605 above, but 34-inch. To be used with No. 34A6593 box.

No. 34A6594 Price, each ... 5c



Porcelain Receptacle Box Corer

Porcelain Weatherproof Receptacle with 6 inches of No. 11 stranded rubber covered wire and 4-inch round black enameled metal cover. To be used a conjunction with 4-meh round iron outlet box.

No. 34A6560

.....17c Price, each




Locknuts for Conduits



Price, per dozen Pres perderen



No. 34.16601 Two-wire



No. 34A6608 Price, each......8c Price, each

Square Single Switch Cover

AE. A. For holding one switch. To be used with box No. \$1A6589. Black enamel finish No. 34A6592



Tune A Condulete No. 34A6001 With two wire hole por-

celain plate. For 1/2-inch conduit.

celain plate. For 34-inch conduit.



Type C Drop Cord Condulets No. 34A6673 Type C Condulet with

one-wire hole porcelany plate. For the honduit. Price, each, Sa No. 34A6074 Type Conduit with one-wire hole porcelain plate. For him honduit.



N : 31A0571 Rigid Conduit. & inch. (10-foot lengths only,) Price, per foot Pros. per 100 foot Price, per foot..... 0.04 Price per 1 000 feet....... 35 (a) Piter per 1 000 fert ...



AG. %, 4 Inches square and % luch deep, black enamel fluish. To be used with No. 31A8589 Outlet Box for holding two switches.

No. 34.1658810c Price, each



Tupe F Service End Condulets. To be used with conduit where the feed

Wite scuter the building No. UA0580 Service Laid Condulets

with two hole porceiain plate. For inch conduit. Price See No. \$4.4683 Service End Conduits



Type B Condulets No. 31A6663 With two-wire hole por-



Price, per food ... 8 9 10 Price, per 100 feet 8.70 Price, per 1,000 feet.. 80.00 Greenfield or Flexible Conduits Greenfield of Flexible Conduit, Spinch,



Circular Loom Hexible Conduit for House Wiring. No. 31 A6577 4-Inch Price per 1 000 feel,



Porcelain Insulating Bushings Used With Steel Service and Outlet Boxes for Insulating. No. 34A6588 For 14-inch knockouls

Price.....4c



Angle Box Connectors Made of stamped steel in galvanized finish for use in conjunction with BX armored cable where short bends are made to enter box. This connector is bent at an angle of 90 degrees.

Price 9e



Price, per foot... 70 of Per 100 feet.. 1 10






Electrolier or Separable Insulating Joint Size Price, Catalog 34A6710 %x% in. 25c

Fixture Studs

inch, for supporting ures where iron boxes are







Iron Crowfoot



ice, each .. 3c

Books on Wiring and Illumination

Modern Illumination



A handbook of practical information for users of electrie light, architects, contractors and electricians, by Henry C Horstmann and Victor II. Tousley. The last word in dectrical science and electrical construction. Know what the best lighting systems

how they should be installed, and at kinds of lights are most effective. this book the nature and properties light are briefly yet clearly exined. Photometry and illuminatcalculations are explained in a ctical manner. Different types of ips are described with reference to struction, use, advantages and obtions. Reflectors, flutures, location lamps and indirect lighting are elligently treated. One chapter of urate directions for drawing up ns and specifications. Just pubed. Pocket size, 273 pages, with ctical tables, illustrations and diams. Bound in morocco leather, mped with gold. Size, 4% x6% hes, Weight, 1% pounds.

lo. 34A4784 Price.....\$1.48

House Wiring

vo 34A6742

Price, per 100 Price per 1000

100-Watt.



Describing and illustrating up to date methods of installing electric light wiring. Intended for the electrician, helper and apprentice. Contains just the information needed for successful wiring of a

building. Fully illustrated with diagrams and plans. 103 pages. Bound in stiff linen covers. Shipping weight, 8 ounces.

No. 34A4411 Price

Wiring a House By Herbert Pratt. Tells just how to plan: where to begin; what wire to use; how to run it according to insurance rules, etc. Paper covers, 21 pages. Size, 51/2x8 inches. Shipping weight, 4 ounces


No. 34A4412 Price......19c

No. 34A 4400 Electric Lighting. Lighting. Price, each No. 34A 1402 Electricians' Wiring Manual, Price, each \$1.35 No. 84A \$408 Wiring House for Elec

tric Light. Price, each23c No. 34A4404 Private House Electric Lighting. Price, each68c



-Tungsten Lamps-





100 Watt.

Special Notice
Tungsten metal is very easily broken. For this reason it is advisable to make all shipments by freight or express. We cannot guarantee safe delivery by parcel post.

Carbon Lamps

Frosted Bottom Tungsten Lamps

No. 34A6815 60 Watt. No. 84A6811 25-Watt.

Price each in standard pack age (100 bamps) No 34A6813 40-Watt. 21c

Price each, in standard package (100 lamps)

Leather Heads or Washers

For use with nails and screws when putting up porcelain cleats, rosettes

21c Price, each Price, each, in standard pack-22c age (50 lamps) No 34A6817 100-Watt.

22c . age (24 lamps)

No. 34A6810 35-Watt. Price, each, in standard package (100 lamps)...

No. 34A6812 10-Watt. Price, each, in standard pack-220 oge (100 lampa)

Clear Glass Tungsten Lamps No. 84A6814 60 Watt Price, each, in standard package (50 lamps) No. 41 \6816 | 100 Watt. Price each, in standard pack-20c age 124 Jamps







Female Hose Cock



when used is drep-

State finish desired.

Price each

Prac suh

Price cach

Per dozen

Rubber Bushing

Per dozen

No. 34 Antis? Price for 10

Electric and Gus Shade Holders Made of extra heavy solid brass. These hele is are very much heavier and stronger than the hid is usually sold. They are very rigid and neat in option the Pol shed Fries or brass, esting brass finish.

No. 34A0758 214-inch Electric Shade Holder.

No. 31 A6760 314-inch Electric Shade Ho'der.

No. 14 \6900 4-inch Gas Shade Holder.

Price each 241 15 l'r ce, per dozen 1.65

device for you on pull chain

"Globall"

It glows in

the dark and

enables one

to locate the

mediately.

A very bandy

L Burner Cocks

No. 41 Vesto.



Furnished in the following sizes: 10 11/10005 ant and h 10 31 11951 don. z. No. 31 \6981

Indemndent Cock



10 31 \6990 No. 34A6989

Furnished in the following sizes

's inch

3 inch

12 inch 14 inch

34334 inch

Single Pillar Cocks

No. 84A6985

No. 31.10086


No. 31A6987

No. 31A (1916)

Furnished in the following sizes No. 31A6050 11 N minh

No. 34 Years1

Furnished in the following sizes:



110 Volts-Standard Edison Base

No. 34A6800 8-candle power. Price, each, in standard package +100 lamps)

No. 84A6802 16-candle power. Price, each, in standard package (200

32 Candle Power

No. 31A6801 32-candle power.

Price cach Price cach, in standard package (100 lamps)

Turndown Lamp. 8-Candle Power. 16-Candle Power.

No. \$4A6803 Furndown clear glass carbon electric lamp, 110 volts. Regulated by pulling the cords to burn either 16 or 1-candle power. A splend d lamp for burning through the night where a small light is required. Price, cach

Round Lamp

16-candle power, 110 volts. I dison base, frosted round carbon flament lamp, 2½ in. in diameter.

No. 34A6808

Price, each



Flame Lamp 16-candle power, 110 volta,

candelabra base, twisted imitation flame frosted carbon lamps

No. 34A6809 Price each

Complete Incandescent Gas Lights—Inverted and Upright

Our Leader Inverted Gas Light

Bright brass burner. Fitted with air shutter and adjustable gas regulator, metal mantle holder, 3½ inch bross shade holder and inverted mantle. One half frosted open bottom blown glass globe

No. 84A2425

Price, complete......28c



High Candle Power Home Gas Arc Light

Double the candle power and consumes no more gas than any ordinary inverted light; genuine brush brass burner, fitted with gas and air regulator, magnesia mantle support, by-pass, gooseneck and mantle. Round squat pattern open bottom opal glass shade.

No. 34A2444



Inverted Gas Light

Bright brass burner. Filled with gas and air regulator and magnesia mantle holder, mantle and fancy leaf design frosted glass

No. 84A2443 Price, complete......63c



Natural Gas Light

Polished brass gas burner with fancy laper tube. Burner fitted with gas regulator, cap mantle and 6-inch onal glass globe.


No. 34A2420



Miniature Gas Light Brass Burner, Fitted with gas regulator, mica airhole chimney and

No. 34A2415

mantle.



Crown Inverted Gas Light

Bright brass adjustable inverted burner. Fitted with air shutter, adjustable gas regulator, metal mantle holder, 3½-inch shade holder surmounted by fancy brass crown, one half frosted blown airhole glass globe and inverted mantle.

No. 34A2435



Extra heavy bright brass inverted burner. Fitted with 3½-inch shade holder, air shutter side screw gas regulator and magnesia metal bound mantle holder, inverted mantle and open bottom, one-half frosted blown glass

No. 34A2430



Miniature Gas Arc Light

A powerful inverted gas light suitable for all places where a strong light is desired. Ideal for stores, restaurants, etc. Cannot be beaten for lasting qualities. Made of steel, finished in white enamel with gold stripes. Fitted with a metal bound magnesia mantle support, containing a fine wire sieve, needle valve gas regulator and air regulator. Round squat pattern opal glass shade and brass chain by-pass and gooseneck. Complete with inverted mantle. Retail price,

No. 34A2440

Fancy Inverted Gas Light.

Bright brass burner. Fitted with air shutter and adjustable gas regulator, magnesia mantle holder, 3¼-inch brass shade holder, inverted mantle, inner chimney and holder. Mushroom shape frosted shade with 3-inch bend fringe,

Bereit Bernetennen Baranen

No. 34A2E31 Fitted with crystal shade and erystal fringe.

No. 31A2432 Fitted with green shade and

No. 31 V2433 Fitted with ruby shide and ruby



Upright Gas Light

Brass burner in polished brass finish. Fitted with laper tube Bunsen and patent admistable g is regulator. Complete with cap mantle and opal nirhole globe for either artificial or natural gas. Packed one in a carton.

No. 34A2410 No. 34A2411



Fancy Inverted Gas Light

Bright brass burner. Fitted with air shutter and adjustable gas regulator, 31/4-inch brass shade holder and inverted mantle. Fancy frosted glass shade in bunch of grapes design.

No. 34A2426 Price, complete59c

No. 34A2422

Page One Hundred

SEARS, ROEBUCK AND CO., CHICAGO, ILL.

Incandescent Gas and Gasoline Mantles

Selling our Mantles by the half dozen enables us to quote a lower price than if we sold singly. It also assures you of having an stra mantle in the house if the one in use should break suddenly.

Upright Gas Mantles

Our Leader Cap lantle. Single weave. No. 34A2460 Price, per half 28c



Can Mantle, Special Single weave. No. 34A2465 Price, per half 72c.

Cap Mantle. Strong single weave.

No. 34A2462 Price, per half 49c



diamond weave. No. 34A2475

Cap Mantle. Special Price, per half 98c Inverted Mantle, On

Inverted Mantles



Our Leader Inverted Mantle. On magnesia ring. Single weave.

No. 34A2461 Price, per half oge

magnesia ring. Strong

No. 34A2463

Price, per half 49c

single weave



magnesia ring. Diamond

No. 34A2476 Price, per half 98c



Inverted Mantle, On magnesia ring. Double

No. 34A2466 Price, per half 72c



Inverted Mantle. On

Black Diamond Mantles



Inverted Mantle Mounted on standard magnesia ring. Special

No. 34A2152



Inverted Mantle, Moun ted on patented metal ring, which allows a clear space

No. 34A245481.15



most powerful light giving gas mantles

(standard size) on the market today

Black Diamond Cap Mantle Mounted on metal cap and mag-nesia coated wire. Special

No. 34A2450

Acetylene Gas Burners

Our various styles of acetylene burners embody the latest improvements in acetylene lighting. They consist of a nickel plated heavy brass pillar filted with an imported one-piece (no composition) German stone lava tip. We list these tips in three sizes, which consume respectively, ½, ½ and I foot of acetylene gas an hour. ½-foot tip gives 34-candle power light, ½-foot tip gives 35-candle power light and 1-foot tip gives 48-candle power light.

Imperial

This is the best inexpensive bur-ner made. We are selling it at the price of the cheap composition tip burners which cost less than onehalf to manufacture.

No. 34A69300 32 - Foot Burner, Price, each Per half dozen No 34A69310 4 Foot Burner Price each Per half dozen o. 31A69320 1-Poot Burner Price, each Per half dozen

Victory Knurled Pillar The most popular American made acetylene burner, and the best. There is no better acety lene burner made. Cut from one solid piece of imported for man stone lava. Every bur ner tested and guaranteed per No. 34A69350 32 Foot Bur-

Per half dozen 690 No. 34A69360 % - Foot Bur Per half dozen



Inverted Shade Holder

for Acetylene Gan Made of spun brass for

shades with 4-inch opening Curved bent arm with cast

end to fit over nipple of

No. 34A6761

gas fixture.

Vesta Turndown Burner Practical-Safe-Economical.

The little pilot light in the center is not a blue (Bunsen) flame, but burns with a bright white flame, and consumes only 1-16 foot of gas an hour. This burner gives as much light as the last burner made, because it is not hand; capped by an air mixing second chamber which, of lessessily, reduces the luminosity of all other turndown burners; 4-inch

No. 34A69500 ½ - F a o 1 Burner, Price, each 90.47 Fer half dozen ... 2.69 No. 34A69510 ½ - F a o 8 Burner, Price, each 80.37 Per half dozen ... 2.69 No. 34A69520 1 Faot Bur ner. Price, each, ... 80.47 Per half dozen..



Burner Cleaner

A handy little device for cleaning an acctylene burner when dust has settled in the gas channels
No. 34A66700 Price, each



Wind Guard Lantern

Ornamental brass cap in dead black fluish with perforated tin wind screen forming a top for a round glass globe. Fitted with brass shade ring and clear glass ball

for acetylene burner.
No. 34A7080
Price, complete w t t h 5 tuch globe No. 34A7051 81.05

Proce, complete with 7 mch globe Muminum

🖴 Standard Gas Pil-

lar and Tip

Mandard Case Palter. Made of solid brass with

lava tip. This is the pil-lar and tip used on all our upright gas fixtures

unless otherwise specified. No. 34A6904

Price, each


Per dozen-

Gas Tip for artificial gas Gives steady even flame, No. 34A6908 Per dox 17c



Friction Gas Lighter this is particularly adaptable to all lighting by gas By pass with pilot light and is easily attached to any open flame burner. By turning on the gas at the key and turning the rod of the lighter. use with inverted gas lights to regulate the light high or low as required. Made of brass. 14-inch a spark is caused which

ignites the gas. No. 34A6908 No. 34A6927 20c Price, each Price, cach



Covered Gas Hose, 6 feet long. Made of rubber tubing, covered with green mohair, having brass connections at ends.

No. 34A6914 Price each



Gas Candles Round White Opal dass Candle. Height. Finches 31,46920

Price, each 4c Per dozen 45c Round White Opal Glass Bobache, Diameter. 3 inches No. 34A6922

Price, each 5c
Per dozen 5c
Square White Opal
Glass Candle, Height. No. 34A6916

cter, 3 inches No. 34A6918



No. 34A2485 rice, per half dozen 98c

end gasoline pressure imps, Rolled skirt. Sus-ended on heat resisting itc. Length 5 inches.

Are Pressure Gasoline Cap Mantie. (Not Illustrated.) Ad-justable cap fits any overhead gasoline pressure lamp. Length, 5

inches No. 34A2486 Per half \$1.08



oline Mantle. Reg-ular size. Single weave for gasoline No. 34A2495 Price, per half 37c Price, per 48c

Junior size. Single weave for use on gasoline portable No. 34A2496 Price, per 29c dozen...

\$999759749.00100000 \$9999659999

400003343

Soft Inverted Gas-

Gasoline System Loop Mantle With 14-Inch Magnesia Support. For sys-item lights or press re gasoline lamps. Length & luches No. 34A2490

Price, per half 89c

which allows a treat space between the burner tip and mautle, so that the hy products of combustion escape freely. Special heavy weave.

Price, per balf dozen

Plain and Fancy Electric Glassware



Shape Blown shade Height, 118 inches diameter 11, in these No. 31A9015

Pressed Pethled Crystal Glass Shole a Cult star design Height Py inches dramater Py inches

No. 31 A9001 Price coch



Present Crystal Shade in his star patters in instal on of primitive cut glass the gld 11; inches dimmeter 1; noches No. 31 \9009



tal shade or momented with wreath design in eat style Height Leaches dismeter Leaches No. 31 \9005

Price, each



Troster Blown Stride with does brink in that glass. Height, 1's inches, diameter 1, inches No. 34 19053

Price, each 17e



Frosted Blown Shade leich und wrath pattern in lear glass Height, 12% the he diameter 12 No. 31 \9045

Price each 18c



Frosted Glass Pan-cled Shade, Made with six painels, Height 32 inches, diometer, Er inches No. 31A9027 Price, each 16c



Glass Ribbed Shade Height, 412 inches diameter, 41 inches No. 34A9274

Price, each 30c



Shed with clear stripes lleight 4% mehes deem eter 1% mehes lor 2% mehhelder No. 34A9081

Price each



Fr sted Gloss Square Mission Shape Shade Theight, 118 mehrs diameter Linches

No. 31 \9023 Pince, each 146



Satin Linish Lamy Shape Shade Height, 112 miles, diameter 412 inches.

No. 31A9261 Price, each 25c



I rosted Shade with clear erystal atripes thought, it in his diameter. I'a melies

No. 31A9084 Price each 19e



Liusted Glass Libbert Shade Introsed an unit desgn thegat vumbes de moter, to inches. The

No. 31 \9154 Price, each




Salin Lanish 1631 Shiqo Steide - Crystat eti hid in conventional design Height 51s inches diameter, 4 a inches.

No. 34A9286 Price, each . , 65c



No. 34 A9174

Price cach



No. 34A9083 12c Price, each



No. 34A9179 16c Price, each



For 234-inch holder. No. 34A9272

Jane 1

No. 34 A9157 Price each 30c Price, each 30c

Trosted Bell Shape Shade with clear erystal stripes Satin Linish Laney Bell Shape Shade Height, 1 | inches Height, 1's inches diameter, 41/2 inches. For 214-inch holder.

No. 34A9269 Price, each 25c



Frosted Sheffield Shade, Emboused in ribbed Shelleld design. Height, 122 inches; diameter, 416 inches. For 234-inch holder. The most popular pattern in glassware

No. 34A9031 Price cach



Lorge Size Sheffteld Shade, Length N inches; diameter. 4% inches. For #16. inch holder.

No. 34 A9032 Pince cuch be



Frosted Shade. Embous ed around the bottom in restantiation design wan clear ribbedery stat stripes. Height, 3% inches; di m eter, 4% inches, For 2% meh holder

Parce, each

No. 31 \9156



meh s; diameter, 4% Dis hes

No. 31A9253 Pine, each 50e



Ish Fancy Ribbed Shade. Height, 5% inches; diameter, 114 inches For No. 31 \9295

White Satin Finish Prosted Stude, fancy pal tern with beaded Stripes, Height, 5½ inches; diam-eter 4½ inches. For 24 inch holder

No. 34A9293 Price, each 30c Price, each 45c



No. 34A9035 Price, each 35c



No. 34 19287 Price each .. 28c



No. 31 A9248 Price each , 16c



Fancy Frosted Shade

with clear crysti



White Satin Finish Ribbed Shade in handsome design Height, 5 inches, dameter P. inches, 1 or the meh holder

No. 34A9249 Price, each 35c

Page One Hundred and Two



No. 34 A9259

Price much



with elent crystal stripes to shold design. Height La tuches, dominate to the inches for the such No. 31 \9291

Price each



mit de l'arrigumme

tlear crystal bended ribs and center band. Open bottom Height 1 anches diameter 5 mehes for 25 meh bolder No. 31A9175

Price, each



Prosted Shade with clear ribbed crystal stripes. Height the inches diam eter the mines for Pre-men holder

No. 34A9170 Price, each



Light Ribbed Opal Fancy Tulip Shape Shade. Height, Sinches diameter 114 mehes for 214 meh

No. 34A9183 Price each



Frosted Glass, Fancy Crystal Stripe Shade, Height Sinches diameter, 1's inches. For 2'a-inch holder

No. 34A9082 Price, each



Frosted Paneled Shade, Height, 5 inches, diamiter 31 inches. For 2% inch

No. 34A9181 Price, each 36c

Salan Lin shifall Bell Shape Shade Height 5'r inches, dameter 1% inches No. 34 A9270

Price cach 35c SEARS, ROEBUCK AND CO., CHICAGO, ILL.



White Sal is I rush Lancy Shape Shade. Deficately hand painted in pink rosebud and green leaf design with laured wreath border. Height 5 g inches, diameter, P2 inches. For 22g inch holder.






White Satur Linesh Hand Paroted Show emposed in fond his rod but design as afternating colors of great blocks. Height 5% inches dismeter, 4% mehes. For 2%-inch. holder. No. 34A9308



Green Bead and Crystal Ribbed Stick Prism Sh. d. will crystal lassels. Length 7 air hes diameter, Linches. For 3'4-inch holder. Can be used for either gas or electricity.

No. 34A9311 Price, each \$1.15





Liested Open Bottom Ball with floral design in clear glass around the center. Height, 5% makes, diameter 5 makes. I or 2% meh holder

No. 34A9238 28c




Frosted Paneled Shade in fancy Grecian key border de-sign. Height, than hes, diam-eter, 6 inches. For 24-mch

Price, each



I rosted Laney Shade in prism effect. Height, 514. inches, diameter, 3% inches. For 2% inch holder.



Frosted Glass Clear Crystal Ribbed Shade Height Tim hes dianuter ounches for 214 meh.

6 inches. For 294-meh inch

Frosted Lancy Greenan Design Ball Hought 6

mehes dometer time hes for W inch helder

Price, each

No. 34A9223 30c



Onl Out Ornamental Briss Shade Brush -atm brass fin ish Frosted glass bring Height. 5% inches; diameter, 6 inches. For 21, inch holder

No. 34A9509 \$1.00



Fancy Crimped Hand Painted

Short with prosy border painted on the inside minatural

No. 34A9260

Frosted Ribbed Shade inside be utifully bind painted in natural colors Height 1, inches diameter, 15, inches for 2, inches

No. 34A9262 Price cach



Frosted Square Sheffield Shade Embossed in Tible d Sheffield design Height 1%

Shade with clear crystal stripes Height 5 inches dismeter 12 inches. For

No. 34A9180 Price each



White Satin Linish Paneled Shade with scilloped edge and flor I berder in a rich brown color. Height, 5 ; inches diameter, 1's inches, 1 of 2's-inch holder.



bling silk in shirred effect. Height, 5% mehes diameter, 43% inches. For 234-inch holder.

No. 34A9297 50c Price, each No. 34A9292




Amber Bead and Crystal

Ribbed Stick Prism Shade. Length, 5 Inches; diameter, 4 inches. For 3%-inch holder. Can be used for

No. 34A9312

8-Inch Colonial Crystal Priama for use on chande-liers, showers and No. 34A9310 diameter V, inches Fer



No. 31 A9159



I'r sted Rilbed Shide with leaf design birder Theight, 51, mehes dram ter fix mehes

For gla neh holder

Whate Satin Funish Fancy Shape Shade with scallops d edge and embossed in panel and tibbed design. Height 6', inches d'ambler 1', inches Torz en holder No. 31 \quad \text{No. 31 \quad \text{No. 31 \quad \text{No. 31 \quad \text{No. 3289} \quad \text{Ro. 31 \quad \text{No. 31 \quad \text{No

Price, each



Frosted Octogonal Ball with closed pointed bottom and Grootan border. Height, 72 mehes; dam-eter 6 mehes | Lor 37, meh

No. 34 \9255 65c Price, each



Hard Painted Glass Shade, richly embossed in grape design. The grapes are a natural red and leaves ticework background Height 6 in-diameter 6 in For 2 4 inch helder

No. 34A9275



Fancy Prosted Grape Stalactite Glass Shade, Height, 614 inches; diam-

No. 34A9091 38c

Tristed I mey Bell Shape Shade, hand painted on the strength of the history in pany and green leaf design in natural colors the history in the shame ter function. For the history in the holder No. 31A9265

Price, each 75c Price, each 28c



' Large Size Reed and Rib-

bon Shade, Height, 6% inches; diameter, 4%

No. 34A9155

Price, each. . 39e

Frosted rancy Bell Shape. Shade, band painted on the fiside in pansy and green leaf design in natural colors. Height, 4½ inches dameter, 178 inches Forzi, inch holder.



White Satin Finish Paneled white Satin Finish Paneled Shade I Hand painted on the outside in blue and pink forgetmennt and ribbon design, Height, 5 inches di meter, \$\frac{1}{2}\$ inches 1 or \$2^3\$, inch bolder.

No. 34 \(\Lambda 9194 \)



Frosted Ribbed Paneled Torch Shape Shade with ribbing out-bacd with black, in Mission style Height 11, inches deim eter 1 inches for 21, inch holder No. 31A9186 Price, eech 75c



White Sattn Finish Bell Shape Shade hand painted in fest mit of the and junk forget me nots and ribbon design. Height 14 inches diameter 15 mehes. Lor 2 , meh bolder

No. 34A9307 Price, each



France Shade in had design with scalleped edge. Height 5 inches disamiter tomehes, For 23 as mch holder



Fristed C R 1 Paneled Shade embessed in star design Hight I ambie damitie 51 inches. Fors , inch b lder

No. 34 19515 No. 34 A9252 No. 34 V931 Soc Price, each Soc

Plain and Fancy Electric Glassware



Emboused Cylinder Shade. The embossing is finished with matte black to represent a metal frame, Very effective for purch or den lighting. Height 6¼ inches; diam-eter, 4½ inches. For 3½-inch holder.

No. 34A9213 \$1.25 Price, each

Frosted Glass Balls, Best quality of thin lead blown glass. Evenly frosted on the inside. For use on fixtures, ceiling lights, ceiling bands, etc. Catalog Holder, Size, Price, Inches Inches Each

34.19225 31/4 6 - 1åc SLA9226 19c 31A9227 34A9228 30c 31A9229 34A9230



Frosted Pointed Bell Shade with deep clear crystal ribs in cut glass style. Height. 5½ inches: diameter. S inches. For 3½-inch bolder.

No. 34A9196 Price, each

Frosted Dome Shade Reflector. Diameter, 8 Inches. For 81/4 inch.

No. 31A9288

Price, each



Light Opel Lily Shade Height, 6 inches; flares at the bottom to 5 inches in dlameter. For 214-inch

No. 31A9193

Price, each

25e

6 Inch Green Dome Shade

with opening to enter of dome for 2% inch holder. Made of best quality green glass, lined with white. Dometer, 6 inches, Lot desk lights, read-

No. 34A9450

Frosted Paneled Glass Shade with ribs and edges outlined with black in Mission style. Height, 112

Same shade as No. \$1A9191, but larger, Height, 134

inches; diameter, 6½ inches. For 3¼ (inch holder,

inches: diameter, 5 inches. For 24-inch holder.

Price, each

No. 34A9191 Price, each . .



Frosted Fancy Shade in prism effect. Height 6% toches; diameter, 4 inches. For 214-inch holder.

Price, each37c

Large Size Deep Etched Lily Cylinder. Height, 6 inches; diameter, 4% Inches. For 24-inch No. 34A9246

No. 34.19066 Price, each 55c

10 Inch Green Cone Shade for 234-Inch holder. Made

of the best quality green glass, fined with white. Diameter 10 inches; height, 5% inches for kitchens, libraries and all places where large light is desired



Frosted Tall Shower Shade ornamented with reed and ribbon design in clear glass forming a border around the bottom and four stripes up the side. Height, 5% inches; diameter, 4% in. For 21s-in. holder. No. 34A9202

Price, each..

Conc Shaped Reflector with

of metal, enameled green on the outside and white on the

No. 34A9455

No. 34A9456

10-inch. Price, each ... 15c

214 in h opening at top



Frosted Satin Finish Closed Bottom Ball. Etched in seroll design. Height, 6 inches; diameter, 6 inches. For 3¼-inch

No. 34A9240 Price, each.



style. Height, 6½ inches; diameter, 5½ inches. For 3½-inch

No. 34A9205 Price, each

Frosted Open Bottom 5-Inch Electric Ball Shade. For 24-inch holder, Best quality of thin lead blown



No. 34A9220 6-Inch Frosted Glass Ball with clear crystal ribs which



No. 34A9236

No. 34A9190 Price, each..... Plain and Fancy Tungsten Reflectors (Glass Shades) All of the Tungsten Reflectors Have 21/4-inch Fitters. They Fit 21/4-inch Socket Covers or Shade Rings.

No. 34A9454 Price, each

Deep Ribbed Tungsten Reflectors Oneque Ribbed Reflectors. Made of best quality radiating glass. For the inch holder.

No. 34A9403 For 40-watt lamp. Height, 4% inches; diameter at bottom, 5% inches.

No 34A9404 For 60-watt lamp. Height, 4% inches; diameter at bottom, 7 inches. Price, each

No. 34A9405 For 100-wait lamp, lleight, 6 inches; diameter at bottom, 8 inches.



Plain Tungsten Reflectors Frosted Thin Lead Blown Glass Shades. Best quality of glass. For Mainch holder.

No. 34A9400 Reflector for 25-watt lamp. Height, 414

No. 31 \9401 Reflector for 40 or 60-wait lamp. Height, 4 1/2 in.; diameter at bottom, 7 in. Price, each......19e

No. 31A9402 Reflector for 100-watt lamp, Height, 5 to , doors to r at bottom, 8 in.



Sheffield Tungsten Reflectors

Frosted Embossed Shades in ribbed Sheffleld design. Best quality of glass; for 25-inch holder.

No. 34A9106 Reflector for 25-watt lamp, 15 ight, 3% inches; diameter at bottom 6% inches. Price, each.

No. 34A9407 Reflector for 40 or 60-watt lamp. Height, 4% inches; diameter at bottom, 7% inches. Price, each......45c



Shallow Ribbed Tungsten Reflector

Opal Glass Tungsten Reflector in ribbed design for 40 or 60-walt lamp. Height, 4 inches; diameter, 8% inches. For 2%-inch holder.

> No. 34A9408 Price, each......40c



No. 34A9189 Price, each

Square Tungsten Reflectors

Frosted Square Shades. Best quality glass; for 2%-inch

No. 34A9411 Reflector for 25-watt lamp. Height, 41/2 inches; diameter across corners, 6 inches. Price, each

No. 34A9412 Reflector for 40 or 60-watt lamp. Height, 5% inches; diam-eter across corners, 8 inches.

Price, each 40c



Fancy Tungsten Reflectors

Frosted Fancy Shades with clear crystal stars and crystal ribs. Scalloned bottom. Best quality of glass; for 24-inch holder.

Reflector for 25-watt lump. Height, 4 inches; diameter at bottom, 5% inches. No. 34A9416 Price, each 22c

No. 34A9417 Reflector for 40 or 60-watt lamp. Height, 4% inches; diameter at bot-Price, each



Prismatic Tungsten Reflectors

Made of best quality pressed clear glass with light radiating prisms. For 24-inch holder.

No. 34A9413 Reflector for 40-watt lamp. Height,

41 inches; diameter at bottom, Price, each22e

No. 34A9414 Reflector for 60-watt lamp, Height, 5 inches; diameter at bottom, 71/4 Price, each

Page One Hundred and Four:

SEARS, ROEBUCK AND CO., CHICAGO, ILL.

Fancy Pressed and Blown Glass Open Flame Gas Shades

All of These Gas Shades Fit 4-Inch Gas Shade Ring.



Frosted Blown Shade. Hell shape. Very neat appearing, with plain straight edge. Height, 4% inches; diameter, 712 Inches. No. 34A9014



crimped (scalloped) edge. Decorated with wreath and torch pattern border in clear glass, Height, 4% inches; diameter, 7%

No. 34A9044



Frosted Open Bottom Glass Ball with clear beaded ribs and center band. Height, 5 inches; diam-

No. 34A9510

Frusted Fancy Open Bottom Shade. Handsomely embossed in leaf design Height, 512 inches, diameter, 512 inches. For 314meh holder

No. 34A9511

Q Opal Coright Incandescent Airhole Gas Globe. Made in Iron mold Height. 612

10c No. 34A9571 Price, each



Pressed Pebbled Crystal Shade ornamented with wreath design in cut style. Height, 414 inches; diameter, 712 inches.

No. 34A9004



Pressed Crystal Shade with hob star and fan design in imitation of genuine cut glass. Height, 4% inches; diameter, 7½ inches. No. 34A9008



Frosted Blown Shade with crimped (scalloped) edge. Decorated around the center with a band of daisles in clear Very dainty. No. 34A9052 Height, 41% in.; diameter, 712 in.



Frosted Square Mission Shape Shade. Very neat appearing with plain straight edge. Height, 4½ inches; diameter, 6 lnches. No. 34A9022

Price, each .

Fancy Glassware for Inverted Gas Lights

This Glassware can also be used on electric fixtures which are equipped with 31/4-inch shade rings or dummy inverted gas burners,



Pressed Pebbled Crystal Shade in cut

star design. Height, 4% inches; diam-

No. 34A9000

eter, 7½ inches.

Gennine Hand Painted Shade Full frosted background with paneled sides and fancy embossed latticework border. Hand painted on the inside with chrysanthemums and their foliage in natural colors, making a very beautiful shade when lighted. Height, 41/2 inches: diameter, 61/2 inches.

No. 34A9533 Price, each



Inverted Frosted Airhole Gas Globe with deep crystal ribs in cut glass design. These ribs have a scintillating brilliancy when light is inside the shade. Height, 51/2 inches; diameter, 5

No. 34A9585 15c



Frosted Mushroom Shape Glass Shade fitted with 4-inch beaded fringe. We can furnish this shade in three colors with fringe to match. Length to bottom of fringe, 6½ inches. Diameter of shade, 6½ inches.

No. 34A9500 Crystel. No. 34A9501 Green.

Price, each No. 34A9502 Ruby.



Fancy Frosted Glass Grape Stalactite with embossed fair v in the bottom for use with in-verted gas burner. Height, 7 inches; diameter, 4½ inches, For \$14-inch holder.

No. 34A9580



Frosted Square Shade, embossed on all four sides in grape, haf and vine design. Height, 6 inches: diameter, 4 inches. For 31/4-inch holder.

No. 34A9090

No. 31A9026

Frosted Paneled Shade. Made with eight

panels. Height, 4% inches; diameter, 71/2 inches.


Sluch Inverted Arholi Square Panets, I rested too to be be with the killing and all Mes as vie. No. 34.19587

Price cash

Exactly the same as No. 11 to Culture crystal ribs. No. 34.19588

Glassware for Inverted and Upright Incandescent Gas Lights

All the Inverted Gas Shades Have 3%-Inch Fitters.



No. 34A9565

16c Three for ... 28c Price each 9c

Clear Glass Airhole Chimney Linest thin lead

Globe. Finest lead blown glass frosted all over. Height, 4% inches, diameter 5

No. 34A9551 I3c Price, each



Frosted Airhole Gas Globe I mest thin lead Frosted Airhole Gas Globe. Blown in true blown glass. Full fire mold. Ground airholes. finish. Fire melted airholes Height 51, Height 51, inches, diameter, 412 inches. in., diameter, 4 /2 in.

Same as No 34A9555, but frosted all over

No. 34A9554

diameter 41 inches, white light No. 31A9557

Inverted Airhole Opal Gas Globe, Made

of the finest thin

blown opal glass. Full

fire finished Fire

melted airholes.

Height, 514 Inches;

No. 34 \ \ 9550 Price, each 17c Price, each 19c Three for

Inverted Open Bot-

tom One Half Trusted

Gas Globe. Finest

thin had blown glass

Height, 4% inches:

diameter 5 inches



hole Inner Cylinblown glass. Full No. 34A9574

Price each %C Metal Ring to support cylider

4c No. 34 \9576 Proc ab 10c Price each 3c



Quip taghtle to mits I this Highl inches datebet 13s

Frested Fancy Panel Open Bottom Peinted Ball with clear erystal r by Height Sinches

No. 31 19566 12c

diameter, 5 inches No. 34 A 9513

Page One Hundred and Fire

SEARS, ROEBUCK AND CO., CHICAGO, ILL.



Made of genuine brass in brush (satin) brass and black finish. Hoght to top of metal shade, when arm is bent exactly as shown, 50 inches. (Can be raised 27 inches higher, making a total possible height of 77 inches.) Ornamental brass base, 39 inches higher, weighted to prevent upsetting. Brass stem, % inch in diameter, with pateral flexible brass arm which permits light to be thrown at any angle desired. Wired complete, with 9 feet of silk cord, revolving sleeve plug, key socket and 6% inch brass shade in brush brass hande in brush brass

No. 34A8400 Price, complete....

brown shade lined with white en-onel. Fitted with round frusted glass 16 candle power electric lamp, chain pull socket, and 6 feet of silk cord,

No. 34A8409


Price, complete. \$3,98

Made of genuine brass in brush (satin) brass finish. Height, as illustrated, 42 inches. Can be raised 24 inches. The raised 24 inches. The raised 24 inches, making a total possible height of 66 inches. Telescoping brass stem, 25 inch in diameter, with screw adjustment to regulate the height. Adjustable arm fitted with key socket and metal shade, aluminum lined. Wited complete, with 9 feet of silk cord.

NO. 94.48401 Price complete, 24 049 No. 34A8401 Price, complete \$4.98

Made of genuine brass in brush isalin) brass and black finish. Reighi as shown in Illustration, 44 inches. Can be raised 27 inches, making a lotal possibly height of 71 inches. Massive ornamental cast brass base, 11½ inches in diameter, weighted to prevent upsetting. Telescoping brass stem with screw adjustment to regulate high Curved arm with adjustible bull joint which permits the light to be placed at any angle desired; 2½-inch key socket cover and frosted 7-inch glass shade with clear ribs and slats in cut design. Wired complete, with 9 feet of silk cord, recolving sleeve plug and key socket.

No. 34A8402 Price, complete



One-Light Art Glass Electric Portable

Height 21 inches. Shade, 13 inches in diameter. Made of genuine brass in brush (satra) brass finish. Square footed base, 7% inches in diameter and square taper standard with round raised decorations on sides. Genuine brass, art metal, square shade, 13 inches in diameter. The

metal, square shade, 13 inches in diameter. The top pinels of this shade are filted with amber art glass and the curtain panels with sunset color glass, overlaid with cut out metal in windmill and landscape design. Complete with key socket, 6 feet of silk cord and revolving sleeve plus.

No. 34A8021

Price, complete...........87 75

Genume brass base in brush (satin) brass and black finish, decorated with east brass ornaments. Cathedi it art glass shade, 14 inches in diameter, composed of eight panels of amber art glass mounted in a cut-out brass frame with fancy crown of amber glass. Beautiful 5 inch frosted pencil prism fringe with green and aml (c) beads. Fitted with chain pull socket, 6 feet of silk cord and plug.

One-Light Art Glass Electric Portable

Height, 22 inches. Shade, 14 inches in diameter.

No. 34A8039

One-Light Gas Portable

Same as No. 34A 809, but fitted for gas, with incondescent gas burner, best quality mantle, arrhole chimney, 6 feet of tubing and brass gooseneck.

No. 34A8040

Price, complete......\$7.50

Three-Light Combination Art Glass Dome Light

Length to bottom of fringe, 54 inches. Diameter of dome shade, 32 inches. Made of genuine brass in brush (satin) finish. Two gas arms projecting from crown of dome are fitted with round keys and candle cups. One electric light inside of dome. The dome shade is made of eight panels of curved green cathedral art glass with 4-inch beaded amber fringe. Completely wired, with key socket, opal glass candles and bobaches.

No. 34A8505 Price, complete \$6.98 Same as No. 34A8505, but fitted for gas only without gas arms, but with incandescent gas light inside of dome, consisting of inverted burner, by-pass, mantle and frosted glass globe.

No. 34A8506 Price, complete. \$6.50

One-Light Art Glass Electric Dome Light

Length to bottom of fringe, 60 inches. Diameter of dome shade, 16 inches. Metal parts dead black finish. Embossed iron ceiling canopy, 4½ inches in diameter, and short stem. Round link iron chain supporting a square Mission dome with amber art glisspanels and 2½-inch curtain with green art glass panels and 4-inch green bead fringe. Completely wired with black silk cord, and chain pull socket.



Woman's Figure Electrolier

Height to top of light, 27 inches. Round metal base, 6% inches in dum-eter, upon which is mounted an ex-quisitely modeled woman flaure. measuring 111/2 inches in height. The base and figure are in statuary bronze finsh. Two rose stems with leaves in natural green color extend from the base and are fitted with electric lights. Wired complete and fitted with two keyless sockets, two frosted lamps, 6 feet of silk cord and plug.

No. 34A8225


Price, complete.....\$12.75



Three-Light Metal Overlaid Electric Dome Light

Length to bottom of fringe, 54 inches. Diameter of shade, 22 inches. Finish, brush (satin) brass. Large round spun ceiling canopy, 5 inches in diameter, with short stem and solid brass round link chain, supporting a 23-inch, eight-panel dome, surmounted by an eight-panel ornamental glass crown. The panels of this shade are fitted with amber green art glass, overlaid with a cast metal openwork border in floral design. 5-inch fancy bell frings of Created amelia prings and analysis level of the statement of the st fringe of frosted pencil prisms and amber lewel and green beads. Wired with yellow silk cord for three electric lights with brass cluster and key sockets inside of dome.





Height to top of glassware, 29 inches. Beautifully modeled figure of Cupid made of metal in statuary bronze fin ish on embossed metal base, 6½ inches in diameter. Wired complete and fitted with key socket, shade ring and frosted glass black edge tulip shade.

No. 34A8212

Price, complete\$10.98

Three-Light Metal Overlaid Electric Dome Light

Length to bottom of fringe, 54 inches. Shade, 22 inches in diameter. Finish, brush (satin) brass. Large round spun ceiling canopy, 5 inches in diameter, with short stem and solid brass round link chain, supporting a 22-inch, eight-panel, scalloped design shade, surmounted by an eight-panel glass crown. This shade is fitted with amber art glass overlaid with a delicate metal tracery in fancy scroll design. 5-inch fancy bell fringe of frosted pencil prisms with amber and green jewel beads. Wired with yellow silk cord and fitted for three electric lights with brass cluster and key socket inside of dome.



Three-Light Metal Overlaid Electric Dome Light

Length to bottom of dome, 54 inches. Shade measures 25 inches in diameter. Brush (satin) brass finish. Plain spun ceiling canopy, 5 inches in diameter, with short stem and solid brass round link chain, in brush (satin) brass finish, supporting a six-panel dome with 31/2-inch curtain, surmounted by a glass crown. is fitted with amber art glass with metal overlaid curtain in windmill and landscape design. Wired complete with yellow silk cord laced through the chain, fitted for three electric lights with brass cluster and key sockets inside of dome.

Two-Light Leaded Mosnic Art Glass Electric Dome Light

Length to bottom of dome, 48 inches. Shade, 18 inches in diameter. Solid brass round link chain, ceiling canopy and dome cap in brush (satin) brass finish. The leaded mosaic art glass shade, measuring 18 inches in diameter and T₂ inches deep, is composed of approximately 195 pieces of amber-green, pink and ruby art glass in wild rose and leaf design. The leading between the individual pieces of art glass is gilded. Wired complete with yellow silk cord laced through chain, fitted for two electric lights with brass cluster and key sockets inside


No. 34A8552 Price, complete....\$10.68

Two-Light Leaded Art Glass Electric Dome Light

Length to bottom of curtain, 52 inches. Shade, 23 inches in diameter. Gen ume brass ceiling canopy, 5 inches in diameter, and solid brass round link chain and shade holder, in brush (satin) brass finish. The six top panels of the domine of amber art glass and the 5-inch curtain is composed of amber glass with brown and mottled green art glass fancy border at top and bottom. All leading is gilded. Wired complete with yellow silk cord laced through chain, fitted for two electric lights, with brass cluster and key sockets inside dome.

No. 34A8501 Price, complete.....\$10.48

Page One Hundred and Nine



No. 34A8507 Price, wired complete......\$6.50

ceiling canopy. The chain is heavily brass plated in brush (satin) brass fla-ish. Completely wired with silk cord laced through chain, fltted with key

Length to bottom or curtain, 48 inches. Diameter or nome, is linenes. Metal parts brush (satin) brass finish. Brass ceiling canopy, 5 inches in diameter, and short brass stem to which is attached a solid brass tound link chain and shade holder. Square amber art glass shade mounted in brush (satin) brass frame with a 3-inch curtain in amber art glass and 4-inch corners in green art glass. Wired, with silk cord laced through the chain, with key sockets for two electric lights inside of dome.

No. 84A8508 Price, complete......87.75

Metal parts brush (satin) brass finish. Brass ceiling canopy 5 inches in dameter, and short brass stem to which is attached a solid brass round link chain. The shade is composed of eight panels of curved amber green art glass mounted in a fancy cut out brass frame and surmounted by an art glass crown. Finch fancy bead and tube amber glass fringe. Wired with yellow silk cord and key sockets for two electric lights inside dome.

SEARS, ROEBUCK AND CO., CHICAGO, ILL.

socket for an electric light inside dome.



SEARS, ROEBUCK AND CO., CHICAGO, ILL.

Page One Hundred and Eleven



Length to bottom of fringe, 54 inches. Diameter of dome, 24 inches.
All metal parts brush (satin) brass finish. Heavy solid brass round link chain All metal parts brush (satth) brass finish. Heavy sould brass round link chain and 5-inch ceiling canopy, supporting an extra large dome shade measuring 24 inches in diameter. Composed of sixteen panels of curved amber cathetran art glass mounted in a brass frame surmounted by an eight-panel art glass crown. Ornamental bottom edge with 4½-inch amber beaded fringe. Complete with silk cord laced through the chain, fitted with brass cluster, and key sockets for three electric lights inside of dome.

Length to bottom of dome, 54 inches.

All metal parts brush (satin) brass finish. Heavy solid brass link chain and ceiling canopy, 5 inches in diameter, supporting an extra large dome shade measuring 24 inches in diameter. Composed of twelve panels of curved amber cathedral art glass mounted in brass frame with a 6% inch surface of leaded art glass inch surface of leaded art glass in the control of the contr inch curtain composed of approximately 324 pieces of leaded art glass in grape design. Complete with silk cord laced through the chain, fitted with brass cluster, and key socket for three electric lights inside of dome.

Length to bottom of fringe, 54 inches. Diameter of dome, 24 inches. All metal parts brush (satin) brass finish. Heavy solid brass link chain and ceiling canopy, 5 inches in diameter, supporting a large cathedral art glass dome shade, measuring 24 inches in diameter, composed of ten panels of curved amber art glass mounted in cut-out fancy brass frame surmounted by a tenpanel art glass crown. Five-inch fringe of frosted glass pencil prisms and amber jewel beads. Complete with silk cord laced through chain, fitted with brass cluster, and key sockets for three electric lights inside of dome.

No. 34A8511 Price, complete......\$12.95



Mahogany Desk or Boudoir Electric Portable

Height, 13½ inches. Base, 4½ inches in diameter, with turned wood stem in dull managany finish. Old rose silk shade, 8 inches wide and 6½ inches high, trimmed at top and bottom with fancy gilt braid. Fitted for one light with chain pull socket, 6 feet of silk cord, revolving sleeve plug and 16-candle power round frosted lamp, Edison base.



Cretonne Umbrella Electric Portable

Shows lamp closed.

Height, 27 inches. Fancy brass base in fluted design, 9 inches in diameter, and round brass standard in brush (satin) brass finish. Umbrella shade, 17 inches in diameter, made of excellent quality flowered cretonne in pink rose and green leaf design with fluted edging of the same material. This portable can be closed like an umbrella at times when not needed. Fitted for one light with chain pull socket, 6 feet of silk cord and revolving sleeve plug.

No. 34A8088 Price, complete......\$4.75



Adjustable Desk or Piano Electric Lamp

Height as shown in illustration, 7½ inches. Brush (satin) brass and black finish. Metal base, 61/2 inches square, artistically chased in Grecian key border and fluted design with an adjustable arm holding a triangular shaped shade, 9 inches long and 4½ inches wide, fitted with amber art glass panels under an overlaid metal framework. The shade can be adjusted at almost any angle desired. Fitted for one light with key socket, 6 feet of silk cord and revolving sleeve plug.

No. 34A8417 Complete ... \$5.95



Adjustable Desk or Piano Electric Lamp

Height as shown in illustration, 12 inches. Embossed fancy metal base with adjustable reeded stem. 6½-inch shade fitted with four amber green art glass panels in sides and four opal glass panels in top, overlaid with metal tracery. Lamp and shade are finished in gold bronze. Fitted for one light, with 6 feet of silk electric cord, revolving sleeve plug and chain pull socket.

No. 34A8420 Complete....\$9.75



Desk or Boudoir Electric Lamp

Height, 151/2 inches. Solid metal base with six-panel cut out metal overlaid 7-inch dome shade fitted with amber art glass. Base and shade are finished in verde antique (green).
Complete with 6 feet of silk electric cord, revolving sleeve plug, chain pull socket and 16-candle power round frosted

No. 34A8422 A Price, complete \$6.75



Mahogany Electric Portable

Height, 29 inches. Diameter of base, 9 inches. Made of genuine Height. 29 inches. Diameter of base, 9 inches. Made of genuine mahogany in dull finish, with a round step base supporting a beautiful standard carved in Corinthian fluted design surmounted by a capital. 18-inch round plaited shade made of fine quality pink silk with a gilt braid galloon at top and bottom and 3-inch silk fringe to match shade. The shade is lined with white China silk. Fitted for two lights with chain pull sockets, 6 feet of silk cord and revolving sleeve plug.

No. 34A8089 Price, complete\$13.95



Metal Overlaid Electric Portable

Height, 25 inches. Richly embossed ornamental base in verde antique (Tiffany green) finish, supporting an eight-panel metal overlaid shade finished in verde to match. The shade measures 19 inches across corners and is fitted with amber art glass overlaid at the bottom and top with artistic metal tracery in wreath and vine design. Fitted for two lights with chain pull sockets, 6 feet of silk cord and revolving sleeve plug.

No. 34A8101 Price, complete.....\$11.98

SEARS, ROEBUCK AND CO., CHICAGO, ILL

